District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

May 27, 2004 Submit to appropriate District Office

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

AMENDED REPORT

Form C-101

APPL	<u>ICATI</u>	ON FO	R PERMIT	TO D	RILL, RE	<u>-ENTER</u>	t, DI	CEPE	<u>N, P</u>	LUGBA		DD A ZONE
Operator Name and Address Platinum Exploration Inc.							227103 OGRID Number			er		
550 W. Texâs, Suite 500							30 – 025-07148					
Midland, TX 79701 Property Code Property						v Name				30 - 025-07		ell No.
343	-				•	•					**	cii No.
<u> </u>	<u> </u>		Proposed Pool 1		U. U. V	Vallace				10 Prope	osed Pool 2	3
			a; Devonian (2	7740)						Порс	JSCA 1 001 2	
⁷ Surface I							n				·	
UL or lot no.	Section	Township	7					eet from the	East/West line	County		
G	6	12-S	38-E 198		l l	North 1988		East	Lea			
⁸ Proposed Bottom Hole Location If Different From Surface												
UL or lot no.	Section	Township	Range	Lot I	Lot Idn Feet from th		North/S	rth/South line Feet from the		East/West line	County	
<u> </u>	· · · · · · · · · · · · · · · · · · ·		-1 ,,	Ad	ditional W	ell Inform	matic	on				.
11 Work	Type Code		12 Well Type Coo			ble/Rotary			4 Lease	Type Code	15 Gr	ound Level Elevation
	E		Ö			R			P		3889' DF	
	ultiple N		12,010			ormation Vonian		¹⁹ Contractor		²⁰ Spud Date ASAP		
Depth to Grou	ındwater 42	•		Distance					Distance from	om nearest surface water >1000'		
Pit: Liner:	Synthetic	☑ 12	mils thick Cla	y Pit	Volume: 500	bbls		Drilli	ng Me	thod:	34567	
Close	d-Loop Sys	tem 🔲					Fresh Water Bring Diesel/Oil-based Gas/Air					
			21	Propos	ed Casing	and Cem	nent l	Progra	m	/S	.Orr	
Hole S	ize	Са	sing Size		g weight/foot		Setting Depth Sacks of Cement Estimated TOC					
17" 13 3/8"		50#			355°			425				
11" 8-5/8"		32#		4			\ંટ્રે2100		Surface			
7 7/8	7 7/8" 5-1/2"		17/20#		13	2,010	0,		1340		4,873 Calc	
Describe the proposed program. If this application is to DEEPEN or PLUG BACK, give the data on the present productive zone and proposed new productive zone. Describe the blowout prevention program, if any. Use additional sheets if necessary.									I new productive zone.			
	-	-				•						
Re-enter U. U. Wallace # 3 well and clean out to original TD. Dress off and press test the 5 1/2" casing. Acidize the Devonian and put												
well on production.												
²³ I hereby certify that the information given above is true and complete to the							OIL CONSERVATION DIVISION					
best of my knowledge and belief. I further certify that the drilling pit will be						H						
constructed according to NMOCD guidelines 🗵, a general permit 🔲, or an (attached) alternative OCD-approved plan 🔲.					Approved	Approved by:						
Printed name: Julie Figel						Title:	Title: DETROLEUM ENGINEEH					
Title: Agent					Approval	Approval Date: Expiration Date:						
E-mail Address: jfigel@t3wireless.com						SEP	SEP 1 3 2005					
Date: 9/6/05 Phone: 432/687-1664 Ext 123					Condition	Conditions of Approval Attached						

District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Avenue, Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico

Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.

Santa Fe, NM 87505

Form C-102

Revised June 10, 2003

Submit to Appropriate District Office

State Lease - 4 Copies

Fee Lease - 3 Copies

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number	² Pool Code	³ Pool Name		
30-025-07148	27740	GLADIOLA; DEVONIAN		
⁴ Property Code	⁵ Property N	me ⁶ Well Number		
34311	U. U. Wal	nce 3		
OGRID No	⁸ Operator Name			
227103	Platinum Exploi	ation, Inc. 3,889' DF		

¹⁰ Surface Location

UL or lot no.	Section 6	Township 12-S	Range 38-E	Lot Idn	Feet from the 1980	North/South line North	Feet from the 1988	East/West line East	County Lea
11 Bottom Hole Location If Different From Surface									
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County

12 Dedicated Acres 13 Joint or Infill 14 Consolidation Code 15 Order No.

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-

OIAI	DAIG CIVIT	HAS DEEN	APPROVED BY THE	DIVISION
		1		¹⁷ OPERATOR CERTIFICATION I hereby certify that the information contained herein
				is true and complete to the best of my knowledge and
				belief.
				Signatury Live Frajel
				Julie Figel
)	10001 77 1		Printed Name
	00 20 40	1980' FNE		Agent
	11	ŏ ← "		Title and E-mail Address
	SHL	1988' FE		9/6/05
	ii ii	0 0		Date
	<u> </u>	" "		
				¹⁸ SURVEYOR CERTIFICATION
				I hereby certify that the well location shown on this
				plat was plotted from field notes of actual surveys
				made by me or under my supervision, and that the
				same is true and correct to the best of my belief.
				D. 60
				Date of Survey
				Signature and Seal of Professional Surveyor:
				Certificate Number

CURRENT

DF: 3889' KB:

Cmt plug @ surf w 10 sx (10/67)13 3/8" 50# @ 355' w/ 425 sx 17" TOC: Surface-Circ hole 5 1/2" Csg cut off @ 3600" Cmt plug @ 3600' w/ 25 sx (10/67) 8 5/8" 32# @ 4440' w/ 2100 sx 11" TOC: Surf-Circ hole TOC: 4873' Calc w/20% ex DVT- depth NR

CIBP set @ 11,900' w/ 3 sx cmt on top (10/67)

Perf 11,989'- 12,001'; 6 shots per foot

5 1/2" 17# & 20# @ 12,010' w/ 1310 sx

2 stage job

U. U. Wallace No. 3

1980' FNL & 1988' FEL G, Sec 6, T-12S, R-38E Lea County, NM

API#: 30-025- 07148


Well Type: Plugged (10/67) Spud Date: 6/14/1957

TD: 12,010' PBTD: 12,007'

7 7/8"

hole

U. U. Wallace No. 3 **PROPOSED** 1980' FNL & 1988' FEL DF: 3889' KB: G, Sec 6, T-12S, R-38E Lea County, NM API#: 30-025- 07148 Spud Date: 6/14/1957 Well Type: Dev producer 13 3/8" 50# @ 355' w/ 425 sx 17" TOC: Surface-Circ hole - 5 1/2" Csg cut off @ 3600' Dress off and press test 8 5/8" 32# @ 4440' w/ 2100 sx 11" TOC: Surf-Circ hole TOC: 4873' Calc w/20% ex **DVT- depth NR** Perf 11,989'- 12,001'; 6 shots per foot 7 7/8" 5 1/2" 17# & 20# @ 12,010' w/ 1310 sx hole 2 stage job TD: 12,010' PBTD: 12,007'



District I v 1625 N. French Dr., Hobbs, NM 88240 District II
1301 W. Grand Avenue, Artesia, NM 88210
District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources**

Oil Conservation Division

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

1220 South St. Francis Dr. Santa Fe, NM 87505 Pit or Below-Grade Tank Registration or Closure

	or below-grade tank Closure of a pit or below						
Operator: Platinum Exploration, Inc.	Telephone: 432-687-1664 Ext 123	e-mail address: jfigel@t3wireless.com					
Address: 550 W. Texas, Suite 500 Midland, TX 79701							
Facility or well name: U. U. Wallace # 3 API #: 35-025-07148	U/L or Qtr/Qtr_G_Sec_6_T_12	<u>2S R 38E</u>					
County: Lea Latitude Longitude	NAD: 1927 🗌 1983 🔲 Surface Ow	ner Federal 🗌 State 🔲 Private 🛛 Indian 🗍					
Pit	Below-grade tank						
Type: Drilling ☑ Production ☐ Disposal ☐	Volume:bbl Type of fluid:						
Workover Emergency	Construction material: Double-walled, with leak detection? Yes If not, explain why not.						
Lined Unlined							
Liner type: Synthetic ☑ Thickness 12 mil Clay ☐							
Pit Volume 1600 bbl							
Donth to ground victor (victical distance from hottom of its annual high	Less than 50 feet XX	(20 points)					
Depth to ground water (vertical distance from bottom of pit to seasonal high	50 feet or more, but less than 100 feet	(10 points)					
water elevation of ground water.) 42'	100 feet or more	(0 points)					
Wallhard protection area: (I ass then 200 feet from a minute James)	Yes	(20 points)					
Wellhead protection area: (Less than 200 feet from a private domestic	No XX	(0 points)					
water source, or less than 1000 feet from all other water sources.)>1000'							
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)					
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)					
>1000	1000 feet or more XX	(0 points)					
	Ranking Score (Total Points)	20					
If this is a pit closure: (1) attach a diagram of the facility showing the pit's	relationship to other equipment and tanks. (2) In	dicate disposal location: (check the onsite box if					
your are burying in place) onsite 🔲 offsite 🗀 If offsite, name of facility_							
remediation start date and end date. (4) Groundwater encountered: No 🗌 Y		-					
Attach soil sample results and a diagram of sample locations and excavations							
Additional Comments:							
	7/3-10-1						
(A)							
I hereby certify that the information above is true and complete to the best of been/will be constructed or closed according to NMOCD guidelines ⊠, Date: 9/6/05	f my knowledge and belief. I further certify tha a general permit □, or an (attached) alternati	t the above-described pit or below-grade tank has ve OCD-approved plan □.					
Printed Name/Title Julie Figel / Agent	Signature Qulli	Fiel					
Your certification and NMOCD approval of this application/closure does not otherwise endanger public health or the environment. Nor does it relieve the regulations.	t relieve the operator of liability should the content	nts of the pit or tank contaminate ground water or n any other federal, state, or local laws and/or					
Approval: Printed Name/Title PETROLEUM ENGINEE	Ř	SEP 1 3 2005					
Approval: Printed Name/Title DETROLEUM ENGINEE							
THE DETRUCE	_ Signature	Date:					

Form C-144 June 1, 2004