State of New Mexico Energy, Minerals and Natural Resources Department

Form C-103 Revised 5-27-2004

| FILE IN TRIPLICATE | OIL CONSERVA | ATION DIVISION | | |
|---|---|------------------------------------|--|--|
| DISTRICT I 1625 N. French Dr., Hobbs, NM 88240 | 1220 South St. Francis Dr. Santa Fe, NM 87505 | | WELL API NO. 30-025-37271 | |
| <u>DISTRICT II</u> | , | | 5. Indicate Type of Lease | |
| 1301 W. Grand Ave, Artesia, NM 88210 | | | STATE X | FEE X |
| DISTRICT III | | | 6. State Oil & Gas Lease No. | |
| 1000 Rio Brazos Rd, Aztec, NM 87410 | | | | |
| SUNDRY NOTICES AND REPORTS ON WELLS | | | 7. Lease Name or Unit Agree | ment Name |
| (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (Form C-101) for such proposals.) | | | SOUTH HOBBS (G/SA) UNIT Section 4 | |
| 1. Type of Well: Oil Well Gas Well Other Injector | | | 8. Well No. 246 | |
| Name of Operator Occidental Permian Ltd. | | | 9. OGRID No. 157984 | |
| 3. Address of Operator | | | 10. Pool name or Wildcat | HOBBS (G/SA) |
| 1017 W. Stanolind Rd., HOBBS, NM 4. Well Location | 88240 505/39 | 7-8200 | | |
| Unit Letter A : 659 F | Feet From The NORTH | Fee | et From The EAST | Line |
| Section 4 | Township 19-S 11. Elevation (Show whether DF, RK | Range 38-I | E NMPM | LEA County |
| | 3619' GR | B, AT OR, Eac.) | | |
| Pit or Below-grade Tank Application | or Closure | | | |
| Pit Type Depth of Ground Wa | | | | surface water |
| | low-Grade Tank: Volume | | | |
| 12. Check Ap NOTICE OF INTENT | propriate Box to Indicate Nat | | Other Data SEQUENT REPORT (| DF: |
| PERFORM REMEDIAL WORK PL | UG AND ABANDON | REMEDIAL WORK | ALTERIN | G CASING |
| TEMPORARILY ABANDON CH | HANGE PLANS | COMMENCE DRILLING OP | NS. PLUG & | ABANDONMENT |
| PULL OR ALTER CASING MI | ultiple Completion | CASING TEST AND CEMEN | NT JOB | |
| OTHER: | | OTHER: | New Well Completion | on X |
| 13. Describe Proposed or Completed Operation proposed work) SEE RULE 1103. For N | | | | starting any |
| 1. RUPU. Drill out DV tool @3497'. Ta | g PBTD @4321'. | | | |
| 2. Run GR/CCL/CBL from 4321 to surf. | • | | | |
| 3. Perforate the following intervals; 4120 | | 18, 4228-45, 4251-72, ANI | O 4293-96 using 2 spf, 120 | deg sp ph. (197 holes). |
| | FD = 4283'. | acttim as | | · 1 |
| Stimulate perfs 4120 to 4296 w/4300 g 15% NEFE HCL acid in 49 settings. RIH Reda ESP on 126 jts 2-7/8" tbg . Intake set @4072'. | | | | * |
| 7. Install QCI wellhead connection. RDI | | | Se de la company | D/N. |
| | | | | |
| Rig Up Date: 08/02/2005 | | | | सर्वे |
| Rig Down Date: 08/11/2005 | | | | A STATE OF THE STA |
| I hereby certify that the information above is true a | and complete to the best of my know! | edge and helief. I further corrifu | that any nit or below grade ton? | has has Null ha |
| constructed or | | _ | | Thas occurwith he |
| closed according to NMOCD guidelines | , a general permit | or an (attached) alternativ | e OCD-approved | |
| SIGNATURE What Tole | That | plan TITLE Workover Con | ppletion Specialist DA | ⊔ ге 08/24/2005 |
| TYPE OR PRINT NAME Robert Gilbert | E-mail address: | robert_gilbert@oxy.com | TELEPHONE NO | |
| For State Use Only | <i></i> | | | _ |
| APPROVED BY | nech. | TITI RETROI ELIA | D/ | NTE SEP 122 |
| CONDITIONS OF APPROVAL IF ANY: | 1) | TITLEETROLEUM EI | WGINEER | |