Submit 3 Copies To Appropriate District Office State of New Mexico	Form C-103
District I Energy, Minerals and Natural Resources 1625 N. French Dr., Hobbs, NM 88240 District II	May 27, 2004 WELL API NO. 30-041-20906
1301 W. Grand Ave., Artesia, NM 88210 District III 1220 South St. Francis Dr.	5. Indicate Type of Lease STATE FEE
1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM	6. State Oil & Gas Lease No.
87505	na
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	7. Lease Name or Unit Agreement Name Boondocks 9
1. Type of Well: Oil Well Gas Well Other	8. Well Number 1
2. Name of Operator Lynx Petroleum Consultants, Inc.	9. OGRID Number 13645
3. Address of Operator P.O. Box 1708 Hobbs, NM 88240	10. Pool name or Wildcat Chaveroo Permo Penn North
4. Well Location Unit Letter_I : 2310 feet from the South line and 500 to feet from the East line	
Section 9 Township 7S Range 33E NMPM County Roosevelt 11. Elevation (Show whether DR, RKB, RT, GR, etc.)	
Pit or Below grade Tonk Application or Clasure	
	ance from nearest surface water
Pit Liner Thickness: mil Below-Grade Tank: Volume bbls; Construction Material	
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data	
NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PLUG AND ABANDON CHANGE PLANS COMMENCE DRILLING OPNS. PAND A COMMENCE DRILLING OPNS. PAND A	
PULL OR ALTER CASING MULTIPLE COMPL CASING/CEMENT	I JOB
OTHER: OTHER:	П
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.	
Received verbal permission from Gary Wink, NMOCD, Hobbs, 11/03/04, to plug and abandon well as follows:	
Plug #1: 8200-8100' with 50 sx Class "C" - 3 Bros. Plug #2: 6200-6100' with 50 sx Class "C" - Tubb	
Plug #3: 3625-3525' with 50 sx Class "C" with 2% CaCl2, 8-5/8"	
casing shoe. Tag plug @ 3499'.	
Plug #4: 2000-1900' with 30 sx Class "C" with 2% CaCl2,- Rustler Plug #5: 450-350' with 30 sx Class "C" with 2% CaCl2, 13-3/8"	
casing shoe. Tag plug @ 340'.	
Plug #6: surface with 10 sx Class "C" with 2% CaCl2	
All plugs spotted 11/4/04 - 11/05/04. Cut off wellhead and installed dry hole marker. (5-26-05)	
out off worthout and installed all note marker. (* 55 55)	
I hereby certify that the information above is true and complete to the best of my brounded	and haliaf ve at
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit or an (attached) alternative OCD-approved plan.	
SIGNATURE Undrea Scott TITLE Regulatory Clerk DATE 9/5/05	
Type or print name Andrea Scott C First address: acscott@leaco.net_lephone No. (505) 392-6950 APPROVED BY: APPROVED BY: TITLE Andrea Scott C First address: acscott@leaco.net_lephone No. (505) 392-6950 Telephone No. (505) 392-6950	
APPROVED BY: LOUND TITLE SEP 1 2 2005	
Approved as to plugging of the Well Bore. Liability under bond is retained until surface restoration is completed.	