

Submit 3 Copies To Appropriate District Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
May 27, 2004

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-26279
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator Doyle Hartman		6. State Oil & Gas Lease No. B-229-1
3. Address of Operator 500 N. Main St., Midland, TX 79701		7. Lease Name or Unit Agreement Name Amott Ramsay "NCT-B"
4. Well Location Unit Letter I : 2310 feet from the South line and 990 feet from the East line Section 32 Township 25S Range 37E NMPM Lea County		8. Well Number 7
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 2997' GR		9. OGRID Number 6473
Pit or Below-grade Tank Application <input type="checkbox"/> or Closure <input type="checkbox"/>		10. Pool name or Wildcat Jalmat (T-Y-7R) Gas
Pit type 200 BBL Steel Circulating Pit Depth to Groundwater N/A Distance from nearest fresh water well > 1000' Distance from nearest surface water > 1000'		
Pit Liner Thickness: Steel Circulating Pit mil Below-Grade Tank: Volume 200 BBL Above Ground bbls; Construction Material Steel		

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:
PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐

SUBSEQUENT REPORT OF:
REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☒
CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

For details of completed plugging and abandonment operations, please refer to pages 2 thru 3 attached hereto, and made a part hereof.

Approved as to plugging of the Well Bore.
Liability under bond is retained until
surface restoration is completed.



I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE Steve Hartman TITLE Engineer DATE 09/16/2005

Type or print name Steve Hartman E-mail address: dhoo@swbell.net Telephone No. (432) 684-4011

For State Use Only

APPROVED BY: Larry W. Wink TITLE OCD FIELD REPRESENTATIVE II/STAFF MANAGER DATE SEP 22 2005

Conditions of Approval (if any):

Page 2 of 3
NMOCD Form C-103, dated September 16, 2005
Doyle Hartman
Arnott Ramsay "NCT-B" No. 7
I-32-25S-37E
API No. 30-025-26279

Details of Completed Plugging Operations

9-9-05 to 9-12-05:

Ran 2 3/8" O.D. tbg to 2335' (top of cement). Circulated hole with salt gel mud.

Raised bottom of 2 3/8" O.D. tbg to 1256'. Spotted 40 sx API Class "C" cement plug from 874' to 1256'. Pulled 20 jts of tubing. WOC 2.5 hrs. Tagged top of cement plug at 874'.

Raised bottom of 2 3/8" O.D. tubing to 419'. Spotted 40 sx API Class "C" cement plug from 0' to 419'. Pulled and laid down 2 3/8" O.D. tubing. Finished filling casing with cement.

9-15-05:

Installed dry hole marker, cut off rig anchors, cleaned location. Well now P&A'd.

Wellbore Schematic
Plugging and Abandonment Procedure
Arnott Ramsay "NCT-B" No. 7
2310' FSL & 990' FWL (Unit I)
Section 32, T-25-S, R-37-E
Lea County, NM
Doyle Hartman

