

Submit 1 Copy To Appropriate District
Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised August 1, 2011

OIL CONSERVATION DIVISION

HOBBS OGD

220 South St. Francis Dr.
Santa Fe, NM 87505

DEC 04 2012

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-08735 ✓
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator XTO ENERGY, INC. ATTN: STEPHANIE RABADUE		6. State Oil & Gas Lease No.
3. Address of Operator 200 N. LORRAINE, SUITE 800, MIDLAND, TEXAS 79701		7. Lease Name or Unit Agreement Name: ARROWHEAD GRAYBURG UNIT
4. Well Location Unit Letter <u>L</u> : <u>2310</u> feet from the <u>SOUTH</u> line and <u>990</u> feet from the <u>WEST</u> line Section <u>02</u> Township <u>22S</u> Range <u>36E</u> NMPM County <u>LEA</u>		8. Well Number 172 ✓
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3,539' - GR		9. OGRID Number 005380 ✓
		10. Pool name or Wildcat ARROWHEAD; GRAYBURG

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC.. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- 1) SET 5-1/2" CIBP @ 3,650'; PUMP A 25 SX. CMT. PLUG @ 3,650'-3,510'; CIRC. WELL W/ PXA FLUID.
- 2) PUMP A 25 SX. CMT. PLUG @ 2,800' (B/SALT); WOC X TAG CMT. PLUG.
- 3) PERF. X ATTEMPT TO SQZ. A 75 SX. CMT. PLUG @ 1,610'-1,405' (T/SALT X T/ANHY.); WOC X TAG CMT. PLUG.
- 4) MIX X CIRC. TO SURF. A 50 SX. CMT. PLUG @ 395'-3' (8-5/8" CSG. SHOE).
- 5) DIG OUT X CUT OFF WELLHEAD 3' B.G.L.; WELD ON STEEL PLATE TO CSGS. X INSTALL DRY HOLE MARKER.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE David A. Eyler TITLE AGENT DATE 12/03/12

deyler@milagro-res.com

Type or print name DAVID A. EYLER E-mail address: deyler@milagro-res.com PHONE 432.687.3033

For State Use Only

APPROVED BY [Signature] TITLE DBT/MR DATE 12-05-2012

Conditions of Approval (if any):

DEC 05 2012

Oil Conservation Division - Hobbs office. Must be Notified
24 hours prior to the beginning of Plugging Operations begin.

WELL NAME: AGU 172
LOCATION: 2310' FSL & 990' FWL, SEC 2 T22S R36E
FORMATION: GRBG
SPUD DATE: 05/22/40
IP:

COUNTY/STATE: LEA, NM
LEASE: ARROWHEAD
CURRENT STATS:
COMPL DATE: 06/15/40
API No: 30-025-08735



11" HOLE

8-5/8" CSG @ 344'
CMT W/200 SX
CIRC TO SURF (CALC)

CSG LK F/661'-672.
SQZ'D W/360 SX CMT.
CIRC TO SURF. 9/4/12

7" HOLE

5-1/2", 15# CSG @ 3702'
CMT W/200
CIRC TO 1894' (CALC)

ELEV
GL: 3539'

Tubing: (9/7/12)
111 JTS 2-7/8" J55, PMP @ 3611', INTAKE @
3624', SEAL SECT @ 3626', MOROT @ 3637'

OH DO TO 3900' (9/4/12)

OH
GRBG 3702'-3820'

PBTD: 3900'
TD: 4100'

WELL NAME: AGU 172
LOCATION: 2310' FSL & 990' FWL, SEC 2 T22S R36E
FORMATION: GRBG
SPUD DATE: 05/22/40
IP:

COUNTY/STATE: LEA, NM
LEASE: ARROWHEAD
CURRENT STATS:
COMPL DATE: 06/15/40
API No: 30-025-08735



ELEV
GL: 3539'

11" HOLE


8-5/8" CSG @ 344'
CMT W/200 SX
CIRC TO SURF (CALC)

CSG LK F/661'-672.
SQZ'D W/360 SX CMT.
CIRC TO SURF. 9/4/12

7" HOLE

5-1/2", 15# CSG @ 3702'
CMT W/200
CIRC TO 1894' (CALC)

OH DO TO 3900' (9/4/12)



OH
GRBG 3702'-3820'

PBTD: 3900'
TD: 4100'

12/03/12 DAE