

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy 1693'	T. Canyon	T. Ojo Alamo	T. Penn A"
T. Salt 1800'	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt 2490'	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates	T. Miss 10,230'	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian 10,704'	T. Cliff House	T. Leadville
T. Queen	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres 3750'	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs	T. Todilto	
T. Abo 7205'	T.	T. Entrada	
T. Wolfcamp 8310'	T.	T. Wingate	
T. Penn 8508'	T.	T. Chinle	
T. Cisco (Bough C) 8780'	T.	T. Permian	

OIL OR GAS SANDS OR ZONES

No. 1, from...10,704'.....to.....10,990'.....

No. 3, from.....to.....

No. 2, from.....to.....

No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....

No. 2, from.....to.....feet.....

No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology	From	To	Thickness In Feet	Lithology
4000	5600	1600	Dolomite, Shale & Limestone				
5600	6650	1050	Sand, Shale, Limestone				
6650	6910	260	Limestone, Shale				
6910	7280	360	Dolomite, Shale, Sand				
7280	8590	1310	Shale, Limestone, Dolomite				
8560	10200	1640	Limestone, Shale				
10200	10360	160	Sand, Shale, Limestone				
10360	10650	240	Limestone, Shale				
10650	10704	54	Shale				
10704	10810	106	Limestone, Chert, Shale				
10810	10990	180	Dolomite, Shale, Chert				

