

Submit 1 Copy To Appropriate District Office

District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised August 1, 2011

HOBBS OCD
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-40514
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No. VO-8713
7. Lease Name or Unit Agreement Name Guava BRU State
8. Well Number: #1H
9. OGRID Number 25575
10. Pool name or Wildcat 2 nd Bone Spring/Wildcat N Berry
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3713

RECEIVED
DEC 14 2012

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator
Yates Petroleum Corporation

3. Address of Operator
105 S. Fourth St., Artesia, NM 88210

4. Well Location
Unit Letter E : 2210 feet from the N line and 200 feet from the W line
Section 32 Township 20S Range 35E NMPM County Lea

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3713

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☒
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: Change of surface and bottom hole location. ☒

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Yates Petroleum Corporation is requesting to change the Surface Hole Location and the Bottom Hole Location of the Guava BRU State #1H located whose former surface hole location was 175' FNL and 660' FWL and the bottom hole location was 2310' FNL and 660' FWL in Section 32 of Township 20S and Range 35E. Yates Petroleum would like to change the SHL to 2210' FNL and 200' FWL with the BHL being 2210' FNL and 330' FEL in Section 32, T20S-R35E.

Spud Date: 8/1/2013

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Travis Hahn TITLE Land Regulatory Agent DATE 12/12/2012

Type or print name Travis Hahn E-mail address: thahn@yatespetroleum.com PHONE: 575-748-4120

For State Use Only

APPROVED BY: [Signature] TITLE Petroleum Engineer DATE DEC 17 2012
Conditions of Approval (if any):

DEC 17 2012

DISTRICT I
1625 N. French Dr., Hobbs, NM 88240
DISTRICT II
1301 W. Grand Avenue, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

DISTRICT IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-102
Revised July 16, 2010

Submit one copy to appropriate
District Office

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.
Santa Fe, New Mexico 87505

WELL LOCATION AND ACREAGE DEDICATION PLAT

☐ AMENDED REPORT

API Number 30-02540514	Pool Code 5535	Pool Name 2nd Bone Springs/
Property Code 39146	Property Name GUAVA BRU STATE	Well Number 1H
OGRID No. 025575	Operator Name YATES PETROLEUM CORP.	Elevation 3713


Surface Location

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
E	32	20 S	35 E		2210	NORTH	200	WEST	LEA

Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
H	32	20 S	35 E		2210	NORTH	330	EAST	LEA
Dedicated Acres 160	Joint or Infill	Consolidation Code	Order No.						

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

N 560076.451 E 801829.596 (NAD-83) Project Area 2210' S.L. N 560098.402 E 804473.663 (NAD-83) Producing Zone 2210' N 560119.777 E 807118.580 (NAD-83) 330' B.H. N 557477.603 E 807139.698 (NAD-83) 200' 561784.32 E 780341.29 (NAD-83) SURFACE LOCATION Lat - N 32°21'50.85" Long - W 103°29'14.65" NMSPCE- N 557868.64 E 802047.43 (NAD-83) Penetration Point 2210' FNL & 680' FWL PROPOSED BOTTOM HOLE LOCATION Lat - N 32°31'50.86" Long - W 103°28'19.06" NMSPCE- N 557907.58 E 806806.31 (NAD-83) N 554792.499 E 801874.614 (NAD-83)	OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. <u>Travis Hahn</u> 12/12/12 Signature Date Travis Hahn Printed Name thahn@yatespetroleum.com Email Address SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.  Date Surveyed Signature & Seal of Professional Surveyor Certificate No. Gary L. Jones 7977 BASIN SURVEYS 27698
---	---

Operator Co.

Your Co.

Survey/Planning Report									
Operator	Yates Petroleum Corp.			Northing			Date	29-Nov-12	
Dir. Co.	Yates Petroleum Corp.			Easting			System	2 - St. Plane	
Well Name	Guava #1H Survey			Elevation			Datum	1983 - NAD83	
Location	Sec. 32, 20S-35E			Latitude			Zone	4302 - Utah Central	
Rig				Longitude			Scale Fac.		
Job				Units	Feet		Converg.		
MD	INC	AZI	TVD	N/S	E/W	VS@89.53°	BR	TIR	DLS
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1876.00	0.00	0.00	1876.00	0.00	0.00	0.00	0.00	0.00	0.00
1876: RUSTLER, 1876'									
2101.00	0.00	0.00	2101.00	0.00	0.00	0.00	0.00	0.00	0.00
2101: TOS, 2101'									
3586.00	0.00	0.00	3586.00	0.00	0.00	0.00	0.00	0.00	0.00
3586: BOS, 3586'									
3601.00	0.00	0.00	3601.00	0.00	0.00	0.00	0.00	0.00	0.00
3601: TANSILL, 3601'									
3661.00	0.00	0.00	3661.00	0.00	0.00	0.00	0.00	0.00	0.00
3661: YATES, 3661'									
4061.00	0.00	0.00	4061.00	0.00	0.00	0.00	0.00	0.00	0.00
4061: CAPITAN, 4061'									
5766.00	0.00	0.00	5766.00	0.01	0.00	0.00	0.00	0.00	0.00
5766: BASE CAPITAN, 5766'									
5816.00	0.00	0.00	5816.00	0.01	0.00	0.00	0.00	0.00	0.00
5816: CHERRY CANYON, 5816'									
6861.00	0.00	0.00	6861.00	0.01	0.00	0.00	0.00	0.00	0.00
6861: BRUSHY CANYON, 6861'									
8681.00	0.00	0.00	8681.00	0.01	0.00	0.00	0.00	0.00	0.00
8681: BONE SPRINGS LM, 8681'									
8876.00	0.00	0.00	8876.00	0.01	0.00	0.00	0.00	0.00	0.00
8876: AVALON SAND, 8876'									
9181.00	0.00	0.00	9181.00	0.01	0.00	0.00	0.00	0.00	0.00
9181: MIDDLE AVALON, 9181'									
9471.00	0.00	0.00	9471.00	0.01	0.00	0.00	0.00	0.00	0.00
9471: LOWER AVALON, 9471'									
9926.00	0.00	0.00	9926.00	0.01	0.00	0.00	0.00	0.00	0.00
9926: FBSG, 9926'									
10335.43	0.00	89.53	10335.43	0.01	0.00	0.00	0.00	0.87	0.00
10335.43: KOP, 10335'									
10400.00	7.75	89.53	10399.80	0.04	4.36	4.36	12.00	0.00	12.00
10500.00	19.75	89.53	10496.76	0.24	28.08	28.08	12.00	0.00	12.00
10600.00	31.75	89.53	10586.67	0.59	71.45	71.45	12.00	0.00	12.00
10700.00	43.75	89.53	10665.59	1.09	132.56	132.56	12.00	0.00	12.00
10775.83	52.85	89.53	10715.98	1.56	189.12	189.12	12.00	0.00	12.00
10775.83: SBSG, 10776' MD (10716' TVD)									
10800.00	55.75	89.53	10730.08	1.72	208.74	208.74	12.00	0.00	12.00
10900.00	67.75	89.53	10777.33	2.44	296.66	296.67	12.00	0.00	12.00
11000.00	79.75	89.53	10805.26	3.22	392.49	392.50	12.00	0.00	12.00
11088.43	90.36	89.53	10812.88	3.94	480.45	480.46	12.00	0.00	12.00
11088.43: TARGET SBSG, 11088' MD (10813' TVD)									
15367.09	90.36	89.53	10786.01	38.95	4758.88	4759.04	0.00	0.00	0.00
15367.09: LATERAL TD, 15367' MD (10786' TVD)									



