

Submit 1 Copy To Appropriate District Office

District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico

Energy, Minerals and Natural Resources

Form C-103

Revised August 1, 2011

RECEIVED

JAN 09 2013

OIL CONSERVATION DIVISION

HOBBSOCD

1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-07136
5. Indicate Type of Lease STATE ☐ FEE ☒
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Angel
8. Well Number 2
9. OGRID Number 247128
10. Pool name or Wildcat Gladiola; Woodford
11. Elevation (Show whether DR, RKB, RT, GR, etc.)

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐	
2. Name of Operator Celero Energy II, LP	
3. Address of Operator 400 W. Illinois, Ste. 1601 Midland, TX 79701	
4. Well Location Unit Letter N : 660 feet from the S line and 1980 feet from the W line Section 5 Township 12S Range 38E NMPM County Lea	
11. Elevation (Show whether DR, RKB, RT, GR, etc.)	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- 1B A POOH w/production equipment. Recover AS-1X pkr & scab liner. Make a bit run to permanent pkr at 11300'.
2. RU contract plugging equipment. RU wireline and set a CIBP at 11250'.
3. RIH w/BP & PS on workstring to 11250' and spot 25 sx CI H. Circulate hole w/minimum 9.5 ppg salt mud.
4. PU and spot 35 sx CI C at 9050'-8700', WOC a minimum of 4 hours and tag TOC at/above 8950'.
5. PU and spot 25 sx at 6050'-5800'. POOH.
6. RIH w/packer, perf (4) at 4512', EIR and squeeze 60 sx CI C. POOH.
7. RIH w/BP&PS on workstring and tag TOC at/above 4323'. PU to 2260' and spot 30 sx CI C.
8. POOH, RIH w/pkr, perf(4) at 397', EIR & squeeze 70 sx CI C. POOH w/pkr, RBIH w/BP&PS at tag TOC at/above 297'.
9. POOH, perf (4) at 100', fill casing and annulus to surface w/70 sx CI C.
10. RD, set P&A marker, clean and reclaim location.

The Oil Conservation Division Must be notified
24 hours prior to the beginning of plugging operations.

Spud Date:

Rig Release Date:


I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Lisa Hunt TITLE Regulatory Analyst DATE 12/28/2012

Type or print name Lisa Hunt E-mail address: lhunt@celeroenergy.com PHONE: (432)686-1883
For State Use Only

APPROVED BY: [Signature] TITLE Dist Mgr DATE 1-9-2013
Conditions of Approval (if any):

Angel #2 - 660' FSL & 1980' FWL of Sec. 5, T-12S, R-38E, Unit Letter "N"
Originally R. Lowe Aztec-Adamson #2



Spud: 1/24/57
Comp: 3/27/67
ELEV: 3877 DF
API # 30-025-07136
P&A'd 7/66
Re-entered 5/77


MWM, 12/12/12

Existing

T-Anhy @ 2263'
T-Salt @ 2323' est
B-Salt @ 2995' est
T-Yates @ 3060'
T-SA @ 4445'
T-Abo @ 7830'
T-Penn @ 9046' est
T-Miss @ 11324'
T-Devonian @ 12002'

Last report 12/27/04
X-O, 45 jts 2-7/8", PH-6 (1487')
X-O, 238 jts 2-7/8", 6.5#, 8rd EUE (7486')
X-O, 2-3/8" SN
(2) 456, 216 HP mtrs
(2) Seals
(7) Reda 400 D4300 pumps, Intake at 9116'
Bottom of motors at 9195'
10/04 re-entry, 4-3/4" bit run to 9507',
4-5/8" tools below

Angel #2 - 660' FSL & 1980' FWL of Sec. 5, T-12S, R-38E, Unit Letter "N"
 Originally R. Lowe Aztec-Adamson #2



Spud: 1/24/57
 Comp: 3/27/57
 ELEV: 3877 DF
 API # 30-025-07136
 P&A'd 7/66
 Re-entered 5/77

MWM, 12/12/12

T-Anhy @ 2263'
 T-Salt @ 2323' est
 B-Salt @ 2995' est
 T-Yates @ 3060'
 T-SA @ 4445'
 T-Abo @ 7830'
 T-Penn @ 9046' est
 T-Miss @ 11324'
 T-Devonian @ 12002'

→ RTH w/ PKR. Estab in place - Pump lease cut