

District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

HOBBS OCD
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

IAN 16 2013

RECEIVED

WELL API NO. 30-025-12358
5. Indicate Type of Lease STATE [x] FEE [ ]
6. State Oil & Gas Lease No. B-1732
7. Lease Name or Unit Agreement Name West Dollarhide Devonian Unit
8. Well Number 113
9. OGRID Number 16696
10. Pool name or Wildcat Dollarhide Devonian
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3158'

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)
1. Type of Well: Oil Well [x] Gas Well [ ] Other [ ]
2. Name of Operator OXY USA Inc.
3. Address of Operator P.O. Box 50250 Midland, TX 79710
4. Well Location Unit Letter C : 667 feet from the north line and 1859 feet from the west line
Section 4 Township 25S Range 33E NMPM County Lea

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:
PERFORM REMEDIAL WORK [ ] PLUG AND ABANDON [ ]
TEMPORARILY ABANDON [x] CHANGE PLANS [ ]
PULL OR ALTER CASING [ ] MULTIPLE COMPL [ ]
DOWNHOLE COMMINGLE [ ]
OTHER: Run MIT [x]
SUBSEQUENT REPORT OF:
REMEDIAL WORK [ ] ALTERING CASING [ ]
COMMENCE DRILLING OPNS. [ ] P AND A [ ]
CASING/CEMENT JOB [ ]
OTHER: [ ]

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

TD-7965' Perfs-7740-7750' OH-7751-7965'

OXY USA Inc. respectfully requests to temporarily abandon this well. This unit is currently being evaluated for possible CO2 flood.

- 1. POOH w/ prod equipment, RIH & set CIBP @ +/-7690'
2. Notify NMOCD of casing integrity test 24hrs in advance.
3. RU pump truck, circulate well with treated water, pressure test casing to 500# for 30 min.

Spud Date: [ ]

Rig Release Date: [ ]

I hereby certify that the information above is true and complete to the best of my knowledge and belief.


SIGNATURE [Signature] TITLE Regulatory Advisor DATE 11/14/13

Type or print name David Stewart E-mail address: david\_stewart@oxy.com PHONE: 432-685-5717

APPROVED BY: [Signature] TITLE Compliance Officer DATE 01/17/2013

CONDITION OF APPROVAL FOR TA: Notify OCD Hobbs office 24 hours prior to running MIT Test & Chart

OXY USA Inc. - Current  
West Dollarhide Devonian Unit #113  
API No. 30-025-12358



17-1/4" hole @ 276'  
13-3/8" csg @ 276'  
w/ 325sx-TOC-Surf-Circ

12-1/4" hole @ 2899'  
9-5/8" csg @ 2899'  
w/ 1850sx-TOC-Surf-Circ


75-Perf @ 5375' circ 800sx cmt to surf

8-3/4" hole @ 7965'  
7" csg @ 7751'  
w/ 325sx-TOC-5478'-TS

Perfs @ 7740-7750'  
OH @ 7751-7965'

TD-7965'

OXY USA Inc. - Proposed  
West Dollarhide Devonian Unit #113  
API No. 30-025-12358



17-1/4" hole @ 276'  
13-3/8" csg @ 276'  
w/ 325sx-TOC-Surf-Circ

12-1/4" hole @ 2899'  
9-5/8" csg @ 2899'  
w/ 1850sx-TOC-Surf-Circ

75-Perf @ 5375' circ 800sx cmt to surf

8-3/4" hole @ 7965'  
7" csg @ 7751'  
w/ 325sx-TOC-5478'-TS

Perfs @ 7740-7750'  
OH @ 7751-7965'

CIBP @ 7690'

TD-7965'