Form 3160RECEIVEL (March 2012) DEI JAN 23 2018UR	UNITED STATES PARTMENT OF THE IN EAU OF LAND MANA		FORM APPROVED OMB No. 1004-0137 Expires: October 31, 2014 5. Lease Serial No.					
Do not use this f	OTICES AND REPOR form for proposals to Use Form 3160-3 (AP	drill or to re-enter	an	Jlottee or Tribe Name				
SUBMI	T IN TRIPLICATE - Other in	structions on page 2	7. If Unit of C	A/Agreement, Name and/or No.				
1. Type of Well			Geiven	•				
Oil Well Gas W	Vell X Other	: •	8. Well Name Wilder 2	and No. 9 Federal 1 SWD				
2. Name of Operator		JAN -	2 3 ZUIJ 9. API Well N	0.				
ConocoPhillips Company 3a. Address		b. Phone No. (include of b	30-025-4	10500 Pool or Exploratory Area				
P. O. Box 51810 Midland T								
		(432)688-9174	11. County or	nony ounyou				
4. Location of Well (Footgee, Sec. 7 UL F, 2010' FNL & 2560' F	WL, Sec 29, 26S, 32E	•	LEA	NM				
12 CHEC	THE APPROPRIATE BOX		URE OF NOTICE, REPORT O	······				
TYPE OF SUBMISSION			TYPE OF ACTION					
X Notice of Intent	Acidize	Deepen Fracture Treat	Production (Start/Res	urne) Water Shut-Off				
	Casing Repair	New Construction		X Other Frac				
Subsequent Report	Change Plans	Plug and Abandon	Temporarily Abandon					
Final Abandonment Notice	Convert to Injection	Plug Back	Water Disposal					
determined that the site is ready for Proposed plans call for pull down tubing. Re-install inju Test (Contact BLM/NMOCE per terms of NMOCD Admi	final inspection.) ing tubing, adding perfs ection tubing & injection) a minimum of 72 hou	s at 5204'-5765' ar n packer (5190'). F irs prior to conducti	od perform fracture stim Re-install wellhead. Per	form Mechanical Integrity				
:	SUBJECT TO LIK APPROVAL BY S	E TATE						
14. I hereby certify that the foregoing is tru	e and correct. Name (Printed/Ty	vped)		<u> </u>				
Rhonda Rogers	onke box	Title Staff	f Regulatory Techniciar]				
Signature	<u> </u>	Date 12/1	2/2012	APPROVED				
	THIS SPACE FO	R FEDERAL OR	STATE OFFICE USE	JAN 2 3 2013				
Approved by		· .						
		Title		/s/ Chris Walls				
Conditions of approval, if any, are attached, that the applicant holds legal or example in entitle the applicant to constict operations th	Approval of this notice does not te to these sights to the subject te erept	t warrant or certify		BUREAU OF LAND MANAGEMENT CARLSBAD FIELD OFFICE				
Title 18 U.S.C. Section 1001 and Title 43 U fictitious or fraudulent statements or represe			y and willfully to make to any de	partment or agency of the United States any false,				

•

(Instructions on page 2)

•=

							PR			CHANICAL S		<u>,H</u>		1		
										ederal 29-1 SWI				i .		* •
			A .				2010'	' FNL & 2		WL, Section 29.	9. T26S, R3			i		
			A'			API #:	30-025-40	0500			32° 0' 54	4.688" N		ı		
			4 1			FIELD:	Red Hill W	Vest			103° 41'	49.304"	W	1		-4
			<u>a I</u> I			CO ST:	Lea, NM				<u></u>	<u> </u>		1		
					9%" 36# @ 1058' cmt w/ 600 axa 🐪	DATES:	SPUD: LAST WO	4/20/12	<u>/</u>	IC:	<u>:</u>	<u>.</u> `		4		
							DIAGRAM	A DEVIS		D. McPherson	- 09/05/20	112			•	
•		E F						Inc.	<u></u>	<u>D. NG 10.00.</u>				4		
		8	A)			•				CASING	,	LINER	TUBING	ł		
		8						Hole			T	<u>/////////////////////////////////////</u>	ر ا	A		
			A)					Size Pipe	12%"	8%*		·		A		
		P	al)				•	Size	9%	7"		í	3%"	d		
		l P	a . /					-			TI	1	9.3#	4		
		N	A :)	1 19				Weight	35#	26#	++	í ———	9.3#	d .	•	
	•	l pr						Grade .	. J-55	P-110	_ <u>_</u>	<u>. </u>	L-80	l I		
•		l P	A /					Thread	STAC	BTC])	1	T P	đ		
		F									++	·	+	1		
:		- 1 V	A. '		-			Depth	1058'	6250.9'		<u> </u>	5756.75'	Δ		
		A 1	A '					ELEVAT	(ION:	GR 3129' KB 314	42'		ليصفي	4	•	
		F							T	UBING		From	To	íl.		
		l F			-			ELEVAT	TION:		13.00	0.0	00 13.00			
*		l P						3 - 31/2" 8	" 9.3# L-8(80 pup jts	24.00	13.0	00 37.00			
		F						175 jt 37	3½" 9.3# L off tool w 7	L-80 tubing	5708.08 2.00					
		l k	A '					1 - AS-1	-1X packe	(er È	7.40	5747.0	08 5754.48	3) ^{1 ·}		
		N N	A '					1 - R ntp	Ipple (2.75 Reentry p	75")	1.27 1.00					
								<u> 1 - ₩⊾ r</u>	Reenuy	guide	1.00	5/55.1	5 5/50.100	1	-1	
•			a · /										P	1		
	· .	N P											Ÿ	t .		
		l p	al '										. y	4	-	·• .
		P											y	1		
-		l p	A ''								. '	·	. 1	1		
		l P											. y	1 ·	,	
	•	I F											ŗ	1		
	•	F F											,	1		
			A ' '										,	1		
	1	P P										•	,	1 .	,	
					-						•		• • •	1	•	
		P.			i I									1		
		F F														
		F.	 	×	AS-1X packer @ 5747'							•		· 1		•
		P P	<u> الأ</u>											4		
		F	2										. ,			
		F			Perfs: 5765-85', 5811-40'								-	њ		
÷		· · · P								COMMENTS	A .			1		
. ·	• •	- F		8				<u></u>	<u> </u>		·					
•	٠.	P P	8	0												
پ ند		- P	Secondary.	NOOCO A	7" 26# @ 6251' cmt w/ 1340 sx			ł					۰.			
			COLUMN THE REAL PROPERTY AND INCOLUMN	ANDRESS	1 AUT (M MANT			l l								

					PROP			CHANICA TO SW DISP		СН				
	网					Wi	lder Fe	deral 29-1 SV	ND .) r
							560' FV	NL, Section 2						
	网			API #:	30-025-405					54.688" N				
				FIELD:	Red Hill We	st			103° 41	1' 49.304"	W			Ŧ
				CO ST:	Lea, NM	4100140			<u>.</u>	<u> </u>				
			9%" 36# @ 1056' cmt w/ 600 axa	DATES:	SPUD: LAST WOR	4/20/12		[C:					
		8			DIAGRAMI			D. McPherso	n 09/12/2	012				
			1	l <u>ì</u>				0.11011000					•	
					· 4	~		CASING		LINER	TUBING			
1						Hole		1		1			•	
						<u>Size</u> Pipe	121⁄4"	8%"	-	 	├ ──── 		r	
						Size	9%"	7*			31/3"			
						Weight	38#	26#			9.3#			
								1						
						Grade	J-55	P-110		<u> </u>	L-80	•		
		Ø				Thread	ST&C	втс						
						Depth	1058'	6250.9'			5199.67'		*	
		N	-	• .		ELEVAT		GR 3129' KB 3	142'		13198.01			
1		Ø			1									
						-		JBING		From	To	•		
		6				ELEVAT	∏ION: 9.3#11_8/	0 pup jts	13.00					•
						168 jt 3	メ" 9.3# L	80 tubing	5151.00					
					l		ff tool w F		2.00					
		- 1					X packe ople (2.7		7.40					
				÷		1 - WL	Reentry p	uide	1.00					
		8	:				-	_						
									•					
									· ·					
								:		•			1 .	
		Ø												
		8												
		0												
					:							-		
1		2												
		2								•				
1														
		Ø												
i		X	AS-1X packer @ 5190'									1		
		70												
·								· ·				l		
			Perfs: 5204-5227', 5259-5312', 53	29-5397'										
		推	Perfs: 5438-5457', 5480-5516', 55	78-5598'										
	2270	-1-12	Perfs: 5857-5715', 5744-5765'			┡——		COMMENT	8			1	·	,
						81.								
			Perfs: 5765-5785', 5811-5840'									1		
	Coconocae													

.

•

•

4