

Submit 1 Copy To Appropriate District
Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103

Revised August 1, 2011

OIL CONSERVATION DIVISION

HOBBS OCD 1220 South St. Francis Dr.
Santa Fe, NM 87505

JAN 25 2013

WELL API NO. 30-025-28165
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No. E5886
7. Lease Name or Unit Agreement Name: LEA "AQ" STATE
8. Well Number #001
9. OGRID Number 162683
10. Pool name or Wildcat WILDCAT SAN ANDRES, West
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3,732' - GR

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐
2. Name of Operator CIMAREX ENERGY CO. OF COLORADO
3. Address of Operator 600 N. MARIENFELD, SUITE 600, MIDLAND, TEXAS 79701
4. Well Location Unit Letter A : 875 feet from the NORTH line and 990 feet from the EAST line Section 32 Township 19S Range 35E NMPM County LEA
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3,732' - GR

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC.. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- 1) TAG EXISTING CIBP @ +/-5,350'; PUMP 25 SXS.CMT. @ 5,350'-5,200'; CIRC. WELL W/ PXA MUD.
2) CUT X PULL 5-1/2" CSG. @ +/-4,400'; PUMP 65 SXS.CMT. @ 4,470'-4,330' (5-1/2" CSG.CUT); WOC X TAG.
3) PUMP 50 SXS.CMT. @ 4,056'-3,916' (9-5/8" DV TOOL).
4) PUMP 55 SXS.CMT. @ 3,395'-3,265' (B/SALT); WOC X TAG.
5) PUMP 50 SXS.CMT. @ 2,210'-2,090' (T/SALT); WOC X TAG.
6) PUMP 45 SXS.CMT. @ 1,857'-1,747' (T/ANHY); WOC X TAG.
7) PUMP 45 SXS.CMT. @ 464'-364' (13-3/8" CSG.SHOE); 8) MIX X CIRC. TO SURF. A 25 SX. CMT. PLUG @ 63'-3'.
9) DIG OUT X CUT OFF WELLHEAD 3' B.G.L.; WELD ON STEEL PLATE TO CSGS. X INSTALL DRY HOLE MARKER.

Spud Date:

Rig Release

The Oil Conservation Division Must be notified
24 hours prior to the beginning of plugging operations.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE David A. Eyler TITLE AGENT DATE 01/11/13

Type or print name DAVID A. EYLER E-mail address: deyler@milagro-res.com PHONE 432.687.3033

For State Use Only

APPROVED BY [Signature] TITLE Dist MGR DATE 1-30-2013

Conditions of Approval (if any):



Cimarex Energy Co. of Colorado


Lea AQ State #1

875' FNL & 990' FEL

Sec. 32, T-19-S, R-35E, Lea Co., NM

M. Ketter 025-28165 7/12/2012

OL A



13-3/8", 48# csg @ 414'.
Cmt w/ 400 sks. Circl'd Cmt

DV Tool @ 3986'

TOC @ 4560' (TS)

9-5/8", 36 & 40# csg @ 5,075'.
Cmt w/ 1500 sks. Circl'd Cmt

CIBP @ 5350'

Csg Leak from 5427'-5456' (4/23/2004)

CIBP @ 5550' w/35' cmt on Top (4/17/2004)

San Andres Perfs: 5634'-40' 5654'-60' (7/83)

Perfs: 5812'-18' (11/84)

5-1/2", 15# Csg @ 6,028'
Cmt w/ 350 sks, TOC @ 4,560' (TS)

Plugs @ 6,000', 7,008', 8,008', 9,528' & 10,040'
Drilled out to 6030'.

PBTD: 6,030'
TD: 10,500'

CIMAREX

Cimarex Energy Co. of Colorado

Lea AQ State #1

875' FNL & 990' FEL

Sec. 32, T-19-S, R-35E, Lea Co., NM

M. Ketter 025-28165 7/12/2012

Pump 25 sks. cmt. @ 63'-3'

PXA
MUD

Pump 45 sks. cmt. @ 464'-364'

PXA
MUDPump 45 sks. cmt. @ 1857'-1747'
TAGPXA
MUDPump 50 sks. cmt. @ 2210'-2090'
TAGPXA
MUDPump 55 sks. cmt. @ 3395'-3265'
TAGPXA
MUD

Pump 55 sks. cmt. @ 4056'-3916'

PXA
MUDPump 65 sks. cmt. @ 4470'-4330'
TAG

CUT 5 1/2" CSG. @ 4400'

55SX
Pump 25 sks. cmt. @ 5350'-5200'

CIBP @ 5350'

Csg Leak from 5427'-5456' (4/23/2004)

CIBP @ 5550' w/35' cmt on Top (4/17/2004)

13-3/8", 48# csg @ 414'.

Cmt w/ 400 sks. Circl'd Cmt

DV Tool @ 3986'

TOC @ 4560' (TS)

9-5/8", 36 & 40# csg @ 5,075'.

Cmt w/ 1500 sks. Circl'd Cmt

San Andres Perfs: 5634'-40' 5654'-60' (7/83)

Perfs: 5812'-18' (11/84)

5-1/2", 15# Csg @ 6,028'

Cmt w/ 350 sks, TOC @ 4,560' (TS)

Plugs @ 6,000', 7,008', 8,008', 9,528' & 10,040'
Drilled out to 6030'.PBSD: 6,030'
TD: 10,500'

DAE 01/11/13