

Submit 1 Copy To Appropriate District Office  
District I - (575) 393-6161  
1625 N. French Dr., Hobbs, NM 88240  
District II - (575) 748-1283  
811 S. First St., Artesia, NM 88210  
District III - (505) 334-6178  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV - (505) 476-3460  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

*Amended*

Form C-103  
Revised August 1, 2011

**HOBBS OCD**

**FEB 12 2013**

**RECEIVED**

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

WELL API NO. 30-025-03839
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. B-1553
7. Lease Name or Unit Agreement Name Lovington San Andres Unit
8. Well Number: 43
9. OGRID Number: 241333
10. Pool name or Wildcat Lovington Graybrg San Andres

SUNDRY NOTICES AND REPORTS ON WELLS  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☒ Other Water Injection

2. Name of Operator  
Chevron Midcontinent, L.P.

3. Address of Operator  
15 Smith Road Midland, TX 79705

4. Well Location

Unit Letter E : 1980 feet from the NORTH line and 660 feet from the WEST line  
Section 1 Township 17-S Range 36-E NMPM County Lea

11. Elevation (Show whether DR, RKB, RT, GR, etc.)  
3832' GL

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ P AND A ☐  
CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

TD-5040' PB-5040' OH-4546'-5040'  
13" 50# csg @ 220' w/220 sks, 17-1/2" hole, TOC: Surface  
8-5/8" 32# csg @ 2038' w/600 sks, 11" hole, TOC: 195' Calculated  
5-1/2" 14# csg @ 4546' w/350 sks, 7-7/8" hole, TOC: 2785' Calculated

- MIRUWSU. NDWH. NUBOP.
- Remove Baker AD-1 Packer @ 4486'
- Set CIBP @ 4500' w/25 sx of C cement.
- Circulate well with 9.5 PPG plugging mud. Pressure Test casing to 500 psi and record/report findings.
- Perf & Sqz 40 sks of C cement @ 3190 - 2990', CTOC. WOC & TAG, ( Bottom of Salt )
- Perf & Sqz 50 sks of C cement @ 2200' - 1900' CTOC. WOC & TAG, ( Top of Salt , & Shoe )
- Perf & Circulate 100 sks of C cement @ 325' to Surface.
- Cut off wellhead and anchors 3' below grade. Weld on dry hole marker. Clean location.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE [Signature] TITLE Representative DATE 02/06/2013

Type or print name Robert Holden E-mail address: rholden@keyenergy.com PHONE: 432-523-5155

For State Use Only

APPROVED BY [Signature] TITLE Dist. Mgr DATE 2-20-2013  
Conditions of Approval (if any): 7.m.

FEB 20 2013

Oil Conservation Division - Hobbs office: Must be Notified  
24 hours prior to the beginning of Plugging Operations begin.

# Wellbore Diagram

## Lovington San Andres Unit # 43

Created: 01/29/13 By: Bob Hall  
 Updated: By:   
 Updated: By:   
 Updated: By:   
 Lease: Lovington San Andres Unit  
 Field: Vacuum (Grayburg-San Andres)  
 Surf. Loc.: 1980' FNL & 660' FWL  
 GPS: 32.86574 -103.31396  
 County: Lea St.: NM  
 Status:

Well #: 43 St. Lse: B1553  
 API: 30-025-03839  
 CHEVNO: FA4986  
 Unit Ltr.: E Section: 1  
 TSHP/Rng: 17S / 36E  
 Spud Date: 5/7/1941  
 Comp Date: 6/19/1941  
 First Inj: 4/1/2005  
 Last Inj: 12/31/2012

### Surface Casing

Size: 13"  
 Wt., Grd.: 50#  
 Depth: 220'  
 Sxs Cmt: 200 sx  
 Circulate: YES  
 TOC: Surface  
 Hole Size: 17-1/2"

KB: 3843'

DF: 3842'


GL: 3832'

### Intermediate Casing

Size: 8-5/8"  
 Wt., Grd.: 32#  
 Depth: 2,038'  
 Sxs Cmt: 600 sx  
 Circulate: NO  
 TOC: 195' Calculated  
 Hole Size: 11"

### Production Casing

Size: 5-1/2"  
 Wt., Grd.: 14#  
 Depth: 4546'  
 Sxs Cmt: 350 sx  
 Circulate: NO  
 TOC: 2,785' Calculated  
 Hole Size: 7-7/8"



PBTD: 5,040

TD: 5,040

### Tubing Detail (Sept 1992)

Tubing: 136 jts 2-3/8" IPC  
 5-1/2" Baker AD-1 pkr @ 4,486'

OH: 4546' -5040'

Source	NAME	TOP	BOTTOM
	Samples		
Anhydrite		2000	
Salt		2100	3090
Brown Lime		4215	
SAN ANDRES		4590	

# Wellbore Diagram

## Lovington San Andres Unit # 43

Created: 01/29/13 By: Bob Hall  
 Updated: By:  
 Updated: By:  
 Updated: By:  
 Lease: Lovington San Andres Unit  
 Field: Vacuum (Grayburg-San Andres)  
 Surf. Loc.: 1980' FNL & 660' FWL  
 GPS: 32.86574 -103.31396  
 County: Lea St.: NM  
 Status:

Well #: 43 St. Lse: B1553  
 API: 30-025-03839  
 CHEVNO: FA4986  
 Unit Ltr.: E Section: 1  
 TSHP/Rng: 17S / 36E  
 Spud Date: 5/7/1941  
 Comp Date: 6/19/1941  
 First Inj: 4/1/2005  
 Last Inj: 12/31/2012

