

District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

HOBBS OCD

OIL CONSERVATION DIVISION

MAR 06 2013 1220 South St. Francis Dr.
Santa Fe, NM 87505

RECEIVED

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-33923
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator OXY USA Inc.		6. State Oil & Gas Lease No. VA-998
3. Address of Operator P.O. Box 50250 Midland, TX 79710		7. Lease Name or Unit Agreement Name Estacado 27 State
4. Well Location Unit Letter F : 1980 feet from the north line and 1980 feet from the west line Section 27 Township 14S Range 34E NMPM County Lea		8. Well Number 3
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4106'		9. OGRID Number 16696
		10. Pool name or Wildcat High Plains Permian Penn

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

TD-12242' PBTD-10430' Perfs-10384-10412'
13-3/8" 54.5# @ 400' w/ 650sx, 17-1/2" hole, TOC-Surf-Circ
8-5/8" 32# csg @ 6193', DVT @ 4000' w/ 1900sx, 11" hole, TOC-875'-TS
5-1/2" 17# csg @ 12242' w/ 885sx, 7-7/8" hole, TOC-7132'-Calc
1. RIH & set CIBP @ 10334' M&P 25sx cmt
2. M&P 25sx cmt @ 10075-9925' WOC-Tag
3. M&P 25sx cmt @ 8165-8015' WOC-Tag
4. Perf 5-1/2" @ 6243', sqz 35sx cmt to 6143' WOC-Tag
5. Perf 5-1/2" @ 4050' sqz 35sx cmt to 3950' WOC-Tag
6. Perf 5-1/2" @ 1900' sqz 35sx cmt to 1800' WOC-Tag
7. Perf 5-1/2" & 8-5/8" @ 450' sqz 350sx cmt to surface
Circ 10# MLF between plugs

PERF 5 SQZ 35
SYS @ 2950'

Spud Date:

Rig Release D

The Oil Conservation Division Must be notified
24 hours prior to the beginning of plugging operations.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE David Stewart TITLE Regulatory Advisor DATE 3/4/13

Type or print name David Stewart E-mail address: david_stewart@oxy.com PHONE: 432-685-5717

For State Use Only

APPROVED BY: Mark Brown TITLE Compliance Officer DATE 3/8/2013

Conditions of Approval (if any)

MAR 13 2013

Chm

OXY USA Inc. - Proposed
Estacado 27 State #3
API No. 30-025-33923

350sx @ 450'-Surface

35sx @ 1900-1800' WOC-Tag

35sx @ 4050-3950' WOC-Tag

35sx @ 6243-6143' WOC-Tag


25sx @ 8165-8015' WOC-Tag

25sx @ 10075-9925'

CIBP @ 10334' w/ 25sx

CIBP @ 10450' w/ 20' cmt
CIBP @ 10548' w/ 20' cmt

PB-11902'



Perf @ 450'

Perf @ 1900'

Perf @ 2950

Perf @ 4050'

Perf @ 6243'

Perfs @ 10384-10412'
Perfs @ 10477-10498'
Perfs @ 10568-10573'


TD-12242'

17-1/2" hole @ 400'
13-3/8" csg @ 400'
w/ 650sx-TOC-Surf-Circ

11" hole @ 6193'
8-5/8" csg @ 6193'
DVT @ 4000'
w/ 1900sx-TOC-875'-TS

7-7/8" hole @ 12242'
5-1/2" csg @ 12242'
w/ 885sx-TOC-7132'-Calc

OXY USA Inc. - Current
Estacado 27 State #3
API No. 30-025-33923



17-1/2" hole @ 400'
13-3/8" csg @ 400'
w/ 650sx-TOC-Surf-Circ

11" hole @ 6193'
8-5/8" csg @ 6193'
DVT @ 4000'
w/ 1900sx-TOC-875'-TS

Perfs @ 10384-10412'
Perfs @ 10477-10498'
Perfs @ 10568-10573'

7-7/8" hole @ 12242'
5-1/2" csg @ 12242'
w/ 885sx-TOC-7132'-Calc

CIBP @ 10450' w/ 20' cmt
CIBP @ 10548' w/ 20' cmt

PB-11902'

TD-12242'