

Office

District I - (575) 393-6161

1625 N. French Dr., Hobbs, NM 88240

District II - (575) 748-1283

811 S. First St., Artesia, NM 88210

District III - (505) 334-6178

1000 Rio Brazos Rd., Aztec, NM 87410

District IV - (505) 476-3460

1220 S. St. Francis Dr., Santa Fe, NM

87505

RECEIVED
MAR 13 2013

Energy, Minerals and Natural Resources

CONSERVATION DIVISION

1220 South St. Francis Dr.

Santa Fe, NM 87505

WELL API NO.

30-025-01573 /

5. Indicate Type of Lease

STATE ☒ FEE ☐

6. State Oil & Gas Lease No.

E2439

7. Lease Name or Unit Agreement Name

State CL

8. Well Number 1

9. OGRID Number 16696

10. Pool name or Wildcat

Corbin Abo

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator

OXY USA Inc.

3. Address of Operator

P.O. Box 50250 Midland, TX 79710

4. Well Location

Unit Letter C : 330 feet from the north line and 1980 feet from the west line

Section 2 Township 18S Range 33E NMPM County Lea

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

4124'

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐PLUG AND ABANDON ☒TEMPORARILY ABANDON ☐CHANGE PLANS ☐PULL OR ALTER CASING ☐MULTIPLE COMPL ☐DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ALTERING CASING ☐COMMENCE DRILLING OPNS. ☐P AND A ☐CASING/CEMENT JOB ☐OTHER: ☐OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

TD-8880' PBTD-8580' Perfs-4705-4766' (8702-8798') CIBP-8600' - 11/2000

11-3/4" 23.8# @ 314' w/ 350sx, 15" hole, TOC-Surf-Circ

8-5/8" 24-32# csg @ 3095' w/ 250sx, 11" hole, TOC-2111'-Calc

4-1/2" 9.5-11.6# csg @ 8880', DVT @ 7860' w/ 1600sx, 7-7/8" hole, TOC-1773'-Calc

1. RIH & tag Cmt/CIBP @ 8580' M&P 25sx cmt

2. M&P 25sx cmt @ 7910-7710' WOC-Tag

3. M&P 25sx cmt @ 6830-6630' WOC-Tag

4. RIH & set CIBP @ 4655' w/ 25sx cmt

5. M&P 25sx cmt @ 3145-2945' WOC-Tag

6. Perf 4-1/2" & 8-5/8" @ 1640' sqz 65sx cmt to 1540' WOC-Tag

7. Perf 4-1/2" & 8-5/8" @ 364' sqz 225sx cmt to surface

Circ 10# MLF between plugs

Spud Date:

Rig Release:

The Oil Conservation Division Must be notified 24 hours prior to the beginning of plugging operations.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

TITLE

Regulatory Advisor

DATE

3/11/13

Type or print name

David Stewart

E-mail address: david_stewart@oxy.com

PHONE: 432-685-5717

For State Use Only

APPROVED BY:

Makenzie Brown

TITLE

Compliance Officer

DATE

3/15/2013

Conditions of Approval (if any):

MAR 19 2013

OXY USA Inc. - Proposed
State CL #1
API No. 30-025-01573

225sx @ 364' - Surface

65sx @ 1640-1540' WOC-Tag

25sx @ 3145-2945' WOC-Tag


CIBP @ 4655' w/ 25sx

25sx @ 6830-6630' WOC-Tag

25SX @ 7910-7710' WOC-Tag

25sx @ 8600'
11/2000-CIBP @ 8600' w/ 2sx

PB-8844'



Perf @ 364'

Perf @ 1640'

11/2000-Perfs @ 4705-4766'

Perfs @ 8702-8798'


15" hole @ 314'
11-3/4" csg @ 314'
w/ 350sx-TOC-Surf-Circ

11" hole @ 3095'
8-5/8" csg @ 3095'
w/ 250sx-TOC-2111'-Calc

7-7/8" hole @ 8880'
4-1/2" csg @ 8880'
DVT @ 7860'
w/ 1600sx-TOC-1773'-Calc

TD-8880'

OXY USA Inc. - Current
State CL #1
API No. 30-025-01573



15" hole @ 314'
11-3/4" csg @ 314'
w/ 350sx-TOC-Surf-Circ

11" hole @ 3095'
8-5/8" csg @ 3095'
w/ 250sx-TOC-2111'-Calc

11/2000-Perfs @ 4705-4766'

7-7/8" hole @ 8880'
4-1/2" csg @ 8880'
DVT @ 7860'
w/ 1600sx-TOC-1773'-Calc

11/2000-CIBP @ 8600' w/ 2sx

PB-8844'

Perfs @ 8702-8798'

TD-8880'