

Submit 1 Copy To Appropriate District Office
 District I -- (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II -- (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III -- (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV -- (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised August 1, 2011

OIL CONSERVATION DIVISION

HOBBS OCD 1220 South St. Francis Dr.
 Santa Fe, NM 87505

MAR 13 2013

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-01575
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator OXY USA Inc.		6. State Oil & Gas Lease No. E2439
3. Address of Operator P.O. Box 50250 Midland, TX 79710		7. Lease Name or Unit Agreement Name State CL
4. Well Location Unit Letter <u>D</u> : <u>330</u> feet from the <u>North</u> line and <u>990</u> feet from the <u>West</u> line Section <u>2</u> Township <u>18S</u> Range <u>33E</u> NMPM County <u>Lea</u>		8. Well Number <u>3</u>
11. Elevation (Show whether DR, RKB, RT, GR, etc.) <u>4132'</u>		9. OGRID Number 16696
		10. Pool name or Wildcat Maljamar GBSA

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

- PERFORM REMEDIAL WORK PLUG AND ABANDON
 TEMPORARILY ABANDON CHANGE PLANS
 PULL OR ALTER CASING MULTIPLE COMPL.
 DOWNHOLE COMMINGLE

SUBSEQUENT REPORT OF:

- REMEDIAL WORK ALTERING CASING
 COMMENCE DRILLING OPNS. P AND A
 CASING/CEMENT JOB

OTHER:

OTHER:

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

TD-8902' PBD-8660' Perfs-4771-4833' (8776-8812') CIBP-8700'-5/1975
 11-3/4" 23.8# @ 320' w/ 300sx, 15" hole, TOC-Surf-Circ
 8-5/8" 24-32# csg @ 3200' w/ 250sx, 11" hole, TOC-2216'-Calc
 4-1/2" 9.5-11.6# csg @ 8902', DVT @ 7809' w/ 1400sx, 7-7/8" hole, TOC-2591'-Calc
 1. RIH & tag Cmt/CIBP @ 8660' M&P 25sx cmt
 2. M&P 25sx cmt @ 7860-7660' WOC-Tag
 3. M&P 25sx cmt @ 6825-6625' WOC-Tag
 4. RIH & set CIBP @ 4721' w/ 25sx cmt
 5. M&P 25sx cmt @ 3250-2965' WOC-Tag
 6. Perf 4-1/2" & 8-5/8" @ 1670' sqz 65sx cmt to 1570' WOC-Tag
 7. Perf 4-1/2" & 8-5/8" @ 370' sqz 230sx cmt to surface
 Circ 10# MLF between plugs

Spud Date:

[Empty box for Spud Date]

Rig Release

The Oil Conservation Division Must be notified 24 hours prior to the beginning of plugging operations.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

David Stewart

TITLE Regulatory Advisor

DATE 3/11/13

Type or print name
 For State Use Only

David Stewart

E-mail address: david_stewart@oxy.com

PHONE: 432-685-5717

APPROVED BY:

Mary Brown

TITLE Compliance Officer

DATE 3/15/2013

Conditions of Approval (if any)

P.M.

MAR 19 2013

OXY USA Inc. - Proposed
State CL #3
API No. 30-025-01575

230sx @ 370'-Surface

65sx @ 1670-1570' WOC-Tag

30sx @ 3250-2965'


CIBP @ 4721' w/ 25sx

25sx @ 6825-6625' WOC-Tag

25sx @ 7860-7660'

25sx @ 8700'
5/75-CIBP @ 8700' w/ 4sx

PB-8869'



Perf @ 370'

Perf @ 1670'

5/75-Perfs @ 4771-4833'

Perfs @ 8776-8812'


15" hole @ 320'
11-3/4" csg @ 320'
w/ 300sx-TOC-Surf-Circ

11" hole @ 3200'
8-5/8" csg @ 3200'
w/ 250sx-TOC-2216'-Calc

7-7/8" hole @ 8902'
4-1/2" csg @ 8902'
DVT @ 7809'
w/ 1400sx-TOC-2591'-Calc

TD-8902'

OXY USA Inc. - Current
State CL #3
API No. 30-025-01575



15" hole @ 320'
11-3/4" csg @ 320'
w/ 300sx-TOC-Surf-Circ

11" hole @ 3200'
8-5/8" csg @ 3200'
w/ 250sx-TOC-2216'-Calc

5/75-Perfs @ 4771-4833'

7-7/8" hole @ 8902'
4-1/2" csg @ 8902'
DVT @ 7809'
w/ 1400sx-TOC-2591'-Calc

5/75-CIBP @ 8700' w/ 4sx

PB-8869'

Perfs @ 8776-8812'

TD-8902'