

Submit 1 Copy To Appropriate District
Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88341
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised August 1, 2011

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO.
30-025-40515

5. Indicate Type of Lease

STATE ☒ FEE ☐

6. State Oil & Gas Lease No.
VB-1185

7. Lease Name or Unit Agreement Name
Taipan BST State

8. Well Number: #1H

9. OGRID Number
25575

10. Pool name or Wildcat
Avalon Shale/Wildcat

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator
Yates Petroleum Corporation

3. Address of Operator
105 S. Fourth St., Artesia, NM 88210

4. Well Location

Unit Letter C : 175 feet from the N line and 2200 feet from the W line
Section 31 Township 24S Range 33E NMPM County Lea

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3667

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☒
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Yates Petroleum Corporation is requesting to change the TVD from 9380' to 9880' and the TD from 13950' to 14450'.

Spud Date:

7/1/2012

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE [Signature] TITLE Land Regulatory Agent DATE 04/2/2013

Type or print name Travis Hahn E-mail address: thahn@yatespetroleum.com PHONE: 575-748-4120

For State Use Only

APPROVED BY: [Signature] TITLE Petroleum Engineer

Conditions of Approval (if any):

DATE

APR 04 2013

Operator Co.

Your Co.

Survey/Planning Report

Operator	Yates Petroleum Corp.			Northing Easting Elevation Latitude Longitude Units	Feet	Date System Datum Zone Scale Fac. Converg.	7-Jan-13		
Dir. Co.	Yates Petroleum Corp.						2 - St. Plane		
Well Name	Taipan #1H Survey						1983 - NAD83		
Location	Sec. 31, 24S-33E						4302 - Utah Central		
Rig Job									
MD	INC	AZI	TVD	+N/S-	+E/W-	VS@179.57°	BR	TR	DLS
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1100.00	0.00	0.00	1100.00	0.00	0.00	0.00	0.00	0.00	0.00
1100: RUSTLER, 1100'									
1420.00	0.00	0.00	1420.00	0.00	0.00	0.00	0.00	0.00	0.00
1420: SALADO, 1420'									
3670.00	0.00	0.00	3670.00	0.00	0.00	0.00	0.00	0.00	0.00
3670: CASTILE, 3670'									
4760.00	0.00	0.00	4760.00	0.00	0.00	0.00	0.00	0.00	0.00
4760: BOS, 4760'									
4990.00	0.00	0.00	4990.00	0.00	0.00	0.00	0.00	0.00	0.00
4990: DELAWARE, 4990'									
5020.00	0.00	0.00	5020.00	0.00	0.00	0.00	0.00	0.00	0.00
5020: BELL CANYON, 5020'									
5980.00	0.00	0.00	5980.00	0.01	0.00	-0.01	0.00	0.00	0.00
5980: CHERRY CANYON, 5980'									
7340.00	0.00	0.00	7340.00	0.01	0.00	-0.01	0.00	0.00	0.00
7340: BRUSHY CANYON, 7340'									
9040.00	0.00	0.00	9040.00	0.01	0.00	-0.01	0.00	0.00	0.00
9040: BONE SPRING, 9040'									
9190.00	0.00	0.00	9190.00	0.01	0.00	-0.01	0.00	0.00	0.00
9190: UPPER AVALON, 9190'									
9402.54	0.00	179.57	9402.54	0.01	0.00	-0.01	0.00	1.91	0.00
9402.54: KOP, 9403'									
9500.00	11.70	179.57	9499.32	-9.90	0.07	9.90	12.00	0.00	12.00
9600.00	23.70	179.57	9594.42	-40.24	0.30	40.25	12.00	0.00	12.00
9700.00	35.70	179.57	9681.13	-89.69	0.67	89.69	12.00	0.00	12.00
9800.00	47.70	179.57	9755.66	-156.09	1.16	156.09	12.00	0.00	12.00
9900.00	59.70	179.57	9814.76	-236.53	1.76	236.53	12.00	0.00	12.00
10000.00	71.70	179.57	9855.84	-327.49	2.44	327.50	12.00	0.00	12.00
10100.00	83.70	179.57	9877.11	-425.02	3.17	425.03	12.00	0.00	12.00
10152.53	90.00	179.57	9880.00	-477.44	3.56	477.46	12.00	0.00	12.00
10152.53: TARGET LOWER AVALON, 10153' MD (9880' TVD)									
14450.41	90.00	179.57	9880.01	-4775.20	35.61	4775.34	0.00	0.00	0.00
14450.41: LATERAL TD, 14450' MD (9880' TVD)									



