

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87401
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
Revised August 1, 2011

RECEIVED SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-21357
1. Type of Well: Oil Well ☐ Gas Well ☒ Other Water Injection ☐		5. Indicate Type of Lease STATE ☒ FEE ☐
2. Name of Operator Chevron Midcontinent, L.P.		6. State Oil & Gas Lease No.
3. Address of Operator 15 Smith Road Midland, TX 79705		7. Lease Name or Unit Agreement Name Lovington San Andres Unit
4. Well Location Unit Letter <u>L</u> : 1980 feet from the <u>SOUTH</u> line and <u>640</u> feet from the <u>WEST</u> line Section <u>36</u> Township <u>16-S</u> Range <u>36-E</u> NMPM County <u>Lea</u>		8. Well Number: 59
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3846' DL		9. OGRID Number: 241333
		10. Pool name or Wildcat Lovington Grayburg San Andres

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:
PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:
REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

TD-5130' Perfs 4666' - 5034' Unknown Packer @ 4602'
8-5/8" 24# csg @ 2064' w/825 sks, 11" hole, TOC: Surface
4-1/2" 10.5# csg @ 5060' w/450 sks, 7-7/8" hole, TOC: 3581' by TS

1. MIRUWSU. NDWH. NUBOP.
2. Try and Remove Packer (Brand unknown)
3. Tag CIBP @ 4566' w/25 sks of C cement.
4. Circulate well with 9.5 PPG plugging mud. Pressure Test casing to 500 psi and record/report findings.
5. Perf & Sqz w/60 sks of C cement @ 3050' - 2850', CTOC. WOC & TAG (Bottom of Salt)
6. Perf & Sqz w/ 120 sks of C cement @ 2200' - 1800', CTOC. WOC & TAG (Shoe & Top of Salt)
7. Perf & Circulate 40 sks of C cement @ 1600' to Surface.
8. Cut off wellhead and anchors 3' below grade. Weld on dry hole marker. Clean location.

Spud Date:

Rig Release Da:

The Oil Conservation Division Must be notified
24 hours prior to the beginning of plugging operations.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE [Signature] TITLE Representative DATE 04/04/2013

Type or print name Robert Holden E-mail address: rholden@keyenergy.com PHONE: 432-523-5155

For State Use Only

APPROVED BY: [Signature] TITLE DIST. MGR DATE 4-9-2013
Conditions of Approval (if any): 2M.

APR 09 2013

CURRENT

WELLBORE DIAGRAM
LSAU 59


Created: 02/13/13 By: RRW
Updated: By:
Lease: Lovington San Andres Unit
Field: Lovington Grayburg San Andres
Surf. Loc.: 1980' FSL 660' FWL
Bot. Loc.:
County: Lea St.: NM
Status: TA'd Injection Well

Well #: 59 St. Lse:
API 30-025-21357
Unit Ltr.: L Section: 36
TSHR/Rng: 16S 36E
Pool Code: OGRID: 241333
Directions: Lovington, NM
Chevno: FF4712

Surface Casing

Size: 8 5/8"
Wt., Grd.: 24#
Depth: 2064'
Sxs Cmt: 825
Circulate: yes
TOC: surface
Hole Size: 11"

KB:
DF: 3,846
GL:
Ini. Spud: 06/01/65
Ini. Comp.: 06/14/65



Production Casing

Size: 4 1/2"
Wt., Grd.: 10.5#
Depth: 5060'
Sxs Cmt: 450
Circulate: No
TOC: 3581' - TS
Hole Size: 7 7/8"

2-3/8" tbg

San Andres Perfs: 4666'-5034'

TD: 5,060'

Top - 2000'
Bottom - 2950'

Proposed

WELLBORE DIAGRAM
LSAU 59

Created: 02/13/13 By: RRW
Updated: By:
Lease: Lovington San Andres Unit
Field: Lovington Grayburg San Andres
Surf. Loc.: 1980' FSL 660' FWL
Bot. Loc.:
County: Lea St.: NM
Status: TA'd Injection Well

Well #: 59 St. Lse:
API: 30-025-21357
Unit Ltr.: L Section: 36
TSHR/Rng: 16S 36E
Pool Code: OGRID: 241333
Directions: Lovington, NM
Chevno: FF4712


Perf & Circulated 120 sks
@ 400' TO SURFACE

Surface Casing

Size: 8 5/8"
Wt., Grd.: 24#
Depth: 2064'
Sxs Cmt: 825
Circulate: yes
TOC: surface
Hole Size: 11"

KB:
DF: 3,846
GL:
Ini. Spud: 06/01/65
Ini. Comp.: 06/14/65

TOP SALT
2000'
BOTTOM
SALT
2950'



Perf 1 Sqz w/ 100 sks Class C
@ 2200' - 1800' CTR, WOC, TAG
TOP SALT 1 SHOE

Perf 4 Sqz w/ 160 sks Class C
@ 3050' - 2850' WOC & TAG
(BOTTOM SALT)

✓ Remove Phr Set CIBP @ 4560'
w/ 125 sks of Class C cont
2-3/8" tbg

San Andres Perfs: 4666'-5034'

Production Casing

Size: 4 1/2"
Wt., Grd.: 10.5#
Depth: 5060'
Sxs Cmt: 450
Circulate: No
TOC: 3581' - TS
Hole Size: 7 7/8"

TD:
5,060'