

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources
HOBBS OGD
OIL CONSERVATION DIVISION
20 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
Revised August 1, 2011

RECEIVED SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-31025
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/> Water Injection <input checked="" type="checkbox"/>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator Chevron Midcontinent L.P.		6. State Oil & Gas Lease No.
3. Address of Operator 15 Smith Road Midland, TX 79705		7. Lease Name or Unit Agreement Name Lovington San Andres Unit
4. Well Location Unit Letter <u>A</u> : <u>1185</u> feet from the <u>NORTH</u> line and <u>152</u> feet from the <u>EAST</u> line Section <u>2</u> Township <u>17-S</u> Range <u>36-E</u> NMPM County <u>Lea</u>		8. Well Number: <u>62</u>
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3833' GR		9. OGRID Number: 241333
		10. Pool name or Wildcat Lovington Grayburg San Andres

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

TD 5120', Perfs, 4692' -5057', CIBP @ 4652', Baker AD Packer @ 5948
8-5/8" 24# csg @ 426' w/2758 sks of Class C cmt, 12-1/4" hole, TOC Circulated
5-1/2" 17#csg @ 5120' w/2050 sksa of Class C cement, 7-7/8" hole, TOC, Circulated

1. MIRUWSU. NDWH. NUBOPE.
2. Tag CIBP @ 4652' w/25 sks of Class C cement
3. Circulate well with 9.5 PPG plugging mud. Pressure Test casing to 500 psi and record/report findings
4. Set Plug @ 3250' - 3050', w/25 sks of Class C cement, WOC & TAG, (Bottom of Salt)
5. Set Plug @ 2150' - 1950', w/25 sks of Class C Cement, WOC & TAG, (Top of Salt)
6. Perf & Circulate @ 500' - Surface, w/ 140 sks of Class C cement,
7. Cut off wellhead and anchors 3' below grade. Weld on dry hole marker. Clean location

The Oil Conservation Division Must be notified
24 hours prior to the beginning of plugging operations.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE [Signature] TITLE Representative DATE 04/03/2013

Type or print name Robert Holden E-mail address: rholden@keyenergy.com PHONE: 432-523-5155

For State Use Only

APPROVED BY [Signature] TITLE Dist. MGR DATE 4-9-2013

Conditions of Approval (if any):

APR 09 2013

CURRENT

LSAU #62
API No. 30-025-31025

8-5/8" 24# set @ 426'
CMT w/ 275 sks, CIRC

181 jts 2-3/8" IPC TBG,
Baker AD-1 @ 5948'

5-1/2" CSG - set @ 5120'
CMT w/ 2050 sks, Circ


TD = 5120'

Well Location

1185' FNL & 152' FEL
Unit Letter A
Section 2
Township 17-S
Range 36-E
Lea County, New Mexico
Elev: ?

CIBP @ 4652'

Perfs 4692-5057'



Proposed

LSAU #62
API No. 30-025-31025

Perf + Circulate @ 500' - Surface
w 140 sks of Class C cement

Well Location

1185' FNL & 152' FEL
Unit Letter A
Section 2
Township 17-S
Range 36-E
Lea County, New Mexico
Elev: ?

8-5/8" 24# set @ 426'
CMT w/ 275 sks, CIRC

181 jts 2-3/8" IPC TBG,
Baker AD-1 @ 5948'

Set PI @ 3250' - 3050' w/ 25 sks
of Class C. WOC + TAG (Bottom of Salt)

G.C.D. 4652' w/ 25 sks
+ loss cement

5-1/2" CSG - set @ 5120'
CMT w/ 2050 sks, Circ

TD = 5120'

Set 1 @ 2150' - 950' w/ 25
skt CMT WOC + TAG (Top of Salt)

Top Salt

2050'

Bottom Salt

3150'

CIBP @ 4652'

Perfs 4692-5057'