

District I - (575) 393-6161  
1625 N. French Dr., Hobbs, NM 88240  
District II - (575) 748-1283  
811 S. First St., Artesia, NM 88210  
District III - (505) 334-6178  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV - (505) 476-3460  
1220 S. St. Francis Dr., Santa Fe, NM 87505

HOBBS OGD

Energy, Minerals and Natural Resources

APR 05 2013

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.

Santa Fe, NM 87505

RECEIVED

WELL API NO. 30-025-03808
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Lovington San Andres Unit
8. Well Number: 57
9. OGRID Number: 24133
10. Pool name or Wildcat Lovington Grayburg San Andres

<p><b>SUNDRY NOTICES AND REPORTS ON WELLS</b> (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)</p>	
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other Water Injection <input type="checkbox"/>	
2. Name of Operator Chevron Midcontinent, L.P.	
3. Address of Operator 15 Smith Road Midland, TX 79705	
4. Well Location Unit Letter <u>M</u> : <u>660</u> feet from the <u>South</u> line and <u>660</u> feet from the <u>West</u> line Section <u>36</u> Township <u>16-S</u> Range <u>36-E</u> NMPM County <u>Lea</u>	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3861' DF	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

**NOTICE OF INTENTION TO:**

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
DOWNHOLE COMMINGLE ☐

**SUBSEQUENT REPORT OF:**

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ P AND A ☐  
CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

TD-4640' OH-4399' - 5144'

Packer @ 4334'

9-5/8" 40# csg @ 2036' w/200 sks, 12-1/4" hole, TOC: 1509'

5-1/2" 24# csg @ 4640' w/250 sks, 8-3/4" hole, TOC: 3266'

1. MIRUWSU. NDWH. NUBOP.
2. Remove Packer @ 4334'
3. Set CIBP @ 4300' w/ 25 sks of Class C cement, WOC & TAG
4. Circulate well with 9.5 PPG plugging mud. Pressure Test casing to 500 psi and record/report findings.
5. Perf & Sqz w/50 sks of C cement @ 3200 - 3000', CTOC. WOC & TAG, ( Bottom of Salt)
6. Perf & Sqz w/ 50 sks of C cement @ 2100 - 1900', CTOC. WOC & TAG ( Shoe & Top of Salt)
7. Perf & Circulate 100 sks of C cement @ 300' to Surface
8. Cut off wellhead and anchors 3' below grade. Weld on dry hole marker. Clean location.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE [Signature] TITLE Representative DATE 03/27/2013

Type or print name Robert Holden E-mail address: rholden@keyenergy.com PHONE: 432-523-5155

For State Use Only

APPROVED BY: [Signature] TITLE DIST MGR DATE 4-9-2013

Conditions of Approval (if any):

**WELLBORE DIAGRAM  
LSAU 57**

*Current*

Created: 02/18/13 By: TPQJ  
 Updated: 03/27/13 By: Bob Hall  
 Lease: Lovington San Andres Unit  
 Field: Lovington Grayburg San Andres  
 Surf. Loc.: 660' FSL 660' FWL  
 GPS: 32.87300 -103.31396  
 County: Lea St.: NM  
 Status: TA'd Injection Well

Well #: 57 St. Lse: 30-025-03808  
 API: 30-025-03808  
 Unit Ltr.: M Section: 36  
 TSHP/Rng: 16S / 36E  
 Pool Code: OGRID: 241333  
 Directions: Lovington, NM  
 Chevno: FA4955

**Surface Casing**

Size: 13"  
 Wt., Grd.: 40#  
 Depth: 308'  
 Sxs Cmt: 200  
 Circulate: Yes  
 TOC: Surface  
 Hole Size: 17"

KB: 3,861  
 DF: 3,849  
 GL: 3,849  
 Ini. Spud: 07/16/39  
 Ini. Comp.: 08/26/39

**Intermediate Casing**

Size: 9 5/8"  
 Wt., Grd.: 40#  
 Depth: 2036'  
 Sxs Cmt: 200  
 Circulate: no  
 TOC: 1509' by calc  
 Hole Size: 12-1/4"

**Tubing Detail: (4/19/2007)**

#Jts:	Size:
	KB Correction
132	Jts. 2-3/8" 4.6# J-55 IPC Tbg
	On/Off Tool w/ 1.50" F Nipple
	2-3/8" X 2-7/8" Crossover
	7" Arrowset 1X Pkr @ 4339'
	2-7/8" X 2-3/8" Crossover
9	Jts. 2-3/8" 4.6# J-55 IPC Tbg

141 Bottom Of String >>


Pkr @ 4339'

8/23/2008

**Production Casing**

Size: 7"  
 Wt., Grd.: 24#  
 Depth: 4640'  
 Sxs Cmt: 250  
 Circulate: no  
 TOC: 3266' by calc  
 Hole Size: 8-3/4"

San Andres Perfs & OH: 4399'-5144'



# WELLBORE DIAGRAM LSAU 57

Created: 02/18/13 By: TPQJ  
 Updated: By:  
 Lease: Lovington San Andres Unit  
 Field: Lovington Grayburg San Andres  
 Surf. Loc.: 660' FSL 660' FWL  
 Bot. Loc.:  
 County: Lea St.: NM  
 Status: TA'd Injection Well

Well #: 57 St. Lse:  
 API 30-025-03808  
 Unit Ltr.: M Section: 36  
 TSHP/Rng: 16S / 36E  
 Pool Code: OGRID: 241333  
 Directions: Lovington, NM  
 Chevno: FA4955

