

District I  
1625 N. French Dr., Hobbs, NM 88240District II  
811 A. First St., Artesia, NM 88210District III  
1000 Rio Brazos Rd. Aztec, NM 87410District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505State of New Mexico  
Energy, Minerals and Natural Resources

HOBBS OCD

## OIL CONSERVATION DIVISION

APR 05 2013

1220 South St. Francis Dr.  
Santa Fe, NM 87505

RECEIVED

|   |
|---|
| WELL API NO.<br><b>30-025-06552</b>   |
| 5. Indicate Type of Lease<br>STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/> |
| 6. State Oil & Gas Lease NO.  |
| 7. Lease Name or Unit Agreement Name<br><b>East Blinbry Drinkard Unit (EBDU)</b>                    |
| 8. Well Number<br><b>46</b>   |
| 9. OGRID Numer<br><b>873</b>  |
| 10. Pool Name<br><b>Eunice, B-T-D, North (22900)</b>  |

**SUNDRY NOTICES AND REPORTS ON WELLS**  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR DEEPEN OR PLUG BACK TO A DIFFERENT RESERVIOR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator

**Apache Corporation**

3. Address of Operator

**303 Veterans Airpark Lane, Ste. 3000, Midland, TX 79705**

4. Well Location

|             |           |   |             |               |          |            |            |               |            |      |
|-------------|-----------|---|-------------|---------------|----------|------------|------------|---------------|------------|------|
| Unit Letter | <b>L</b>  | : | <b>1980</b> | feet from the | <b>S</b> | line and   | <b>660</b> | feet from the | <b>W</b>   | line |
| Section     | <b>12</b> | : | Township    | <b>21S</b>    | Range    | <b>37E</b> | NMPM       | County        | <b>Lea</b> |      |

11. Elevation (Show whether DR, RKB, RT, GR, etc.)  
**3441' GR**

## 12. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

## NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐TEMPORARILY ABANDON ☐PULL OR ALTER CASING ☐DOWNHOLE COMMINGLE ☐PLUG AND ABANDON ☒CHANGE PLANS ☐MULTIPLE COMPL ☐OTHER: ☐

## SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐COMMENCE DRILLING OPNS. ☐CASING/CEMENT JOB ☐ALTERING CASING ☐P AND A ☐OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work.) SEE RULE 1103. For Multiple Completions: Attach wellbore diagram or proposed completion or recompletion.

**Apache Corporation proposes to P&A the above mentioned well by the attached procedure.**Spud Date: Rig Release Date: 

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

*Guinn Burks*

TITLE

**Reclamation Foreman**

DATE

**4/2/13**

Type or print name

**Guinn Burks**

E-mail add.

**guinn.burks@apachecorp.com**

PHONE:

**432-556-9143**

For State Use Only

APPROVED BY:

*[Signature]*

TITLE

*Dist. Mgr*

DATE

**4-9-2013**

Conditions of Approval (if any):

Oil Conservation Division - Hobbs office: **Must be Notified 24 hours prior** to the beginning of Plugging Operations begin.*T.M.*



WELL BORE INFO.

LEASE NAME

East Blinebry Drinkard Unit

WELL #

46

API #

30-025-06552

COUNTY

Lea

0

17" Hole  
13 3/8" 48# @ 313'  
w/300 sx to surf

595

1190

1784

2379

2974

11" Hole  
8 5/8" 32# @ 3249'  
w/ 1500 sx to surf

3569

4164

TOC on CIRC @ 4033'

4758

Set CIRC @ 4785' w/ 250' cmt on top

Csg leak @ 4815'-4912' sqzd w/ 400 sx cmt  
TOC Cal @ 4916'

5353


CIBP @ 5560' w/ 35' cmt

5948

7 7/8" Hole  
5 1/2" 15.5# @ 5948'  
w/ 100 sx Cal TOC @ 4916'

PBTD @ 5915'  
TD @ 5948'

Blinebry perms @ 5631'-5918'





# WELL BORE INFO.

LEASE NAME

East Blinebry Drinkard Unit

WELL #

46

API #

30-025-06552


COUNTY

Lea

# PROPOSED PROCEDURE

0

17" Hole  
13 3/8" 48# @ 313'  
w/300 sx to surf



4. PUH & perf @ 363' & sqz 120 sx Class "C" cmt from 363' to surf, CIRC all strings to surf (Surf Shoe & Water Board)

595

1190

3. PUH & perf @ 1600' & sqz 75 sx Class "C" cmt from 1600'-1500' WOC/TAG (required cased hole plug)

1784

2379

2974

11" Hole  
8 5/8" 32# @ 3249'  
w/ 1500 sx to surf

2. PUH & perf @ 3300' & sqz 75 sx Class "C" cmt from 3300'-3200' WOC/TAG (Inter Shoe)

3569

4164

1. MIRU, RIH w/ tbg & verify TOC on CIRC @ 4535', CIRC w/ MLF. PUH & perf @ 4000' & sqz 50 sx Class "C" cmt from 4000'-3900' WOC/TAG (Top of San Andres)

TOC on CIRC @ 4033'

4758

Set CIRC @ 4785' w/ 250' cmt on top

Csg leak @ 4815'-4912' sqzd w/ 400 sx cmt  
TOC Cal @ 4916'

5353

CIBP @ 5560' w/ 35' cmt

5948

7 7/8" Hole  
5 1/2" 15.5# @ 5948'  
w/ 100 sx Cal TOC @ 4916'

Blinebry perms @ 5631'-5918'

PBD @ 5915'  
TD @ 5948'