

District I - (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II - (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III - (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV - (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

DEC 07 2012

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.
 Santa Fe, NM 87505

RECEIVED

WELL API NO. 30-025-03247
5. Indicate Type of Lease STATE FEE X
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name WEST PEARL QUEEN UNIT
8. Well Number #103
9. OGRID Number 25482
10. Pool name or Wildcat PEARL QUEEN

SUNDRY NOTICES AND REPORTS ON WELLS
 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well **X** Gas Well Other

2. Name of Operator
STATE OF NEW MEXICO formerly Xeric Oil & Gas Corp

3. Address of Operator
1625 N. French Drive Hobbs, NM 88240

4. Well Location
 Unit Letter C : 990 feet from the N line and 1980 feet from the W line
 Section 29 Township 19S Range 35E NMPM County LEA

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

<p>NOTICE OF INTENTION TO:</p> PERFORM REMEDIAL WORK <input type="checkbox"/> PLUG AND ABANDON X TEMPORARILY ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/> PULL OR ALTER CASING <input type="checkbox"/> MULTIPLE COMPL <input type="checkbox"/> DOWNHOLE COMMINGLE <input type="checkbox"/>		<p>SUBSEQUENT REPORT OF:</p> REMEDIAL WORK <input type="checkbox"/> ALTERING CASING <input type="checkbox"/> COMMENCE DRILLING OPNS. <input type="checkbox"/> P AND A <input type="checkbox"/> CASING/CEMENT JOB <input type="checkbox"/>	
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

SEE ATTACHED P&A PROCEDURE

Spud Date: Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Mark Whitaker Title COMPLIANCE OFFICER DATE 12/07/2012

Type or print name MARK WHITAKER E-mail address: Marka.Whitaker@state.nm.us PHONE: 575-393-6161
 For State Use Only

APPROVED BY: [Signature] TITLE Dist. Mgr DATE 2-14-2013
 Conditions of Approval (if any):

State of New Mexico formerly Xeric Oil & Gas Corp
West Pearl Queen Unit No. 103

Set CIBP at 4750' and cap w/ 25 sx cmt. Pressure test csg.
Circulate hole w/ 9.5 ppg brine w/ 25 sx salt gel per 100 bbls.
Perforate at 3400'. Attempt to sqz/ 30 sx cmt. WOC and Tag
Perforate at 1900'. Attempt to sqz/ 40 sx cmt. WOC and Tag
Perforate at 160'. Circulate cmt to surface.
Cut off wellhead and install dry hole marker.

PLUGGING & ABANDONMENT WORKSHEET (2 STRING CSNG)

OPERATOR ST. of NM Formerly XERIC Oil & Gas

LEASENAME WEST PEARL QUEEN UNIT

SECT 29 TWN 19S RING 35E
 FROM 990 (N) S L 1980 E (W) L
 TD: 5039' FORMATION @ TD Queen
 PBTD: _____ FORMATION @ PBTD _____

13^{3/8}
@ 108'
 TOC CIRC

Drilled 11" hole to 1820'

5 1/2 155
@ 5020
 TOC unknown
 w/ 250 Sx 8" hole
 from 1820' to TD

	SIZE	SET @	TOC	TOC DETERMINED BY
SURFACE	13 ^{3/8}	108'	CIRC	
INTMED 1	11" hole drilled to			1820'
INTMED 2				
PROD	5 1/2	5020'	?	w/ 250 Sx 8" Hole
	SIZE	TOP	BOT	TOC DETERMINED BY
LINER 1				
LINER 2				
	CUT & PULL @		TOP - BOTTOM	
INTMED 1			PERFS	4840 - 4850
INTMED 2			OPENHOLE	5020 - 5039
PROD				

***REQUIRED PLUGS DISTRICT I**

RUSTLER (ANEYD)	
YATES	
QUEEN	
GRAYBORG	
SAN ANDREW	
T. SALT	1900'
CANTON REEF	
B. SALT	3300'
DELAWARE	
BELL CANYON	
CHEEKY CANYON	
BURDET CANYON	
BOGE EPLING	
FLORIDA	
ELINEBY	
TUBS	
DRINGARD	
ABO	
WCO	
PERCH	
STRAWN	
ATOKA	
LAUREL	
LEWIS	
DEVONIAN	

PLUG	TYPE PLUG	SACKS CMNT	DEPTH
EXAMPLES			
PLUG #1	OH	35 SXS	6100'
PLUG #2	SHOE	50 SXS	5350'-5450'
PLUG #3	CIBP/35'		4800'
PLUG #5	CIBP	25 SXS	4800'
PLUG #4	STUB	50 SXS	3600'-3700'
PLUG #5	REINR SQZ	200 SXS	400'
PLUG #6	SURF	10 SXS	0-10'
PLUG #1			
PLUG #2			
PLUG #3			
PLUG #4			
PLUG #5			
PLUG #6			
PLUG #7			
PLUG #8			
PLUG #9			
PLUG #10			
PLUG #			
PLUG #			

TD 5039

7-025-03247