

Submit 3 Copies To Appropriate District Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
June 19, 2008

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-28551
5. Indicate Type of Lease STATE ☐ FEE ☐ FED ☒
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name HARRIS FEDERAL
8. Well Number #1
9. OGRID Number 3474
10. Pool name or Wildcat SWD: DELAWARE

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☐ Other ☒ SWD **HOBBS OCD**

2. Name of Operator
STATE OF NEW MEXICO formerly CW TRAINER

3. Address of Operator
1625 N. FRENCH DRIVE HOBBS, NM 88240 **OCT 31 2012**

4. Well Location
Unit Letter O : 660 feet from the SOUTH line and 1980 feet from the EAST line
Section 5 Township 22S Range 34E NMPM LEA County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: 10/31/2012 Amended ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

13 3/8" csg set at 1120'—cmt w/900 sxs, circ
10 3/4" csg set at 4800'---cmt w/1400 sxs, circ
7 5/8" csg set at 11,800'—cmt w/450 sxs, DV TOOL at 8428' 2nd stage cmt, toc est 1800'. 1146'-50' Sqz w/100 sxs cmt.
Perfs 5790'-6011' PBTD-9100' TD 14,054'

Tag CIBP at 9100'. Circ MLF. Cap w/25 sxs cmt. Spot 35 sx cmt at 6300'. Set 7 5/8" CIBP at 5750', cap w/25 sxs cmt.
Spot 50 sxs cmt at 4850'. WOC and TAG. Spot 50 sxs cmt at 3570'. Spot 50 sxs cmt at 1650'.
Perf at 1171'. Sqz 50 sxs cmt. WOC and TAG. Perf at 300', circ cmt iside and out to surface.
Cutoff anchors and wellhead. Install dryhole marker.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

Mary E. Brown

TITLE

Compliance Officer

DATE

10/31/2012

Type or print name

E-mail address:

PHONE:

For State Use Only

APPROVED BY:

[Signature]

TITLE

DIST. MGR

DATE

10-31-2012

Conditions of Approval (if any):

OCT 31 2012

PLUGGING & ABANDONMENT WORKSHEET

(3 STRING CSNG)

30-025-28551

OPERATOR C.W. TRAINER
LEASENAME HARRIS FED.


WELL # 1
SECT 5 TWN 22 RNG 34
FROM 660' 1980' EWL
TD: 11,800' FORMATION @ TD
PBTD: FORMATION @ PBTD

	SIZE	SET @	TOC	TOC DETERMINED BY
SURFACE	13 3/8	1120'	CIRC	
INTMED 1	10 3/4	4800'	CIRC	DU @ 1557'
INTMED 2				
PROD	7 5/8	11,800'		D.V. @ 8428'
	SIZE	TOP	BOT	TOC DETERMINED BY
LINER 1				
LINER 2				
	CUT & PULL @		TOP - BOTTOM	
INTMED 1			PERFS	-
INTMED 2			OPENHOLE	-
PROD				

* REQUIRED PLUGS DISTRICT 1

RUSTLER (ANYTD)	
YATES	3780'
GRAYBURD	4140
SAX ANDRES	
CAPTAIN REEF	
DELAWARE	
BELL CANYON	
CHERRY CANYON	
BRIGHT CANYON	
BONE SPRING	
OLORITA	
BLINNEY	
TUBB	
DEWEARD	
ABO	
WC	
PERK	
STRAWN	
ATOKA	
MOORE	
JOHN	
OREYORAN	

PLUG	TYPE	SACKS	DEPTH
PLUG	PLUG	CMNT	
EXAMPLES			
PLUG #1	OH	25 SXS	9850'
PLUG #2	SHOE	50 SXS	8700'-8800'
PLUG #3	CIRP/35'		5300'
PLUG #4	CIRP	25 SXS	5300'
PLUG #5	STUB	50 SXS	4600'-4700'
PLUG #6	RETNR SQZ	200 SXS	400'
PLUG #7	SURF	10 SXS	0-10'
PLUG #8			
PLUG #9			
PLUG #10			
PLUG #11			
PLUG #12			
PLUG #13			
PLUG #14			
PLUG #15			
PLUG #16			
PLUG #17			
PLUG #18			
PLUG #19			
PLUG #20			



Harris Fed. #1
1980' FHL & 660' FBL
Sec. 5-T22S-R34E
TD: 14030'

Date: 11-19-90
Field: Grama Ridge
Lea County, N.M.

