Form 3160-5 (March 2012)	UNITED STATE: DEPARTMENT OF THE I	S NTERIOR	оср на	_{BBS} OCI) F (Ex	ORM APPROVE OMB No. 1004-01 pires: October 31,	37
B	UREAU OF LAND MANA	AGEMENT			SLease Serial No.		
SUNDR	Y NOTICES AND REPO	RTS ON WEL	LS AP	R1120	6. If Indian, Allottee of	r Tribe Name	
Do not use th	is form for proposals to II. Use Form 3160-3 (Al	drill or to re	-enter an	SECEIVE			
	BMIT IN TRIPLICATE – Other i				7. If Unit of CA/Agree	ment, Name and/	or No.
Oil Well Gas Well Other					8. Well Name and No. Warren Unit battery #1 9. API Well No.		
2. Name of Operator ConocoPhillips Compar							
3a. Address		3b. Phone No. (inc.	lude area co	de)	10. Field and Pool or E	xploratory Area	
P. O. Box 51810 Midlan		(432)688	-9174				
4. Location of Well (Footage, Sec. UL L, Sec 33, 20S, 38E	, T.,R.,M., or Survey Description)				11. County or Parish, S	tate	
			·		Lea		NM
12. CH	HECK THE APPROPRIATE BOX	X(ES) TO INDICA	TE NATURI	E OF NOTIC	E, REPORT OR OTHE	ER DATA	
TYPE OF SUBMISSION			TY	PE OF ACTI	ON		
	Acidize	Deepen		Produ	ction (Start/Resume)	Water Shu	t-Off
Notice of Intent	Alter Casing	Fracture T	Treat	_	mation	Well Integ	
Subsequent Report	Casing Repair	New Cons	struction	Recon	nplete	X Other /-	LARE
	Change Plans	Plug and A		Temp	orarily Abandon	.	
Final Abandonment Notice	Convert to Injection	Plug Back	τ.	Water	Disposal		
the proposal is to deepen direct Attach the Bond under which the following completion of the invi- testing has been completed. Find determined that the site is read ConocoPhillips would lik	ionally or recomplete horizontally be work will be performed or prov volved operations. If the operation nal Abandonment Notices must be	y, give subsurface to vide the Bond No. c n results in a multip e filed only after all 013 to flare the	ocations and on file with B ole completio I requirement e Targa N	measured and LM/BIA. R n or recompl s, including r fonumen	d true vertical depths of equired subsequent repo- etion in a new interval, eclamation, have been	all pertinent mar orts must be filed a Form 3160-4 m completed and th	kers and zones. within 30 days nust be filed once e operator has
the proposal is to deepen direct Attach the Bond under which the following completion of the im- testing has been completed. Fit determined that the site is ready ConocoPhillips would lik done on a Chevron line. There are 23 well attach Estimated volumes of ga	ionally or recomplete horizontally be work will be performed or prov volved operations. If the operation nal Abandonment Notices must be y for final inspection.) e to starting March 18, 2 We would like an excep ed to the battery. (see a as to flare : 450 MCF/pd	y, give subsurface to yide the Bond No. of n results in a multip e filed only after all 013 to flare the otion to flare til	ocations and on file with B ole completio I requirement e Targa N	measured and LM/BIA. R n or recompl s, including r fonumen	d true vertical depths of equired subsequent repo- etion in a new interval, eclamation, have been	all pertinent mar orts must be filed a Form 3160-4 m completed and th	kers and zones. within 30 days nust be filed once e operator has
the proposal is to deepen direct Attach the Bond under which the following completion of the invi- testing has been completed. Fit determined that the site is ready ConocoPhillips would like done on a Chevron line. There are 23 well attach	ionally or recomplete horizontally be work will be performed or prov volved operations. If the operation nal Abandonment Notices must be y for final inspection.) e to starting March 18, 2 We would like an excep ed to the battery. (see a as to flare : 450 MCF/pd	y, give subsurface to yide the Bond No. of n results in a multip e filed only after all 013 to flare the otion to flare til	ocations and on file with B ole completio I requirement e Targa N	measured and LM/BIA. R n or recompl s, including r fonumen	d true vertical depths of equired subsequent repo- etion in a new interval, eclamation, have been	all pertinent mar orts must be filed a Form 3160-4 m completed and th	kers and zones. within 30 days nust be filed once e operator has
Attach the Bond under which the following completion of the invi- testing has been completed. Fit determined that the site is ready ConocoPhillips would like done on a Chevron line. There are 23 well attach Estimated volumes of ga	ionally or recomplete horizontally be work will be performed or prov volved operations. If the operation nal Abandonment Notices must be y for final inspection.) e to starting March 18, 2 We would like an excep ed to the battery. (see a as to flare : 450 MCF/pd	y, give subsurface to yide the Bond No. of n results in a multip e filed only after all 013 to flare the otion to flare til	ocations and on file with B ole completio I requirement e Targa N	measured and LM/BIA. R n or recompl s, including r fonumen	d true vertical depths of equired subsequent repo- etion in a new interval, eclamation, have been	all pertinent mar orts must be filed a Form 3160-4 m completed and th	kers and zones. within 30 days nust be filed once e operator has
the proposal is to deepen direct Attach the Bond under which the following completion of the im- testing has been completed. Fit determined that the site is ready ConocoPhillips would lik done on a Chevron line. There are 23 well attach Estimated volumes of ga	ionally or recomplete horizontally be work will be performed or prov volved operations. If the operation nal Abandonment Notices must be y for final inspection.) e to starting March 18, 2 We would like an excep ed to the battery. (see a as to flare : 450 MCF/pd	y, give subsurface to yide the Bond No. of n results in a multip e filed only after all 013 to flare the otion to flare til	ocations and on file with B ole completio I requirement e Targa N	measured and LM/BIA. R n or recompl s, including r fonumen	I true vertical depths of equired subsequent repo- etion in a new interval, eclamation, have been t plant shutdown	all pertinent mar orts must be filed a Form 3160-4 m completed and th due to work	kers and zones. within 30 days just be filed once e operator has being
the proposal is to deepen direct Attach the Bond under which the following completion of the im- testing has been completed. Fit determined that the site is ready ConocoPhillips would lik done on a Chevron line. There are 23 well attach Estimated volumes of ga	ionally or recomplete horizontally be work will be performed or prov volved operations. If the operation nal Abandonment Notices must be y for final inspection.) e to starting March 18, 2 We would like an excep ed to the battery. (see a as to flare : 450 MCF/pd	y, give subsurface to yide the Bond No. of n results in a multip e filed only after all 013 to flare the otion to flare til	ocations and on file with B ole completio I requirement e Targa N	measured an LM/BIA. R n or recompl s, including r Aonumen 2103.	true vertical depths of equired subsequent repo- etion in a new interval, eclamation, have been t plant shutdown	Fall pertinent mar orts must be filed a Form 3160-4 m completed and th due to work	kers and zones. within 30 days just be filed once e operator has being
the proposal is to deepen direct Attach the Bond under which the following completion of the im- testing has been completed. Fit determined that the site is ready ConocoPhillips would lik done on a Chevron line. There are 23 well attach Estimated volumes of ga	ionally or recomplete horizontally be work will be performed or prov volved operations. If the operation nal Abandonment Notices must be y for final inspection.) e to starting March 18, 2 We would like an excep ed to the battery. (see a as to flare : 450 MCF/pd	y, give subsurface to yide the Bond No. of n results in a multip e filed only after all 013 to flare the otion to flare til	ocations and on file with B ole completio I requirement e Targa N	measured an LM/BIA. R n or recompl s, including r Aonumen 2103.	I true vertical depths of equired subsequent repo- etion in a new interval, eclamation, have been t plant shutdown	Fall pertinent mar orts must be filed a Form 3160-4 m completed and th due to work	kers and zones. within 30 days just be filed once e operator has being
the proposal is to deepen direct Attach the Bond under which the following completion of the im- testing has been completed. Fit determined that the site is ready ConocoPhillips would lik done on a Chevron line. There are 23 well attach Estimated volumes of ga	ionally or recomplete horizontally be work will be performed or prov volved operations. If the operation nal Abandonment Notices must be y for final inspection.) e to starting March 18, 2 We would like an excep ed to the battery. (see a as to flare : 450 MCF/pd	y, give subsurface to yide the Bond No. of n results in a multip e filed only after all 013 to flare the otion to flare til	ocations and on file with B ole completio I requirement e Targa N	measured an LM/BIA. R n or recompl s, including r Aonumen 2103.	true vertical depths of equired subsequent repo- etion in a new interval, eclamation, have been t plant shutdown	Fall pertinent mar orts must be filed a Form 3160-4 m completed and th due to work	kers and zones. within 30 days just be filed once e operator has being
the proposal is to deepen direct Attach the Bond under which the following completion of the invite sting has been completed. Fit determined that the site is ready ConocoPhillips would lik done on a Chevron line. There are 23 well attach Estimated volumes of ga Nearest gas gathering fa	ionally or recomplete horizontally he work will be performed or prov volved operations. If the operation nal Abandonment Notices must be y for final inspection.) e to starting March 18, 2 We would like an excep ed to the battery. (see a as to flare : 450 MCF/pd acility: Targa Eunice	y, give subsurface lovide the Bond No. on n results in a multipe filed only after all 013 to flare the otion to flare til ttached list)	ocations and on file with B ole completio I requirement e Targa N	measured an LM/BIA. R n or recompl s, including r Aonumen 2103.	true vertical depths of equired subsequent repo- etion in a new interval, eclamation, have been t plant shutdown	Fall pertinent mar orts must be filed a Form 3160-4 m completed and th due to work	kers and zones. within 30 days just be filed once e operator has being
the proposal is to deepen direct Attach the Bond under which the following completion of the invite sting has been completed. Fit determined that the site is ready ConocoPhillips would lik done on a Chevron line. There are 23 well attach Estimated volumes of ga Nearest gas gathering fa	ionally or recomplete horizontally he work will be performed or prov volved operations. If the operation nal Abandonment Notices must be y for final inspection.) e to starting March 18, 2 We would like an excep ed to the battery. (see a as to flare : 450 MCF/pd acility: Targa Eunice	y, give subsurface lovide the Bond No. on n results in a multipe filed only after all 013 to flare the otion to flare til ttached list)	ocations and on file with B ole completio I requirement e Targa N	measured an LM/BIA. R n or recompl s, including r Aonumen 2103.	true vertical depths of equired subsequent repo- etion in a new interval, eclamation, have been t plant shutdown	Fall pertinent mar orts must be filed a Form 3160-4 m completed and th due to work	kers and zones. within 30 days just be filed once e operator has being
the proposal is to deepen direct Attach the Bond under which the following completion of the invite sting has been completed. Fit determined that the site is ready ConocoPhillips would lik done on a Chevron line. There are 23 well attach Estimated volumes of ga Nearest gas gathering fa	ionally or recomplete horizontally he work will be performed or prov volved operations. If the operation nal Abandonment Notices must be y for final inspection.) e to starting March 18, 2 We would like an excep ed to the battery. (see a as to flare : 450 MCF/pd acility: Targa Eunice	<i>Typed</i>	ocations and on file with B ole completio I requirement e Targa N I April 18,	measured an LM/BIA. R n or recompl s, including r Aonumen 2103.	true vertical depths of equired subsequent repo- etion in a new interval, eclamation, have been t plant shutdown	Fall pertinent mar orts must be filed a Form 3160-4 m completed and th due to work	kers and zones. within 30 days just be filed once e operator has being
the proposal is to deepen direct Attach the Bond under which the following completion of the im- testing has been completed. Fit determined that the site is ready ConocoPhillips would lik done on a Chevron line. There are 23 well attach Estimated volumes of ga Nearest gas gathering fa	ionally or recomplete horizontally he work will be performed or prov volved operations. If the operation nal Abandonment Notices must be y for final inspection.) e to starting March 18, 2 We would like an except ed to the battery. (see a as to flare : 450 MCF/pd acility: Targa Eunice	7, give subsurface lovide the Bond No. on results in a multiple filed only after all 013 to flare the botion to flare till ttached list)	e Staff Re e 03/07/2	measured an LM/BIA. R n or recompl s, including r Aonumen 2103. COI egulatory	true vertical depths of equired subsequent repo- etion in a new interval, eclamation, have been t plant shutdown SEE ATTAC NDITIONS OF	Fall pertinent mar orts must be filed a Form 3160-4 m completed and th due to work	kers and zones. within 30 days just be filed once e operator has being
 the proposal is to deepen direct Attach the Bond under which the following completion of the im- testing has been completed. Fit determined that the site is ready ConocoPhillips would like done on a Chevron line. There are 23 well attach Estimated volumes of gat Nearest gas gathering fat 4. I hereby certify that the foregoing Rhonda Rogers 	ionally or recomplete horizontally he work will be performed or prov volved operations. If the operation nal Abandonment Notices must be y for final inspection.) e to starting March 18, 2 We would like an excep ed to the battery. (see a as to flare : 450 MCF/pd acility: Targa Eunice	7, give subsurface lovide the Bond No. on results in a multiple filed only after all 013 to flare the botion to flare till ttached list)	e Staff Re e 03/07/2	measured an LM/BIA. R n or recompl s, including r Aonumen 2103. COI egulatory	true vertical depths of equired subsequent repo- etion in a new interval, eclamation, have been t plant shutdown SEE ATTAC NDITIONS OF	Fall pertinent mar orts must be filed a Form 3160-4 m completed and th due to work	kers and zones. within 30 days just be filed once e operator has being
 the proposal is to deepen direct Attach the Bond under which the following completion of the im- testing has been completed. Fit determined that the site is ready ConocoPhillips would like done on a Chevron line. There are 23 well attach Estimated volumes of gat Nearest gas gathering fat 4. I hereby certify that the foregoing Rhonda Rogers 	ionally or recomplete horizontally he work will be performed or prov volved operations. If the operation nal Abandonment Notices must be y for final inspection.) e to starting March 18, 2 We would like an except ed to the battery. (see a as to flare : 450 MCF/pd acility: Targa Eunice	7, give subsurface lovide the Bond No. on results in a multiple filed only after all 013 to flare the botion to flare till ttached list)	e Staff Re e 03/07/2	measured an LM/BIA. R n or recompl s, including r Aonumen 2103. COI egulatory	true vertical depths of equired subsequent repo- etion in a new interval, eclamation, have been t plant shutdown SEE ATTAC NDITIONS OF	Fall pertinent mar orts must be filed a Form 3160-4 m completed and th due to work	kers and zones. within 30 days just be filed once e operator has being
the proposal is to deepen direct Attach the Bond under which the following completion of the im- testing has been completed. Fit determined that the site is ready ConocoPhillips would lik done on a Chevron line. There are 23 well attach Estimated volumes of ga Nearest gas gathering fat 4. I hereby certify that the foregoing Rhonda Rogers Signature Difference Signature Signa	ionally or recomplete horizontally he work will be performed or prov volved operations. If the operation nal Abandonment Notices must be y for final inspection.) e to starting March 18, 2 We would like an except ed to the battery. (see a as to flare : 450 MCF/pd acility: Targa Eunice is true and correct. Name (Printed/ THIS SPACE F	7, give subsurface lovide the Bond No. of n results in a multiple filed only after all 013 to flare the bition to flare the bition to flare til ttached list) Typed) Title OR FEDERAL	e Staff Re 03/07/2 L OR ST/	measured an LM/BIA. R n or recompl s, including r Aonumen 2103. COI egulatory	true vertical depths of equired subsequent repo- etion in a new interval, eclamation, have been t plant shutdown SEE ATTAC NDITIONS OF Technician	Fall pertinent mar orts must be filed a Form 3160-4 m completed and th due to work	kers and zones. within 30 days just be filed once e operator has being
the proposal is to deepen direct Attach the Bond under which the following completion of the invite testing has been completed. Fit determined that the site is ready ConocoPhillips would like done on a Chevron line. There are 23 well attach Estimated volumes of ga Nearest gas gathering fat Nearest gas gathering fat there by certify that the foregoing Rhonda Rogers Signature Signature Signature Monda the foregoing Signature Signature Signature Monda at the applicant holds legal or equitab	ionally or recomplete horizontally he work will be performed or prov volved operations. If the operation nal Abandonment Notices must be y for final inspection.) e to starting March 18, 2 We would like an except ed to the battery. (see a as to flare : 450 MCF/pd acility: Targa Eunice	7, give subsurface lovide the Bond No. on results in a multiple filed only after all 013 to flare the bition to flare the bition to flare til ttached list)	e Staff Re 03/07/2 L OR ST/	measured an LM/BIA. R n or recompl s, including r Aonumen 2103. COI egulatory	true vertical depths of equired subsequent repo- etion in a new interval, eclamation, have been t plant shutdown SEE ATTAC IDITIONS OF Technician	All pertinent mar orts must be filed a Form 3160-4 m completed and th due to work HED FOR F APPROY	kers and zones. within 30 days just be filed once e operator has being
the proposal is to deepen direct Attach the Bond under which the following completion of the invite testing has been completed. Fit determined that the site is ready ConocoPhillips would like done on a Chevron line. There are 23 well attach Estimated volumes of gat Nearest gas gathering for Nearest gas gathering for Nearest gas gathering for Nearest gas gathering for Signature Monte Signature Monte pproved by	ionally or recomplete horizontally he work will be performed or prov volved operations. If the operation nal Abandonment Notices must be y for final inspection.) e to starting March 18, 2 We would like an except ed to the battery. (see a as to flare : 450 MCF/pd acility: Targa Eunice is true and correct. Name (Printed/ THIS SPACE F y Blakley thed. Approval of this notice does n le title to those rights in the subject lins thereon.	y give subsurface lovide the Bond No. or n results in a multiple filed only after all 013 to flare the bition to flare the bition to flare till ttached list) Typed) Typed) Title OR FEDERAL ot warrant or certify lease which would rime for any perior a rist perior	e Staff Ro e 03/07/2 L OR ST/	measured an LM/BIA. R n or recompl s, including r Aonumen 2103. COI egulatory 013 ATE OFF	true vertical depths of equired subsequent repo- etion in a new interval, eclamation, have been t plant shutdown SEE ATTAC IDITIONS OF Technician	All pertinent mar ports must be filed a Form 3160-4 m completed and th due to work HED FOR F APPROV	kers and zones. within 30 days ust be filed once e operator has being VAL

Warren Battery 1 23 Wells Wells API# Warren Unit 12 30-025-07880 Warren Unit 15 30-025-07875 Warren Unit 18 30-025-07883	
Wells API# Warren Unit 12 30-025-07880 Warren Unit 15 30-025-07875 Warren Unit 18 30-025-07883	
Warren Unit 12 30-025-07880 Warren Unit 15 30-025-07875 Warren Unit 18 30-025-07883	
Warren Unit 15 30-025-07875 Warren Unit 18 30-025-07883	
Warren Unit 19 30-025-07878	
Warren Unit 21 30-025-07879	
Warren Unit 38 30-025-25189	
Warren Unit 76 30-025-26313	
Warren Unit 97 30-025-31179	
Warren Unit 99 30-025-31175	
Warren/Unit 101 30-025-33770	
Warren Unit 102 30-025-33771	
Warren Unit 106 30-025-31936	
Warren Unit 202 30-025-33624	
Warren Unit 203 30-025-32995	
Warren Unit 204 - 30-025-33640	
Warren Unit 206 30-025-33941	
Warren Unit 207 30-025-33619	
Warren Unit 208 30-025-32996	
Warren Unit 209 30-025-33625	
Warren Unit 212 30-025-33916	
Warren Unit 213 30-025-33917	
Warren Unit 214 30-025-33918	
Warren Unit 215 30-025-33942	

BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

4/6/2013 Condition of Approval to Flare Gas

- 1. Report all volumes on OGOR reports.
- 2. Comply with NTL-4A requirements
- 3. Subject to like approval from NMOCD
- 4. Flared volumes will still require payment of royalties
- 5. Install gas meter on vent/flare line to measure gas prior to venting/flaring operations if it is not equipped as such at this time. Gas meter to meet all requirements for sale meter as Federal Regulations and Onshore Order #5.
- 6. This approval does not authorize any additional surface disturbance.
- 7. Submit updated facility diagram as per Onshore Order #3.
- 8. Approval not to exceed 90 days for date of approval.
- 9. Submit Subsequent Report with actual volumes of gas flared for each month gas is flared.

JDB

. .