

Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised August 1, 2011

HOBBS OCD

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.
Santa Fe, NM 87505

APR 18 2013

WELL API NO. 30-025-33448
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name E.C. Hill B
8. Well Number 6
9. OGRID Number 16696
10. Pool name or Wildcat Teague Blinbury

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH
PROPOSALS.)

1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>
2. Name of Operator OXY USA Inc.
3. Address of Operator P.O. Box 50250 Midland, TX 79710
4. Well Location Unit Letter <u>K</u> : <u>1340</u> feet from the <u>South</u> line and <u>2310</u> feet from the <u>West</u> line Section <u>27</u> Township <u>23S</u> Range <u>37E</u> NMPM County <u>Lea</u>
11. Elevation (Show whether DR, RKB, RT, GR, etc.) <u>3267'</u>

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

TD-5940' PB-5285' Perfs 5149-5164' CIBP-5285'
8-5/8" 28# csg @ 1131' w/ 930sx, 11" hole, TOC-Surf-Circ
5-1/2" 17# csg @ 5940' w/ 1510sx, 7-7/8" hole, TOC-Surface-Circ
1. RIH & set CIBP @ 5100', M&P 40sx cmt to 4820' WOC-Tag
2. M&P 40sx cmt @ 3780-3500' WOC-Tag
3. M&P 40sx cmt @ 2760-2475' WOC-Tag
4. M&P 25sx cmt @ 1185-1010' WOC-Tag
4. M&P 35sx cmt @ 250' to surface
10# MLF between plugs

Spud Date:

Rig Release Date

The Oil Conservation Division Must be notified
24 hours prior to the beginning of plugging operations.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

David Stewart

TITLE

Regulatory Advisor

DATE

4/15/13
4/12/13

Type or print name
For State Use Only

David Stewart

E-mail address: david.stewart@oxy.com

PHONE: 432-685-5717

APPROVED BY:

Mah Whitaker

TITLE

Compliance Officer

DATE

04-19-2013

Conditions of Approval (if any):

Oil Conservation Division - Hobbs office: Must be Notified
24 hours prior to the beginning of Plugging Operations begin.

APR 22 2013

OXY USA Inc. - Proposed
E.C. Hill B #6
API No. 30-025-33448

35sx @ 250'-Surface


25sx @ 1185-1010' WOC-Tag

40sx @ 2760-2475' WOC-Tag

40sx @ 3780-3500' WOC-Tag

CIBP @ 5100' w/ 40sx to 4820' WOC-Tag

11/99-CIBP @ 5285'



11" hole @ 1131'
8-5/8" csg @ 1131'
w/ 930sx-TOC-Surf-Circ

Perf @ 5149-5164'

Perf @ 5331-5831'


7-7/8" hole @ 5940'
5-1/2" csg @ 5940'
w/ 1510sx-TOC-Surf-Circ

TD-5940'

OXY USA Inc. - Current
E.C. Hill B #6
API No. 30-025-33448



11" hole @ 1131'
8-5/8" csg @ 1131'
w/ 930sx-TOC-Surf-Circ



11/99-CIBP @ 5285'

Perf @ 5149-5164'

Perf @ 5331-5831'

7-7/8" hole @ 5940'
5-1/2" csg @ 5940'
w/ 1510sx-TOC-Surf-Circ

TD-5940'