<u>District I</u>					Form C-144 CLEZ		
1625 N. French Dr., Hobbs, N			New Mexico		21-Jul-08		
District II 1301 W. Grand Avenue, Arte	HOBBS OCD	Energy Minerals an Depa	irtment		op systems that only use above ground		
District III	,	•			haul off bins and purpose to implement		
1000 Rio Brazos Road, Aztec,	NM 87410 MAY 08 2013	Oil Conserv	ation Division St. Francis Dr.		al for closure, submit to the appropriate		
District IV 1220 S. St. Francis Dr., Santa	Fe, NM 87505		, NM 87505	NMOCD Distri	ict Office.		
and the second	and the second	· · · · · · · · · · · · · · · · · · ·		lan Application			
RECLOSED System Permit or Closure Plan Application (that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)							
<u>(tr</u>				_	ovarior closure)		
	Type of a		Permit				
	t one application (Form C-144 CL ily use above ground steel tanks	••					
	val of this request does not reliev			-			
	oval relieve the operator of its re	sponsibility to comply w	ith any other applic	able government authorit	y's rules, regulations or ordinances.		
1.							
Operator	Apache Corp			OGRID#	873		
Address:	303	Veterans Airpark		0, Midland, TX 797	05		
Facility or Well Name:	<u>.</u>		V. Laughl	in #4 📈			
API Number:	30-025-21926		OCD Permit Nu	mber: 💋 🚺	-06180		
U/L or Qtr/Qtr	A Section	9 Township	20S	Range 37E	County: Lea 🦯		
Center of Proposed Desig	n: Latitude		Longitude		NAD: 1927 1983		
Surface Owner:	Federal State	Private	- <u> </u>	t or Indian Allotment	•		
2.							
	: Subsection H of 19.15.17.1	1 NMAC					
Operation: Drilling a			s which require pric	r approval of a permit or r	notice of intent)		
Above Ground Steel T	anks or 📃 Ha	ul-off Bins					
3.							
Signs: Subsection C of 19.15	.17.11 NMAC						
	providing Operator's name, site l	ocation, and emergency	telephone numbers	5			
Signed in compliance w	vith 19.15.3.103 NMAC	· · · · · ·					
4. Cleand loan Systems Bermit	Application Attachment Checkl	int, Subcontion R of 10.1					
	lowing items must be attached t			ck mark in the box, that t	he documents are		
attached.							
	sed upon the appropriate require	ements of 19.15.17.11 N	MAC				
	Maintenance Plan - based upon th						
	ease complete Box 5) - based upo		rements of Subsecti	on C of 19.15.17.9 NMAC	and 19.15.17.13 NMAC		
	Design (attach copy of design) Operating and Maintenance Plan	API Number: API Number:			-		
		Arrivaniser.			· · · · · · · · · · · · · · · · · · ·		
5. Marta Barrand Classes For	Classed 14 Carabana 70	- Al		- Only /10 15 17 12 D M			
	<u>Closed-loop Systems That Utiliz</u> the facility or facilities for the d				•		
facilities are required.			,,				
Disposal Facility Name:	Sundance S		Dispos	al Facility Permit Number:	NM-01-0003		
Disposal Facility Name:	Controlled Rec			al Facility Permit Number:			
	ed-loop system operations and a	_	r on or in areas that	will not be used for futur	e service and operations?		
Yes (If yes, please pr	ovide the information below)	✓ No					
Required for impacted areas	which will not be used for future	service and operations:					
	er Design Specifications based (ЛАС		
	based upon the appropriate requ						
	n - based upon the appropriate r	equirements of Subsection	on G of 19.15.17.13	. NMAC			
6.					•		
Operator Application Cer	tification:						
I hereby certify that the infor	mation submitted with this appli	cation is true, accurate a	nd complete to the	best of my knowledge and	d belief.		
Name (Print)	Guinn Bi	urks	Title:	Recla	mation Foreman		
Signature:	Augusta	Kuks	– Date:		5/6/2013		
e-mail address:	guinn.burks@apa	checorp.com	–	4	32-556-9143		
				•			
	Form C-144 CLEZ	Oil Conserv	ation Division	25	Page 1 of 2		
			(人 MAY	8,0 2013		
				• •	· · · · · · · · · · · · · · · · · · ·		

7.							
OCD Approval: Permit Application (including glosure plan)							
OCD Representative Signat	ure: Lipnack		Approval Date:	5-9-2013			
Title:	Dist. Mar	OCD Pe	rmit Number:	PI-06180			
8.							
<u>Closure Report (required within 60 days of closure completion):</u> Subsection K of 19.15.17.13. NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.							
	Closure Completion Date:						
9. <u>Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:</u> Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.							
Disposal Facility Name:	Disposal Facility Name:			Disposal facility Permit Number:			
Disposal Facility Name:	Disposal facility Permit Number:						
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?							
Yes (If yes), pleas	e demonstrate compliance to the items below)	l No					
Required for impacted areas which will not be used for future service and operations:							
Site Reclamation (Photo Documentation)							
Soil Backfilling and Cover Installation							
Re-vegetation Application Rates and Seeding Technique							
10. Operator Closure Certification:							
I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge							
and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.							
Name (Print)	Guinn Burks	Title:	Reclar	nation Foreman			
Signature:		Date:					
e-mail address:	guinn.burks@apachecorp.com	Telephone:	43	32-556-9143			



CLOSED LOOP SYSTEM DESIGN, OPERATION, MAINTENANCE, AND CLOSURE PLAN FOR PLUGGING AND ABANDONDMENT OPERATIONS

This document is intended to provide design requirements as well as operating, maintenance and closure instructions for closed-loop (plugging fluids) systems, ensuring compliance with the New Mexico Title 19, Chapter 15, Part 17 rules and regulations. Plugging units operating for Apache Corporation in New Mexico shall be rigged up with a closed-loop system consistent with this design and should be operated, maintained, and closed in a manner consistent with this document.

DESIGN

The closed-loop system shall be designed and constructed to ensure the confinement of oil, gas, or water and to prevent uncontrolled releases.

The steel tank(s) shall be a minimum of 90 barrels and constructed and in a condition such that no leaks or uncontrolled release would be expected. The tank(s) shall be placed to receive all of the fluid as it returns from the well bore and entry from the flow line shall be such that splash is minimized. The tank(s) shall be connected with steel lines where applicable from the wellhead to the tank. It shall have a separate off load valve to which a vacuum truck can be attached for unloading.

The steel tanks(s) shall comply with any applicable requirements specified in 19.15.17 NMAC. Additionally, the appropriate well signs shall be in place to comply with 19.15.17 NMAC.

OPERATION and MAINTENANCE

The closed-loop system shall be operated and maintained at all times in such a manner as to prevent contamination of fresh water and protect the public health and the environment. While Apache Corporation relies on various third party vendors to provide, operate and maintain the closed-loop system, in the end it is the Apache Corp on-site representative who must take responsibility for the effective operation of the system. At the end of the plugging activities, all return fluids should be disposed of in a licensed disposal facility in New Mexico.

Know which and approved disposal facility is closest to your location and verify that they are capable and prepared to receive the fluids from your well. Track all loads sent during the plugging of the well and up to the time the rig is moved off of the location.

Current approved facilities are;

Controlled Recovery Inc.	(877) 505-4274
Sundance Incorporated	(575) 394-2511

Ensure that the closed-loop system meets the design criteria listed above and is properly installed and fully functional prior to commencing any operations which require circulation.

Inspect the active system tanks at least every tour to ensure no fluid is leaking onto the location. Check any valves and interconnecting pipes for leaks. Correct any leaks as soon as possible upon detection. Monitor and know the fluid level in the containment tank and call for a vacuum truck with enough lead time to allow for delays. Ensure that the truck driver knows which approved disposal he will be transporting the fluid to for off loading.

Make every effort to operate and maintain the closed-loop system in a manner that puts no fluid or well bore discharges in contact with the location or surrounding area.

In the event of a spill over five (5) barrels, take immediate action to contain the spill and make the following notifications;

EHS Apache Hotline(800) 874-3262NMOCD District Office

In the event of oil reaching water, include the following notification; Environmental Protection Agency (EPA) National Response Center


<u>CLOSURE</u>

Upon completion of plugging the well, all connecting lines will be drained into the tank and all remaining fluid in the tank will be removed by a vacuum truck and taken to an approved facility for disposal. All equipment will then be removed so location remediation can begin.

Prepared by

<u>Guinn Burks</u>

Guinn Burks Reclamation Foreman Apache Corporation



.

