

Submit 1 Copy To Appropriate District Office  
District I - (575) 393-6161  
1625 N. French Dr., Hobbs, NM 88240  
District II - (575) 748-1283  
811 S. First St., Artesia, NM 88210  
District III - (505) 334-6178  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV - (505) 476-3460  
1220 S. St. Francis Dr., Santa Fe, NM 87505

HOEBOCD  
MAY 09 2013  
RECEIVED

State of New Mexico  
Energy, Minerals and Natural Resources  
OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-103  
Revised August 1, 2011

|                                                                                                                                                                                                        |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| WELL API NO.<br>30-025-30857                                                                                                                                                                           |  |
| 5. Indicate Type of Lease<br>STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>                                                                                                    |  |
| 6. State Oil & Gas Lease No.                                                                                                                                                                           |  |
| 7. Lease Name or Unit Agreement Name<br>Mobile 5 State /                                                                                                                                               |  |
| 8. Well Number: 1                                                                                                                                                                                      |  |
| 9. OGRID Number<br>4323                                                                                                                                                                                |  |
| 10. Pool name or Wildcat<br>San Andres                                                                                                                                                                 |  |
| SUNDRY NOTICES AND REPORTS ON WELLS<br>(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) |  |
| 1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other                                                                                                  |  |
| 2. Name of Operator<br>Chevron Midcontinent, L.P.                                                                                                                                                      |  |
| 3. Address of Operator<br>15 Smith Rd. Midland, TX 79705                                                                                                                                               |  |
| 4. Well Location<br>Unit Letter O : 760 feet from the South line and 1750 feet from the East line<br>Section 5 Township 17S Range 36E NMPM County Lea                                                  |  |
| 11. Elevation (Show whether DR, RKB, RT, GR, etc.)                                                                                                                                                     |  |

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

|                                                |                                                      |                                                  |                                          |
|------------------------------------------------|------------------------------------------------------|--------------------------------------------------|------------------------------------------|
| NOTICE OF INTENTION TO:                        |                                                      | SUBSEQUENT REPORT OF:                            |                                          |
| PERFORM REMEDIAL WORK <input type="checkbox"/> | PLUG AND ABANDON <input checked="" type="checkbox"/> | REMEDIAL WORK <input type="checkbox"/>           | ALTERING CASING <input type="checkbox"/> |
| TEMPORARILY ABANDON <input type="checkbox"/>   | CHANGE PLANS <input type="checkbox"/>                | COMMENCE DRILLING OPNS. <input type="checkbox"/> | P AND A <input type="checkbox"/>         |
| PULL OR ALTER CASING <input type="checkbox"/>  | MULTIPLE COMPL. <input type="checkbox"/>             | CASING/CEMENT JOB <input type="checkbox"/>       |                                          |
| DOWNHOLE COMMINGLE <input type="checkbox"/>    |                                                      |                                                  |                                          |
| OTHER: <input type="checkbox"/>                |                                                      | OTHER: <input type="checkbox"/>                  |                                          |

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

REVISION OF NOI TO P&A approved 3/26/13

1. Call and notify NMOCD 24 hrs. before operations begin.
2. MIRU. NDWH. NU BOP.
3. Drill out cement and CIBP@5,188'.
4. Set CIBP@6,300' and spot 25sx of cement on top. (spacer plug)
5. Set CIBP@5,290', circulate well w/9.5 ppg mud and spot 65sx of cement on top. WOC&Tag. (S.Andres perms/shoe/liner top)
6. Spot 65sx of Class "C" cement from 3,010'-2,810', WOC&Tag. (B.Salt)
7. Spot 65sx of Class "C" cement from 2026'-1,826', WOC&Tag. (T.Salt)
8. Perf and squeeze 245sx of Class "C" cement from 400' to surface. (Shoe/FW/surface).
9. Cut off wellhead and anchors 3' below grade. Weld on dryhole marker and clean location.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE M. Lee Roark TITLE Project Manager DATE 05/09/13

Type or print name M. Lee Roark E-mail address: LRoark@Chevron.com PHONE: (432)-687-7279

For State Use Only

APPROVED BY [Signature] TITLE Dist. Mgr DATE 5-9-2013  
Conditions of Approval (if any):

MAY 20 2013

CURRENT

Mobil 5 State No. 001 Wellbore Diagram

Created: 03/14/13 By: S. Heaster  
 Updated: By: CAI: TFIZ  
 Lease:  
 Field: Lovington San Andres  
 Surf. Loc.: 760' FNL & 1750' FEL  
 Bot. Loc.:  
 County: Lea St.: NM  
 Status: Temporarily Abandoned Oil Well

Well #: 1 Fd./St. #: 30-025-30857  
 API  
 Surface Tshp/Rng: 17S / 31E  
 Unit Ltr.: O Section: 5  
 Bottom hole Tshp/Rng: 17-S 36-E  
 Unit Ltr.: Section:  
 Directions:  
 Chevno: IZ6682

Surface Casing

Size: 13 3/8"  
 Wt., Grd.: 48# ST&C  
 Depth: 327'  
 Sks Cmt: 350 sks  
 Circulate: Yes  
 TOC: Surface  
 Hole Size: 17-1/2"

Intermediate Casing


Size: 8 5/8"  
 Wt., Grd.: 32# J-55  
 Depth: 5217'  
 Sks Cmt: 1220 sks  
 Circulate: Yes, 75 sks  
 TOC: Surface  
 Hole Size: 11"

Production Casing

Size: 5 1/2"  
 Wt., Grd.: 17# N-80 & K-55  
 Depth: 4996'-9092'  
 Sks Cmt: 1300 Sks  
 Circulate: Yes, 15 bbl  
 TOC:  
 Hole Size: 7 7/8"

Production Tubing

Size:  
 Grd.:  
 Jts.:



KB: 3,907'  
 DF:  
 GL: 3,892'  
 Ini. Spud: 04/29/90  
 Ini. Comp.: 09/18/90

CIBP @ 5188' W/ 40' Cement on Top

5400'-04', 5431'-39'  
 5628'-32'  
 5680'-97', 5655'-62', 5644'-48'

7,122'-42', 7,242'-46', 7,260'-75', 7,310'-14'  
 7,344'-50'

PBTD: 9,056'  
 TD: 9,100'

PROPOSED

# Mobil 5 State No. 001 Wellbore Diagram

Created: 03/14/13 By: S. Heaster  
 Updated: By: CAI: TFIZ  
 Lease:  
 Field: Lovington San Andres  
 Surf. Loc.: 760' FNL & 1750' FEL  
 Bot. Loc.:  
 County: Lea St.: NM  
 Status: Temporarily Abandoned Oil Well

Well #: 1 Fd./St. #:  
 API: 30-025-30857  
 Surface Tshp/Rng: 17S / 31E  
 Unit Ltr.: O Section: 5  
 Bottom hole Tshp/Rng: 17-S 36-E  
 Unit Ltr.: Section:  
 Directions:  
 Chevno: IZ6682

## Surface Casing

Size: 13 3/8"  
 Wt., Grd.: 48# ST&C  
 Depth: 327'  
 Sks Cmt: 350 sks  
 Circulate: Yes  
 TOC: Surface  
 Hole Size: 17-1/2"

KB: 3,907'  
 DF:  
 GL: 3,892'  
 Ini. Spud: 04/29/90  
 Ini. Comp.: 09/18/90

## Intermediate Casing

Size: 8 5/8"  
 Wt., Grd.: 32# J-55  
 Depth: 5217'  
 Sks Cmt: 1220 sks  
 Circulate: Yes, 75 sks  
 TOC: Surface  
 Hole Size: 11"

## Production Casing

Size: 5 1/2"  
 Wt., Grd.: 17# N-80 & K-55  
 Depth: 4996'-9092'  
 Sks Cmt: 1300 Sks  
 Circulate: Yes, 15 bbl  
 TOC:  
 Hole Size: 7 7/8"

## Production Tubing

Size:  
 Grd.:  
 Jts.:

