

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

HOBBS OGD

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
May 27, 2004

MAY 09 2013

RECEIVED

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-25437
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No. B-2229
7. Lease Name or Unit Agreement Name Phillips State -E-
8. Well number 30W
9. OGRID Number 217817
10. Pool name or Wildcat Maljamar GB/SA

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☐ Other ☒ Water injection

2. Name of Operator
ConocoPhillips Company

3. Address of Operator
4001 Penbrook Street Odessa, TX 79762

4. Well Location
Unit Letter **L** : **1980** feet from the **South** line and **660** feet from the **West** line
Section **13** Township **17-S** Range **33-E** NMPM **Lea** County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
4130' GL

Pit or Below-grade Tank Application ☒ or Closure ☐

Pit type **STEEL** Depth to Groundwater Distance from nearest fresh water well Distance from nearest surface water **N/A**

Pit Liner Thickness: **STEEL** mil Below-Grade Tank: Volume bbls; Construction Material **STEEL**

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

- PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

- REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- 1) MIRU. NDWH, NU BOP. POOH & LD Prod Tbg **25**
- 2) RIH WL - Set 4 1/2" CIBP @ 4,332'. RIH Tbg to 4,332' - Tag BP. Circ hole w/ MLF. Cap w/ **20** 20sx cmt @ 4,332'-4,132'
- 3) PUH to 3,852 - Spot **25** 20sx cmt to 3,652'
- 4) PUH to 3,175' - Spot **25** 35sx cmt to 2,745' - WOC-Tag
- 5) PUH to 2,100' - Spot **25** 20sx cmt to 1,900' - WOC-Tag
- 6) PUH to 1,739' - Spot **25** 30sx cmt to 1,348' - WOC-Tag
- 7) PUH to 1,100' - Spot **25** 20sx cmt to 900' - WOC-Tag
- 8) PUH to 450' - Pump 35sx cmt to surface. Fill wellbore. RDMO

The Oil Conservation Division Must be notified
24 hours prior to the beginning of plugging operations.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE Greg Bryant TITLE P&A Tech DATE 5/8/2013

Type or print name Greg Bryant

For State Use Only
APPROVED BY: Makenzie Brown TITLE Compliance Officer DATE 5/10/2013

Conditions of Approval (if any):


MAY 20 2013

WELLBORE SKETCH
ConocoPhillips Company - Lower 48 - Mid-Continent BU / Permian Operations

Date: Dec. 7, 2012

RKB @ 4141'
 DF @ 4140'
 GL @ 4130'

Subarea : Buckeye
 Lease & Well No. : Phillips State E 30W
 Legal Description : 1980' FSL & 660' FWL, Sec. 13, T17S, R33E, UL "L"
 NMPM Survey
 County : Lea State : New Mexico
 Field : Maljamar GB/SA
 Date Spudded : 4/2/77 Rig Released: 4/19/77
 API Number : 30-025-25437
 Status :
 State Lease No. B-2229



12-1/4" Hole

8-5/8" 28.5# @ 399'
 Cmt'd w/400 sx, circ 50 sx
 TOC @ Surface ✓

Stimulation History:

Interval	Date	Type	Gals	Lbs. Sand	Max Press	ISIP	Max Rate	Max Down
4/23/77		Perforate @ 4432-4437; 4469-4476; 4526-4531; 4569-4572 and 4578-4582						
4569-4582	4/26/77	Mud Acid	250		4000	2500	4.7	
4526-4531	4/26/77	Mud Acid	250		4500	2800	3.6	
4469-4476	4/26/77	Mud Acid	250		4000	2300	1.5	
4432-4437	4/26/77	Mud Acid	250		4000	2000	1.5	
4432-4582	4/27/77	Refined Oil	27,000	26,000	5350	3500		
4432-4582	5/9/85	15% HCl	2,000		1950	1140	3.0	
	5/10/85	Convert to water injection						
4432-4582	4/24/90	20% HCl	2,500		2800	2400	3.0	
4432-4582	1/16/97	15% NEFE HCl	1,200		3246	2338	3.9	

Top of Salt @

Base of Salt @ 1689'

EOT @ 4340'

Grayburg

4432-4437
 4469-4476
 4526-4531
 4569-4572 4578-4582

Formation Tops:

Base Santa Rosa 1398'
 Rustler 1502'
 Salado 1689'
 Yates 2795'
 Seven Rivers 3125'
 Queen 3802'
 Grayburg 4310'
 San Andres 4600'

7-7/8" Hole

4-1/2" 11.6# N-80 @ 4705'
 Cmt'd w/ 850 sx; circ 13 sx
 TOC @ Surface ✓

PBTD: 4689'
 TD: 4705'

WELLBORE SKETCH
ConocoPhillips Company - Lower 48 - Mid-Continent BU / Permian Operations


Date: Dec. 7, 2012

RKB @ 4141'
 DF @ 4140'
 GL @ 4130'

Subarea : Buckeye
 Lease & Well No. : Phillips State E 30W
 Legal Description : 1980' FSL & 660' FWL, Sec. 13, T17S, R33E, UL "L"
 NMPM Survey
 County : Lea State : New Mexico
 Field : Maljamar GB/SA
 Date Spudded : 4/2/77 Rig Released: 4/19/77
 API Number : 30-025-25437
 Status:
 State Lease No. B-2229

Stimulation History:

Interval	Date	Type	Gals	Lbs. Sand	Max Press	ISIP	Max Rate	Max Down
	4/23/77	Perforate @ 4432-4437; 4469-4476; 4526-4531; 4569-4572 and 4578-4582						
4569-4582	4/26/77	Mud Acid	250		4000	2500	4.7	
4526-4531	4/26/77	Mud Acid	250		4500	2800	3.6	
4469-4476	4/26/77	Mud Acid	250		4000	2300	1.5	
4432-4437	4/26/77	Mud Acid	250		4000	2000	1.5	
4432-4582	4/27/77	Refined Oil	27,000	26,000	5350	3500		
4432-4582	5/9/85	15% HCl	2,000		1950	1140	3.0	
	5/10/85	Convert to water injection						
4432-4582	4/24/90	20% HCl	2,500		2800	2400	3.0	
4432-4582	1/16/97	15% NEFE HCl	1,200		3246	2338	3.9	



PBTD: 4689'
 TD: 4705'

7-7/8" Hole
 4-1/2" 11.6# N-80 @ 4705'
 Cmt'd w/ 850 sx; circ 13 sx
 TOC @ Surface

Formation Tops:

Base Santa Rosa	1398'
Rustler	1502'
Salado	1689'
Yates	2795'
Seven Rivers	3125'
Queen	3802'
Grayburg	4310'
San Andres	4600'