

Submit 1 Copy To Appropriate District Office  
District I - (575) 393-6161  
1625 N. French Dr., Hobbs, NM 88240  
District II - (575) 748-1283  
811 S. First St., Artesia, NM 88210  
District III - (505) 334-6178  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV - (505) 476-3460  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-103

Revised August 1, 2011

<b>SUNDRY NOTICES AND REPORTS ON WELLS</b> (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-24333
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other INJECTION		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator CHEVRON U.S.A. INC.		6. State Oil & Gas Lease No.
3. Address of Operator 15 SMITH ROAD, MIDLAND, TEXAS 79705		7. Lease Name or Unit Agreement Name VACUUM GRAYBURG SAN ANDRES UNIT
4. Well Location Unit Letter N : 210 feet from the SOUTH line and 1420 feet from the WEST line Section 1 Township 18-S Range 34-E NMPM County LEA		8. Well Number 5
11. Elevation (Show whether DR, RKB, RT, GR, etc.)		9. OGRID Number 4323
		10. Pool name or Wildcat VACUUM GRAYBURG S/A

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ P AND A ☐  
CASING/CEMENT JOB ☐

OTHER: MIT REPAIR W/CHART

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

3-29-13/4-12-13: CEMENT IN 3 1/2" ULTRA FLUSH JOINT LINER W/135 SX CL C CEMENT. BTM OF LINER @ 4256. CLEAN OUT TO TD. RUN IN HOLE W/2 1/16" IPC TUBING W/3 1/2" ASIX PACKER SET @ 4251. MIT TEST TO 600 PSI FOR 30 MINUTES. LOST 25 PSI. (ORIGINAL CHART & COPY OF CHART IS IN NMOCD OFFICE)

PLEASE FIND ATTACHED, THE WELLBORE DIAGRAM.

Spud Date:  Rig Release Date:


I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE  TITLE REGULATORY SPECIALIST DATE 05-07-2013

Type or print name DENISE PINKERTON

E-mail address: leakejd@chevron.com PHONE: 432-687-7375

For State Use Only

APPROVED BY:  TITLE DIST MGR DATE 5-13-2013  
Conditions of Approval (if any):

MAY 20 2013

Chm

# VGSAU #5 Wellbore Diagram

Created: 01/05/06 By: C. A. Irle  
 Updated: 08/09/07 By: HLH  
 Updated: 02/14/13 By: PTB  
 Lease: Vacuum Grayburg San Andres Unit  
 Field: Vacuum Grayburg San Andres  
 Surf. Loc.: 210' FSL & 1,420' FWL  
 Bot. Loc.:  
 County: Lea St.: NM  
 Status: Active Injection Well

Well #: 5 St. Lse: 857948  
 API: 30-025-24333  
 Unit Ltr.: N Section: 1  
 TSHP/Rng: S-18 E-34  
 Unit Ltr.: Section:  
 TSHP/Rng:  
 Directions: Buckeye, NM

## Surface Casing

Size: 8 5/8"  
 Wt., Grd.: 20#, MV-46  
 Depth: 357'  
 Sxs Cmt: 300  
 Circulate: Yes  
 TOC: Surface  
 Hole Size: 12 1/8"

KB: \_\_\_\_\_  
 DF: \_\_\_\_\_  
 GL: 3,994'  
 Ini. Spud: 02/03/73  
 Ini. Comp.: 02/17/73

## Production Casing

Size: 4 1/2"  
 Wt., Grd.: 9.5#, J-55  
 Depth: 4,800'  
 Sxs Cmt: 650  
 Circulate: No  
 TOC: 2,620' (CBL)  
 Hole Size: 7 7/8"

Csg leak 2177-2209. Sqz perms 2192-95

## Liner

Size: 3-1/2" Ultra Flush Joint  
 Wt., Grd.: 9.2#  
 Depth: 4,256'  
 Sxs Cmt: 135  
 Circulate: Yes  
 TOC: 156', calc

## Perforations


Producing: 4,387'-4,742' (2 spf)

## Injection Equipment

2 1/16" 3.25# L-80 IPC Tbg  
 3 1/2" AS1X Packer 4,251'  
 On/Off Tool  
 1.25" Profile Nipple

3-1/2" Liner Set @ 4,256'

San Andres Perfs: 4387'-4742'



PBTD: 4788  
 TD: 4,800