

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

HOBBS OCD

MAY 13 2013

FORM APPROVED
OMB NO. 1004-0135
Expires: July 31, 2010

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

RECEIVED

SUBMIT IN TRIPLICATE - Other instructions on reverse side.

1. Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other		3. Lease Serial No. NMLC063586
2. Name of Operator CIMAREX ENERGY COMPANY OF CO Contact: DAVID A EYLER E-Mail: DEYLER@MILAGRO-RES.COM		6. If Indian, Allottee or Tribe Name
3a. Address 600 NORTH MARIENFELD STREET, SUITE 600 MIDLAND, TX 79701	3b. Phone No. (include area code) Ph: 432-687-3033	7. If Unit or CA/Agreement, Name and/or No. NMNM94514X
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 29 T19S R32E NESE 1980FSL 940FEL <i>Unit I</i>		8. Well Name and No. LUSK WEST DELAWARE UNIT 909
		9. API Well No. 30-025-34283-00-S1
		10. Field and Pool, or Exploratory W LUSK
		11. County or Parish, and State LEA COUNTY, NM

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input checked="" type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recomplate in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

- 1) TAG EXISTING 5-1/2" CIBP @ 4,949'(SET PER BLM 04/26/13); PUMP 25 SXS.CMT. @ 4,949'-4,809'; WOC X TAG CMT. PLUG; ATTEMPT TO CIRC. WELL W/ PXA MUD.
- 2) PUMP 50 SXS.CMT. @ 4,365'-4,042'(T/DLWR. X 8-5/8" CSG.SHOE); WOC X TAG.
- 3) PERF. X ATTEMPT TO SQZ. 50 SXS.CMT. @ 2,853'-2,733'(T/CAPITAN); WOC X TAG.
- 4) PERF. X ATTEMPT TO SQZ. 55 SXS.CMT. @ 2,620'-2,480'(T/YATES X 8-5/8" DV TOOL); WOC X TAG CMT. PLUG.
- 5) PERF. X ATTEMPT TO SQZ. 50 SXS.CMT. @ 948'-810'(T/ANHY. X 13-3/8" CSG.SHOE); WOC X TAG CMT. PLUG.
- 6) PERF. X CIRC. TO SURF., FILLING ALL ANNULI, 25 SXS.CMT. @ 63'-3'.
- 7) DIG OUT X CUT OFF WELLHEAD 3' B.G.L.; WELD ON STEEL PLATE TO CSGS. X INSTALL DRY HOLE MARKER.

SEE ATTACHED FOR
CONDITIONS OF APPROVAL

RECLAMATION PROCEDURE
ATTACHED

Ground Level Dry Hole Marker Required

14. I hereby certify that the foregoing is true and correct.

Electronic Submission #205526 verified by the BLM Well Information System
For CIMAREX ENERGY COMPANY OF CO, sent to the Hobbs
Committed to AFMSS for processing by KURT SIMMONS on 04/30/2013 (13KMS2098SE)

Name (Printed/Typed) DAVID A EYLER	Title AGENT
Signature (Electronic Submission)	Date 04/26/2013

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By: <i>James B. Lina</i> (BLM Approver Not Specified)	Title SEAS	Date 05/03/2013
---	------------	-----------------

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office Hobbs

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212 make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

** BLM REVISED **

FM

MAY 20 2013

clm

Cimarex Energy Co. of Colorado

UPDATE 08/15/06

WELLBORE DATA AND SKETCH

Well: Lusk West Delaware Unit #909	Field: Lusk West	Date: 07/17/00
County: Lea	State: NM	Status: Water Injection
Directions:	Location: 990' FNL & 1880' FWL	Survey: Unit "I" Sec 29, T-19-S, R-32-E
PERMANENT WELLBORE DATA	API # 30-025-34283	DATA ON THIS COMPLETION
Elevation: GL: 3549	Current Completion	Lease No. 924998-909
DF:		Spud: TD:
KB: 3576		RR: FP:
TOC @ Surface		Compl: 03/98
13-3/8 54# at 860'		Cum.:
Cemented w/ 675 sx.		Current Prod: Delaware Sand
8-5/8 DV TOOL @ 2530'		5/00 rate: 0 BW @ 1200# TP
8-5/8 24 & 32# @ 4092'		ANNY - 898 YAKS - 2570 CAPT. - 2793 DLWR - 4315
Cemented w/ 1880 sx		5 1/2" OJBPC @ 4949' (04/26/13)
TOC @ Surface		7 1/2-3/8" IPS @ 4949'
TOC @ Surface		03/89 Perf'd 6444' - 56' (2 JSPF)
Casing:		
5-1/2 16.5# @ 6630'		
Cemented w/ 950 sx		
TOC @ Surface		
	PBTD: 6563' TD: 6630'	DAE 04/26/13