

Submit 1 Copy To Appropriate District Office
 District I - (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II - (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III - (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87401
 District IV - (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources
OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Form C-103
 Revised August 1, 2011

HOBBS OCD
RECEIVED
MAY 20 2013

WELL API NO. 30-025-36570 ✓
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Resler A ✓
8. Well Number 1 ✓
9. OGRID Number 16696 ✓
10. Pool name or Wildcat Langlie Mattix TR On GB ✓
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3305 ✓

SUNDRY NOTICES AND REPORTS ON WELLS
 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well Gas Well Other

2. Name of Operator
OXY-USA Inc.

3. Address of Operator
P.O. Box 50250 Midland, TX 79710

4. Well Location
 Unit Letter K : 2030 feet from the south line and 1880 feet from the west line
 Section 20 Township 23S Range 37E NMPM County Lea

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.1: 7.1, NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

TD-3700' Perfs-3284-3289' 3541-3556'
 8-5/8" 24# csg @ 1124' w/ 675sx, 12-1/4" hole, TOC-Surf-Circ
 4-1/2" 11.6# csg @ 3700' w/ 1010sx, 7-7/8" hole, TOC-Surface-Circ

- RIH & set CIBP @ 3490', M&P 30sx cmt to 3234' WOC-Tag
- M&P 35sx cmt @ 2975-2625' WOC-Tag
- M&P 25sx cmt @ 2450-2250' WOC-Tag
- M&P 25sx cmt @ 1250-1050' WOC-Tag
- M&P 40sx cmt @ 300' to surface

10# MLF between plugs

Spud Date: Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE David Stewart TITLE Regulatory Advisor DATE 5/14/13

Type or print name David Stewart E-mail address: david_stewart@oxy.com PHONE: 432-685-5717


APPROVED BY [Signature] TITLE Dist. MGR DATE 5-20-2013

Conditions of Approval (if any):
 Oil Conservation Division - Hobbs office: **Must be Notified 24 hours prior** to the beginning of Plugging Operations begin.

P.M

MAY 21 2013

OXY USA Inc. - Current
Resler A #1
API No. 30-025-36570



12-1/4" hole @ 1124'
8-5/8" csg @ 1124'
w/ 675sx-TOC-Surf-Circ

Perfs @ 3284-3289' 8/04-sqz 150sx

Perfs @ 3541-3556'

7-7/8" hole @ 3700'
4-1/2" csg @ 3700'
w/ 1010sx-TOC-Surf-Circ

TD-3700'

