

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

OCD Hobbs

FORM APPROVED
OMB NO. 1004-0135
Expires: July 31, 2010

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side.

1. Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other		5. Lease Serial No. NMLC059152B
2. Name of Operator LINN OPERATING, INC.		6. If Indian, Allottee or Tribe Name
3a. Address 600 TRAVIS STREET, SUITE 5100 HOUSTON, TX 77002		7. If Unit or CA/Agreement, Name and/or No. NMNM91009X
3b. Phone No. (include area code) Ph: 281-840-4272		8. Well Name and No. CAPROCK MALJAMAR UNIT 171
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 24 T17S R32E Mer NMP NENW 1116FNL 1444FWL 32.824201 N Lat, 103.723806 W Lon		9. API Well No. 30-025-33517
		10. Field and Pool, or Exploratory MALJAMAR; GRAYBURG-SAN AND
		11. County or Parish, and State LEA COUNTY, NM

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input checked="" type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)


CLEANOUT, REPERFORATE AND ACIDIZE EXISTING PERFS:

CLEANOUT FILL, REPERFORATE EXISTING PERFS @ 2 SPF, ACIDIZE WITH 2000 GALS OF NEFE HCL AND 1750# OF ROCK SALT. RTP

EXISTING PERFS ARE:

(3958,59,60,4006,07,08,89,90,4109,4110,23,24,25,26,35,36,37,44,47,48,
4265,66,82,89,96,99,4300,01
4432,33,35,36,27,39,48,59,60,61,62)

14. I hereby certify that the foregoing is true and correct. Electronic Submission #205569 verified by the BLM Well Information System For LINN OPERATING, INC., sent to the Hobbs Committed to AFMSS for processing by KURT SIMMONS on 04/30/2013 ()	
Name (Printed/Typed) TERRY B CALLAHAN	Title REGULATORY COMPLIANCE III
Signature (Electronic Submission)	Date 04/29/2013
THIS SPACE FOR FEDERAL OR STATE OFFICE USE	
Approved By _____	Title _____
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office _____



**** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED ****

MAY 23 2013

Additional data for EC transaction #205569 that would not fit on the form


32. Additional remarks, continued

NOTE: CURRENT WELLBORE DIAGRAM ATTACHED

Project Description:

Date	History
1/7/1995	Installed 12-1/4" vertical hole @ 1130m. CD 14 hole is 14' 1/2". Run 100' 1/2" ID 5-1/2" casing @ 1130m. Well bottom 1130m. Cased 121' 1/2" in.
1/15/1995	Drilled 2-1/2" retractor hole to 1130m. Run 100' 1/2" ID 5-1/2" casing @ 1130m. Cased 121' 1/2" in.
6/18/1995	Drilled 4-1/2" ID 1130m. Cased 121' 1/2" in.
5/24/1998	Perforated 1130, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 676, 677, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785,

Client Wellbeing Diagram



RD: 4630
 PRD: 4405

Work Name:	CMU #171
API No:	10-023-81127
Event Date:	4/7/1996
Work Update:	2. Volume 4/23/2010

Moist. 120%	12-1/4"
Soil Cap	0-5/8", 210, 4-15, 1T&C eq
Current @load:	Max 1200 125 ps
Depth	44"
FOCI	Org 225 ps

UNCLASSIFIED

Current Status:

References:

TOC:

Detailed Bibliography

3/7/1990 Perf'd 4471, 31, 23, 34, 37, 27, 44, 29, 60, 61, 62 w/15% (11 holes)
 3/7/1990 Perf'd 4168, 64, 22, 89, 94, 99, 1300, 01 w/15% (9 holes)
 3/23/1990 Perf'd 4952, 28, 64, 4004, 07, 04, 09, 20, 4309, 4110, 22, 34, 28, 24,
 33, 36, 37, 44, 47, 48 w/15% (30 holes)
 Reservoir drilling parts of 2 and acidize

Add or Furniture Treatment Details (N/A) (196)

1958-1964 Added w/1000 gals 15% St-J & sold + 40 bath sealers.
 Fred w/12,000 gals. Dettie got + 120,000 14/10 empty land

Fishing Details 1/18/2012	
Depth	Description
1.01	3-7/8"
	3-1/2" TAG
5	3-7/8"
1	SEA FORD 3/24 2012 BP

Red (Detail Close to bottom)	
Reds	Description
1	1 1/2" x 3 1/2" AA w/ 1 1/2" steel
52	1 1/2" x 1 1/2" red axle
73	3/4" rod
19	1 1/2" x 1/2" pin
	1 1/2" x 1/2" rod
	1 1/2" x 1 1/2" x 2 1/2" (steel) rod
	1 1/2" x 1 1/2" GA

State Street	7-770
Trade Size	5-1/2", 134, A-53, 1184 cng
Capacity (H)(H):	
Current Blend:	Maximum amt is 900 cc + 130cc of Premium plus ext. Circulated 3 cc ext.
Remarks:	
Offshore:	
Port of Origin:	
Depth:	4650'
TDC	
Lead Cement Blend:	
Tail Cement Blend:	