

Submit 1 Copy To Appropriate District
Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised August 1, 2011

HOBBS OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505
MAY 30 2013

WELL API NO. 30-025-34499
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name COOPER, J.W.
8. Well Number 009
9. OGRID Number 162683
10. Pool name or Wildcat JALMAT; TAN-YATES-7RVRS (OIL)

Unit Letter I: 1650 feet from the SOUTH line and 660 feet from the EAST line Section 14 Township 24S Range 36E NMPM LEA County
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3,331' - GR

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator
CIMAREX ENERGY CO. OF COLORADO

3. Address of Operator
600 N. MARIENFELD, SUITE 600, MIDLAND, TEXAS 79701

4. Well Location

Unit Letter I: 1650 feet from the SOUTH line and 660 feet from the EAST line
Section 14 Township 24S Range 36E NMPM LEA County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3,331' - GR

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- 1) SET 5-1/2" CIBP @ 3,000'; PUMP 25 SXS. CMT. @ 3,000'-2,850' (T/YATES, B/SALT); WOC X TAG CMT. PLUG.
- 2) CIRC. WELL W/ PXA MUD.
- 3) PUMP 70 SXS. CMT. @ 1,270'-725' (T/SALT, T/ANHY. X 8-5/8" CSG. SHOE); WOC X TAG CMT. PLUG.
- 4) PERF. X CIRC. TO SURF. 40 SXS. CMT. @ 100'-3.
- 5) DIG OUT X CUT OFF WELLHEAD 3' B.G.L.; WELD ON STEEL PLATE TO CSGS. X INSTALL DRY HOLE MARKER.

The Oil Conservation Division Must be notified
24 hours prior to the beginning of plugging operations.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

David A. Eyler

TITLE:

AGENT

DATE: 05/28/13

Type or print name: DAVID A. EYLER

E-mail address: DEYLER@MILAGRO-RES.COM

PHONE: 432.687.3033

For State Use Only

APPROVED BY:

[Signature]

TITLE

DIST. MGR

DATE

6-5-2013

Conditions of Approval (if any):

JUN 05 2013

DRAWING NOT TO SCALE



KB: 3339' (8')

GL: 3331'

Cimarex Energy Co. of Colorado

JW Cooper #9

1650' FSL & 660' FEL

14-24S-26E

Lea County, NM

API: 30-025-34499

LDL 2/24/10

Est TOC 300'

8 5/8" 24# J55 8rd @ 776'
Cmt'd w/440 sx, circ 173 sx

Tubing & Rod Detail: from 9/3/09 report

Quantity	Description	Length	Setting Depth
	KB	0.00	0.00
8	2 7/8" EUE 8rd J55 6.5# tbg	260.05	260.05
82	2 7/8" EUE 8rd J55 6.5# tbg	2597.82	2857.87
	2 7/8" x 5 1/2" TAC	2.80	2860.67
6	2 7/8" EUE 8rd J55 6.5# tbg	190.40	3051.07
	2 7/8" SN	1.10	3052.17
	2 7/8" x 4' per sub	4.10	3056.27
	2 7/8" BPMA	31.05	3087.32
	EOT		3087.32
	1 1/4" x 16' PR w/8' liner	16.00	
4	3/4" pony rods	16.00	
117	3/4" rods	2925.00	
4	1 1/2" sinker bars	100.00	
	RH release tool	1.00	
	25-125-RHAC 12-4-00 pump w/1" x 1' strainer	12.00	
	Total Rod String Length	3070.00	

Tansil / Yates / 7 Rivers
3010'-3020' w/6 SPF

3260'-3270' w/6 SPF

3448'-3458' w/6 SPF

CIBP 3570' w/1sx cmt cap

3618'-3624' w/4 SPF

3672'-3686' w/4 SPF

5 1/2" 15.5# J55 8rd @ 3858'
Cmt'd w/675 sx, est TOC 300'

PBTD: 3570'; Original 3801'
TD: 3875'

Cimarex Energy Co. of Colorado
JW Cooper #9
1650' FSL & 660' FEL
14-24S-26E
Lea County, NM
API: 30-025-34499

