

Submit 1 Copy To Appropriate District Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

HOBBS OCD

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
October 13, 2009

NOV 02 2012

RECEIVED

CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐	WELL API NO. 30-025-04393
2. Name of Operator Finley Resources, Inc	5. Indicate Type of Lease STATE ☐ FEE ☒
3. Address of Operator 1308 Lake Street Fort Worth, TX 76102	6. State Oil & Gas Lease No. 1150066
4. Well Location Unit Letter <u>P</u> : 660 feet from the <u>South</u> line and <u>660</u> feet from the <u>East</u> line Section <u>34</u> Township <u>20S</u> Range <u>36E</u> NMPM County Lea	7. Lease Name or Unit Agreement Name LW White
	8. Well Number 001
	9. OGRID Number 180387
	10. Pool name or Wildcat: Eumont
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3643 KB	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Procedure: 1. A RCH SET CIBP @ 3500'
1) B Spot 25 sxs cmt on top of RBP @ 3471', circulate plugging mud.
2) Set CMT retainer @ 1070' and pump 40 (+15) sxs cmt SPOT 75 sxs cmt @ 1400'
3) String off retainer, spot 15 sxs cmt on top WOC/TAG @ 960'
4) Perf and spot 30 sxs cmt from 385' PERF @ 400' - Circ cmt to SURFACE
5) Perf and spot 45 sxs from 60' to surface (inside 7") IN & OUT 7" 95/8"

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

April Wilkerson

TITLE Regulatory Analyst

DATE 10/22/12

Type or print name April Wilkerson

E-mail address: awilkerson@finleyresources.com

PHONE: 817-231-8735

For State Use Only

APPROVED BY:

[Signature]

TITLE

Dist. MGR

DATE

6-12-2013

Conditions of Approval (if any):

Oil Conservation Division - Hobbs office: **Must be Notified 24 hours prior to the beginning of Plugging Operations begin.**

JUN 13 2013

7M

White, LW #1

660' FSL, 660' FEL, Sec 34P


T20S, R36E Lea Co., NM

Eumont Field completion Date: 7/6/54

KB 3576' (0')

API # 30 025 04393

NM ID 1150066



Potential:
Add Yates

Oil zone cum:
11891 bo to 1/80
Gas zone cum:
742 mmcf to 1/63

Current
2/11/2003

BAOCSG @ 283'
9 5/8" # @ 342' w/ 300 sx. Circ.

TOC @ 423'

Status: Active
2 7/8" tbg: 110 jts
2 3/8" tbg: 16 jts
3/4" rods: 153 rods

BAOCSG @ 1038'

T/s @ 1400'

Stimulation:
7/54: 3000 gal acid, 15000 gal oil, 22500# sd
3588-3632', 3644-68', 1000 gal acid, 10000 gal oil, 10000# sd
10/60: TA'd
9/73: returned to prod on pumping unit (gas & oil zones)
7/80: 1500 gal acid

7 Rivers:

3588-3632', 3644-68'
3774-3812', 3824-60', 3876-3914'

7", #, J-55 @ 3935' w/ 800 sx, TOC 423'

White, LW #1

660' FSL, 660' FEL, Sec 34P

T20S, R36E Lea Co., NM

Eumont Field completion Date: 7/6/54

KB 3576' (0')

API # 30 025 04393

NM ID 1150066

