

Submit 1 Copy To Appropriate District Office
 District I - (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II - (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III - (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV - (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised August 1, 2011

RECEIVED
OIL CONSERVATION DIVISION
APR 22 2013
HOBBSDO

WELL API NO. 30-025-30869
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. E-8184
7. Lease Name or Unit Agreement Name East Pearl Queen Unit
8. Well Number 84
9. OGRID Number
10. Pool name or Wildcat Pearl Queen
11. Elevation (Show whether DR, RKB, RT, GR, etc.)

SUNDRY NOTICES AND REPORTS ON WELLS
 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well Gas Well Other

2. Name of Operator
State of New Mexico formerly Xeric Oil & Gas

3. Address of Operator
1625 N. French Drive Hobbs, New Mexico 88240

4. Well Location
 Unit Letter M : 265 feet from the South 10 line and 10 feet from the West line
 Section 27 Township 19S Range 35E NMPM Lea County

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

SEE ATTACHMENTS: PROCEDURE & SCHEMATIC

Spud Date: Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Mark Whitaker TITLE Compliance Officer DATE 04-19-2013
 Type or print name Mark Whitaker E-mail address: _____ PHONE: 575-393-6161
For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____
 Conditions of Approval (if any):

①

JUN 18 2013

State of New Mexico formerly Xeric Oil & Gas Corp
East Pearl Queen Unit No. 84

Set CIBP at 4650' and cap w/ 25 sx cmt. Pressure test csg.
Circulate hole w/ 9.5 ppg brine w/ 25 sx salt gel per 100 bbls.
Spot 30 sx cmt at 3300'. WOC and Tag.
Spot 25 sx cmt at 1850'. WOC and Tag.
Spot cmt from 466' to surface.
Cut off wellhead and install dry hole marker.

PLUGGING & ABANDONMENT WORKSHEET

OPERATOR St. of NM - formerly Xeric Oil & Gas Corp.
 LEASENAME East Pearl Queen Unit

WELL # 84
 SECT 27 TWN 19S RNG 35E
 FROM 26S N(S) 10' E(W) 5150'
 TD: 5150 FORMATION @ TD 5150
 PBD: _____ FORMATION @ PBD 5150

8 5/8
 @ 416
 TOC CIRC

	SIZE	SET @	TOC	TOC DETERMINED BY
SURFACE	<u>8 5/8</u>	<u>416'</u>	<u>SURF</u>	<u>CIRC 50SX</u>
INTMED 1	<u>5 1/2</u>	<u>5150'</u>	<u>SURF</u>	<u>CIRC 170SX</u>
INTMED 2				
PROD				

	SIZE	TOP	BOT	TOC	DETERMINED BY
LINER 1					
LINER 2					

	CUT & PULL @	TOP - BOTTOM
INTMED 1		PERFS <u>4711' - 4890'</u>
INTMED 2		OPENHOLE -
PROD		

* REQUIRED PLUGS DISTRICT I

RUSTLER (ANYTD)	<u>1800'</u>
YATES	<u>3500'</u>
QUEEN	
GRAYBURG	
SAN ANDRES	
CAPTAN REEF	
DELAWARE	
BELL CANYON	
CHERRY CANYON	
BUSHY CANYON	
BONE SPRING	
OLONIETA	
BLINDBRY	
TUBB	
DRINKARD	
ABO	
WC	
PERR	
STRAWN	
ATOKA	
MOGLOW	
ADSS	
DEVOREAN	

PLUG	TYPE PLUG	SACKS CMNT	DEPTH
EXAMPLES			
PLUG #1	OH	25 SXS	9850'
PLUG #2	SHOE	50 SXS	8700'-8800'
PLUG #3	CIBP/35'		5300'
PLUG #3	CIBP	25 SXS	5300'
PLUG #4	STUB	50 SXS	4600'-4700'
PLUG #6	RETNR SQZ	200 SXS	400'
PLUG #7	SURF	10 SXS	0-10'
PLUG #1			
PLUG #2			
PLUG #3			
PLUG #4			
PLUG #5			
PLUG #6			
PLUG #7			
PLUG #8			
PLUG #9			
PLUG #10			
PLUG #			
PLUG #			

Perfs. 4711 - 4890'
5 1/2
 @ 5150'
 TOC CIRC
 (15.5 + 17 #)

TD 5150

30-025-30869