

Submit 1 Copy To Appropriate District Office  
 District I - (575) 393-6161  
 1625 N. French Dr., Hobbs, NM 88240  
 District II - (575) 748-1283  
 811 S. First St., Artesia, NM 88210  
 District III - (505) 334-6178  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 District IV - (505) 476-3460  
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
 Energy, Minerals and Natural Resources

Form C-103  
 Revised August 1, 2011

**RECEIVED**  
 CONSERVATION DIVISION  
 1220 South St. Francis Dr.  
 Santa Fe, NM 87505  
**APR 22 2013**

**HOBSBODD**

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-03302
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other <input checked="" type="checkbox"/> <b>INJECTION</b>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator State of New Mexico formerly Xeric Oil & Gas		6. State Oil & Gas Lease No. E-8184
3. Address of Operator 1625 N. French Drive Hobbs, New Mexico 88240		7. Lease Name or Unit Agreement Name East Pearl Queen Unit
4. Well Location Unit Letter <u>H</u> : 1980 feet from the North line and 660 feet from the East line Section 34 Township 19S Range 35E NMPM Lea County		8. Well Number 46
11. Elevation (Show whether DR, RKB, RT, GR, etc.)		9. OGRID Number
10. Pool name or Wildcat Pearl Queen		10. Pool name or Wildcat Pearl Queen

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

<b>NOTICE OF INTENTION TO:</b> PERFORM REMEDIAL WORK <input type="checkbox"/> PLUG AND ABANDON <input checked="" type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/> PULL OR ALTER CASING <input type="checkbox"/> MULTIPLE COMPL <input type="checkbox"/> DOWNHOLE COMMINGLE <input type="checkbox"/>		<b>SUBSEQUENT REPORT OF:</b> REMEDIAL WORK <input type="checkbox"/> ALTERING CASING <input type="checkbox"/> COMMENCE DRILLING OPNS. <input type="checkbox"/> P AND A <input type="checkbox"/> CASING/CEMENT JOB <input type="checkbox"/>	
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

SEE ATTACHMENTS: PROCEDURE & SCHEMATIC

Spud Date:  Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Mark Whitaker TITLE Compliance Officer DATE 04/19/2013

Type or print name Mark Whitaker E-mail address: \_\_\_\_\_ PHONE: 575-393-6161

APPROVED BY: \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_

Conditions of Approval (if any):

**3**

**JUN 18 2013**

State of New Mexico formerly Xeric Oil & Gas Corp  
East Pearl Queen Unit No. 46

Go in hole and tag top of cmt at approx. 4538'. Cap w/ 25 sx. Pressure test csg.  
Circulate hole w/ 9.5 ppg brine w/ 25 sx salt gel per 100 bbls.  
Perf at 3400'. Attempt to sqz w/ 25 sx cmt. WOC and Tag.  
Perf at 1800'. Attempt to sqz w/ 25 sx cmt. WOC and Tag.  
Perf at 158'. Circulate cmt to surface.  
Cut off wellhead and install dry hole marker.

# PLUGGING & ABANDONMENT WORKSHEET

OPERATOR St. of NM formerly Xerox Oil & Gas  
 LEASENAME East Pearl Queen Unit

WELL # 46  
 SECT 34 TWN 19S RNG 35E  
 FROM 1980 @ NSL 660 @ BWL  
 TD: 4985 FORMATION @ TD 4985'  
 PBDT: \_\_\_\_\_ FORMATION @ PBDT 4538'

8 5/8  
 @ 108'  
 TOC CIRC

	SIZE	SET @	TOC	TOC DETERMINED BY
SURFACE	<u>8 5/8</u>	<u>108'</u>	<u>SURF</u>	<u>CIRC</u>
INTMED 1				
INTMED 2				
PROD	<u>5 1/2</u>	<u>4985'</u>	<u>?</u>	
	SIZE	TOP	BOT	TOC DETERMINED BY
LINER 1				
LINER 2				
CUT & PULL @			TOP - BOTTOM	
INTMED 1			PERFS	<u>4738 - 4944</u>
INTMED 2			OPENHOLE	-
PROD				

**\* REQUIRED PLUGS DISTRICT 1**

PLUGGER (AKEYD)	
YATES	<u>1777</u> *
QUEEN	<u>34-30</u>
GRAYBURN	
SAN ANDREW	
CANTON REEF	
DELAWARE	
BELL CANYON	
CHEERY CANYON	
BELLEVUE CANYON	
BONE SPONGE	
OLONIETA	
BLINDESKY	
TUES	
DRINKARD	
LADO	
W.C.	
PENK	
STRAWN	
ATOKA	
LAGOLLOV	
LENN	
DEVOREAN	

PLUG	TYPE	SACKS	DEPTH
PLUG	PLUG	CMNT	
EXAMPLES			
PLUG #1	OH	25 SXS	9850'
PLUG #2	SHOE	50 SXS	8700-8900'
PLUG #3	CIBP/35'		5300'
PLUG #3	CIBP	25 SXS	5300'
PLUG #4	STUB	50 SXS	4600-4700'
PLUG #6	REINR SQZ	200 SXS	400'
PLUG #7	SURF	10 SXS	0-10'
PLUG #1			
PLUG #2			
PLUG #3			
PLUG #4			
PLUG #5			
PLUG #6			
PLUG #7			
PLUG #8			
PLUG #9			
PLUG #10			
PLUG #			
PLUG #			

Perfs 4738' - 4944'  
5 1/2  
 @ 4985'  
 TOC UNKNOWN  
 (200 SX)

72- SQZ w/  
 80 SX  
 DISP  
 to 4538'

TD 4985

30-025-03302