

HOBBS OCD

Submit 1 Copy To Appropriate District

Office

District I - (575) 393-6161

1625 N. French Dr., Hobbs, NM 88240

District II - (575) 748-1283

811 S. First St., Artesia, NM 88210

District III - (505) 334-6178

1000 Rio Brazos Rd., Aztec, NM 87410

District IV - (505) 476-3460

1220 S. St. Francis Dr., Santa Fe, NM

87505

State of New Mexico

Energy, Minerals and Natural Resources

Form C-103

Revised August 1, 2011

APR 22 2013

RECEIVED CONSERVATION DIVISION

1220 South St. Francis Dr.

APR 22 2013 Santa Fe, NM 87505

HOBBSOCD

WELL API NO. 30-025-03208
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No. E-8184
7. Lease Name or Unit Agreement Name East Pearl Queen Unit
8. Well Number 29
9. OGRID Number
10. Pool name or Wildcat Pearl Queen

SUNDRY NOTICES AND REPORTS ON WELLS  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☐ Other ☒ INJECTION

2. Name of Operator

State of New Mexico formerly Xeric Oil &amp; Gas

3. Address of Operator

1625 N. French Drive Hobbs, New Mexico 88240

4. Well Location

Unit Letter L : 1980 feet from the South line and 660 feet from the West line  
Section 26 Township 19S Range 35E NMPM Lea County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

## NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
DOWNHOLE COMMINGLE ☐

OTHER: ☐

## SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ P AND A ☐  
CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

SEE ATTACHMENTS: PROCEDURE &amp; SCHEMATIC

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Mark Whitaker TITLE Compliance Officer DATE 04/19/2013Type or print name Mark Whitaker E-mail address: \_\_\_\_\_ PHONE: 575-393-6161

For State Use Only

APPROVED BY: \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_

Conditions of Approval (if any):

5

JUN 18 2013

State of New Mexico formerly Xeric Oil & Gas Corp  
East Pearl Queen Unit No. 29

Go in hole and tag PBTD @ 4500'. Cap w/ 25 sx. Pressure test csg.  
Circulate hole w/ 9.5 ppg brine w/ 25 sx salt gel per 100 bbls.  
Spot 25 sx cmt at 3400'.  
Perf at 1800'. Attempt to sqz w/ 25 sx cmt. WOC and Tag.  
Perf at 374'. Circulate cmt to surface.  
Cut off wellhead and install dry hole marker.

# PLUGGING & ABANDONMENT WORKSHEET

OPERATOR St. of NM - formerly Xerox Oil & Gas  
 LEASE NAME East Pearl Queen Unit

WELL # 29  
 SECT 26 TWN 19S RNG 35E  
 FROM 1980 N 660 E WL  
 TD: 4918 FORMATION @ TD  
 PBTD: 4500 FORMATION @ PBTD

8 5/8"  
 @ 324'  
 TOC CIRC

	SIZE	SET @	TOC	TOC DETERMINED BY	
SURFACE	<u>8 5/8</u>	<u>324'</u>	<u>SURF</u>	<u>CIRC</u>	
INTMED 1					
INTMED 2					
PROD	<u>5 1/2</u>	<u>4918</u>	<u>?</u>		
	SIZE	TOP	BOT	TOC	DETERMINED BY
LINER 1					
LINER 2					
CUT & PULL @			TOP - BOTTOM		
INTMED 1			PERFS	-	
INTMED 2			OPENHOLE	-	
PROD					

## \* REQUIRED PLUGS DISTRICT I

RUSTLER (ANYD)	<u>1799</u>
YATES	<u>3420</u>
QUEEN	
GRAYBURN	
SAN ANDRES	
CAPTAIN REEF	
DELAWARE	
BELL CANYON	
CHERRY CANYON	
BERRY CANYON	
BONE SPRING	
OLORITA	
BURBERRY	
TUES	
DEWEARD	
LBO	
WCO	
PERKY	
STRAWN	
ATOKA	
MACFLOW	
SAFES	
DEVOREAN	

PLUG	TYPE	SACKS	DEPTH
PLUG	PLUG	CMNT	
EXAMPLES			
PLUG #1	OH	25 SXS	9850'
PLUG #2	SHOE	50 SXS	8700'-8800'
PLUG #3	CIBP/35'		5300'
PLUG #4	CIBP	25 SXS	5300'
PLUG #5	STUB	50 SXS	4600'-4700'
PLUG #6	RETNR SQZ	200 SXS	400'
PLUG #7	SURF	10 SXS	0-10'
PLUG #8			
PLUG #9			
PLUG #10			
PLUG #11			
PLUG #12			
PLUG #13			
PLUG #14			
PLUG #15			
PLUG #16			
PLUG #17			
PLUG #18			
PLUG #19			
PLUG #20			
PLUG #21			
PLUG #22			
PLUG #23			
PLUG #24			
PLUG #25			
PLUG #26			
PLUG #27			
PLUG #28			
PLUG #29			
PLUG #30			

Perfs 4687'-4844'

5 1/2"  
 @ 4918'  
 TOC UNKNOWN  
 (700 SX)

1973- set cmt. retainer  
 @ 4605' SQZ w/  
 80 SX left 105'  
 cmt on retainer

TD 4918

30-025-03208

PBTD  
4500'