

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
Revised August 1, 2011

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-30862
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐		5. Indicate Type of Lease STATE ☒ FEE ☐
2. Name of Operator STATE OF NEW MEXICO formerly XERIC O&G		6. State Oil & Gas Lease No.
3. Address of Operator 1625 N. FRENCH DRIVE HOBBS, NM 88240		7. Lease Name or Unit Agreement Name WEST PEARL QUEEN UNIT
4. Well Location Unit Letter N : 100 feet from the SOUTH line and 2580 feet from the WEST line Section 28 Township 19S Range 35E NMPM County LEA		8. Well Number #193
11. Elevation (Show whether DR, RKB, RT, GR, etc.)		9. OGRID Number 25482
		10. Pool name or Wildcat PEARL QUEEN

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☒	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	P AND A ☐
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING/CEMENT JOB ☐	
DOWNHOLE COMMINGLE ☐			
OTHER: ☐		OTHER: ☐	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

SEE ATTACHED PLUGGING PROCEDURE

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

Mary S Brown

TITLE

Compliance Officer

DATE

2/21/2013

Type or print name

E-mail address:

PHONE:

r State Use Only

Mary S Brown

TITLE

Compliance Officer

DATE

02-22-2013

APPROVED BY:

Conditions of Approval (if any):

JUN 18 2013

State of New Mexico formerly XERIC OIL & GAS

LEASE NAME WEST PEARL QUEEN UNIT #193 API 30-0 25 - 30862

Section 28 -T 19 S-R 35 E FROM 100 ~~W~~ / S L, 2580 ~~5~~ / W L.

SPECIAL NOTE—Mud Laden Fluid will consist of 9.5# brine with 12.5# Salt Gel per BBL (25 sacks of gel/ per 100 BBLS Brine). All cement plugs will be 25 sacks of cement or 100', whichever is greater. **Unless otherwise specified in the approved procedure**, cement plugs shall consist of class "C" for depths to 7500'. Class "H" will be used for plugs deeper than 7500'.

1. MIRU plugging unit. Lay down production equipment.
2. Set CIBP @ 4600 '. Circulate MLF. Spot 25 sxs cmt on CIBP.
3. ~~Perf~~/ Spot 25 sxs cmt @ 3400 '. If perf, WOC and TAG.
4. ~~Perf~~/ Spot 25 sxs cmt @ 1800 '. If perf, WOC and TAG.
5. ~~Perf~~/Spot @ 465 '. Sqz w/ sufficient volume to circ cmt to surface inside/outside of csg strings.
6. Cutoff wellhead and anchors, install marker.

-----SPECIAL NOTES-----

[illegible]