District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144 June 1, 2004

Pit or Below-Grade Tank Registration or Closure


Is pit or below-grade tank covered by a "general plan"? Yes No \(\subseteq\) No \(\subseteq\)

Type of action: Registration of a pit or below-grade tank \(\supseteq\) Closure of a pit or below-grade tank \(\supseteq\)

Type of action. Registration of a pit of	r below-grade tank [] Closure of a pit of below-grade tank [2]
Operator:Amerada Hess CorporationTelephone	:(432)758-6738e-mail address:cmoore@hesscom
Address:P. O. Box 840 Seminole, TX 79360	The state of the s
	30-025-36674U/L or Qtr/Qtr _ E Sec _36 _ T19S R36E
County: Lea Latitude	N32°37'02.7" Longitude W103°18'44.0" NAD: 1927 1983
Surface Owner: Federal State Private Indian	
Pit	Below-grade tank
Type: Drilling ⊠ Production □ Disposal □	Volume:bbl Type of fluid:
Workover Emergency	Construction material:
Lined 🛛 Unlined 🔲	Double-walled, with leak detection? Yes If not, explain why not.
Liner type: Synthetic ☑ Thickness 12 mil (reinforced) Clay ☐	_ , . ,
Pit Volume _3300bbl	
	Less than 50 feet (20 points)
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet (10 points)
high water elevation of ground water.)	100 feet or more 12 3 0 points)
	// " ~~ " ~~ "
Wellhead protection area: (Less than 200 feet from a private domestic	Yes (20 points)
water source, or less than 1000 feet from all other water sources.)	No (Opoints)
	Less than 200 feet (20 points)
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 100 feet (10 points)
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more 0 points
	20
	Ranking Score (Total Points)
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's	relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if
your are burying in place) onsite 🔲 offsite 🛛 If offsite, name of facility_S	undance Services, Inc (3) Attach a general description of remedial action taken including
remediation start date and end date. (4) Groundwater encountered: No 🛛 Y	es I If yes, show depth below ground surfaceft. and attach sample results.
(5) Attach soil sample results and a diagram of sample locations and excavat	ions.
Additional Comments:	
Thereby certify that the information above is true and complete to the best	of my knowledge and belief. I further certify that the above-described pit or below-grade tank
has been/will be constructed or closed according to NMOCD guidelines	I find the above-described pit of below-grade tank ⊠, a general permit □, or an (attached) alternative OCD-approved plan □.
Date:10/06//05	
Printed Name/Title Randy Barnes / Production Foreman	Signature Randy Carrie
Your certification and NMOCD approval of this application/closure does not otherwise endanger public health or the environment. Nor does it relieve the	ot relieve the operator of liability should the contents of the pit or tank contaminate ground water or the operator of its responsibility for compliance with any other federal, state, or local laws and/or
regulations.	to operation of its responsionity for computance with any other reactar, state, or local laws and/or
Approval:	
Printed Name/Title LW JOHNSON . ENUIR ENGE	Signature the following Date: 10.11.05
	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \

DRILLING PIT CLOSURE NORTH MONUMENT G/SA 334 (1430)

- Pit contents were dried through fluid hauling and evaporation.
- From 7/07 7/08/05, a total of 900 yards of drill cuttings and liner were excavated and trucked to a NMOCD approved site, Sundance Services, Inc. in Eunice, NM.
- Soil samples were taken including one from each corner of the pit and one from the center, for a total of five (noted on attached diagram). The center sample was analyzed for BTEX, TPH and chlorides. The four corner samples were analyzed for chlorides. The results are attached.
- Once levels were confirmed to be within NMOCD guidelines, the pit area was restored using clean material excavated during pit construction.
- Pit area was leveled, contoured and reseeded.





PHONE (505) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

ANALYTICAL RESULTS FOR AMERADA HESS CORP. ATTN: JAY BAKER P.O. DRAWER D MONUMENT, NM 88265 FAX TO: (505) 391-9895

Receiving Date: 07/08/05 Reporting Date: 07/12/05 Project Number: NOT GIVEN

Project Name: 1430 NMSAU

Project Location: NOT GIVEN

Analysis Date:07/11/05 Sampling Date: 07/08/05 Sample Type: SOIL

Sample Condition: COOL & INTACT

Sample Received By: AH

Analyzed By: AH

LAB NUMBER	AB NUMBER SAMPLE ID						
110005.4		(mg/Kg)					
H9935-1	NE	96					
H9935-2	NW	96					
H9935-3	SE	48					
H9935-4	SW	80					
H9935-5	С	48					
Quality Control		960					
True Value QC							
% Recovery		1000					
		96.0					
Relative Percent D	Relative Percent Difference						

METHOD: Standard Methods 4500-CIB Note: Analyses performed on 1:4 w:v aqueous extracts.



PHONE (325) 673-7001 • 2111 BEECHWOOD • ABILENE, TX 79603

PHONE (505) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

ANALYTICAL RESULTS FOR AMERADA HESS CORP. ATTN: JAY BAKER P.O. DRAWER D MONUMENT, NM 88265 FAX TO: (505) 391-9895

Receiving Date: 07/08/05 Reporting Date: 07/12/05 Project Number: NOT GIVEN Project Name: 1430 NMSAU Project Location: NOT GIVEN

Sampling Date: 07/08/05 Sample Type: SOIL

Sample Condition: COOL & INTACT

Sample Received By: BC

Analyzed By: BC

LAB NUMBER SAMPLE ID	GRO (C_6-C_{10}) (mg/Kg)	DRO (>C ₁₀ -C ₂₈) (mg/Kg)	BENZENE (mg/Kg)	TOLUENE (mg/Kg)	ETHYL BENZENE (mg/Kg)	TOTAL XYLENES (mg/Kg)
ANALYSIS DATE:	07/08/05	07/08/05	07/11/05	07/11/05	07/11/05	07/11/05
H9935-5 C	<10.0	<10.0	<0.005	<0.005	<0.005	<0.015
						·
Quality Control	827	854	0.094	0.094	0.097	0.301
True Value QC	800	800	0.100	0.100	0.100	0.300
% Recovery	103	107	93.8	93.7	97.2	100.0
Relative Percent Difference	2.7	8.9	3.5	3.7	7.9	9.2

METHODS: TPH GRO & DRO - EPA SW-846 8015 M; BTEX - SW-846 8260.

Burgess J. A. Cooke, Ph. D.

Data

N9935A.XLS

ARDINAL LABORATORIES, INC.

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

A STATE OF THE STA	2111 Beechwo (915) 673-70	ood, Abilen 001 Fax (91	e, T	X 79	603	10	1 Ea	ast 303	Ma	riano	d, H	obbs,	NM 8824	40											٠.,	
Company Name:	Amerada	1455	(L)	00		(0	<u> </u>]) - 23	20 F	ax (၁၀၁) ဒ	93-24/6			,	··				<u> </u>	r. remandant bases	age	of		
Project Manager: / JAy Bakar						BILL T() PO#:					ANALYSIS REQUEST															
D 12 TC 10CD					Company:						-]				1							
city: Monument state: Mzip: 88265					Attn:						1					İ			.							
Phone #:				Address:						1				1												
Fax#: 391-9895						City:						1		ł	1											
Project #: Project Owner:						State: Zip:						1														
Project Name: 🗡	430 NM	SAU						Phone #:					1	1,2	3	1										
Project Location:	NO.							Fax #:					1	10]								ĺ			
FOR LAB USE ONLY					MA	TRI			A	RES.	I	SAMPL	ING	1	0	ζ										
		9		2]		1		1								
		{		ATE.	TER.			ļ						1,	7	۲		l								
LAB I.D.	Sample I	I.D. 8	N N	Š	XX.		<u></u>	::		힜.					1	2]	İ	1	Ì		İ					
		I.D.	ğ	GROUNDWATER	WASTEWATER		SLUDGE	OTHER:	ACID:	CE/CO OTHER	اَثَ			10	M]		ŀ		İ	İ '				
H9935-1	NÉ		#	Ö	WAS SOIL	₫	ᅜ	5	₹	<u> </u>		DATE	TIME	ļ.,,		1										
-2	110		+	H	-	+	\vdash			-	11	805)	V		ļ	<u> </u>	<u> </u>			ļ					
-3	SE SE		╁	 	_	+	\vdash	-	\dashv	-	+		 	V		 					<u> </u>		 			
-4	Sul		1		+			+	+		-			1		 						ļ				
-5			1		_			7	_		╁			1	1.4	/-					<u> </u>					
			1		1			7	\dagger	+	\dagger			 V.	//	 							 			
								1	\top	1	1					 										
											1															
- VI-13 (15 (15 (15 (15 (15 (15 (15 (15 (15 (15	and a residence of the second second																									
FASE NOTE: Liability and Dawn	And Chiefman's Carles on a lit.	Sulla making a sanga																				_				
EASE NOTE: Liability and Dama alyses. All claims including those t ruce. In no event shall Cardinal b illiates or suggescore arising out or																able	<u>, , , , , , , , , , , , , , , , , , , </u>	Term 30 da	s and Cor	iditions:	interest wi	ill be charge	ed on all ac	counts mor	re than e of invoice,	· Para designa
liates or successore arising out o ampler Relinquished	Tot rolling to the beliefullighte	of services hereund	ier by C	aromai,	agardies	s of w	nether s	ruptio	ns, los: laim is	s of use based u	, orlos upon ar	s of profits in	ove stated reason	is or otherw	/iše			and a	I costs of	collection	s, including	g attorney's	fees.		,	
_a	7	Time:		Nec	eived	ру.	i						Phone Res Fax Result	l: 🗆 '	Yes Yes	□ No	Additio	onal Fa	x #:							
elinquished By:	soll	Time:				·							REMARKS	i:												
eiinduisned by:		Date: 1810	5	Rec	eived	By:	(Ча	b,S	täff	7				٠,	5>	-01	- 1	25		12	5					1
	-	Time! JC	5	H	MU	r	H	1	IJ	/· ·					Ì.	BIE.	× ×	60	-	(0					
Delivered By: (Cir	•			C C	mple (ideact	t	Ť	CF	ECK (Initi		iY:			1 *	8019	> ×	90								
ampler - UPS - Bus	: - Öther:		ļ		Yes	Ϋ́	es			unu	idisj	1								17	5.	TO				٠

[†] Cardinal cannot accept verbal changes. Please fax written changes to 915-673-7020.