

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
Revised August 1, 2011

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-06995
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐		5. Indicate Type of Lease STATE ☒ FEE ☒
2. Name of Operator Vanguard Permian LLC		6. State Oil & Gas Lease No. 312424
3. Address of Operator 5847 San Felipe St. Ste. 3000, Houston, TX 77057		7. Lease Name or Unit Agreement Name Hugh Corrigan
4. Well Location Unit Letter I : 1980' feet from the South line and 660 feet from the East line Section 33 Township 21S Range 37E NMPM County Lea		8. Well Number 2
11. Elevation (Show whether DR, RKB, RT, GR, etc.)		9. OGRID Number 258350
		10. Pool name or Wildcat San Andres, Foster

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1. Notify OCD 24 hrs prior to commencement of P & A procedure
2. MIRU P & A Equip ND WH NU BOP set CIBP @ 5050'
3. Rih w/tbg tag COBP @ 5050' circ hole w/mlf 9 lbs bw w/25lbs gel p/bbl
4. Spot 25x cmt on top of CIBP @ 5050'-4850' (CIBP, paddock perms) woc & tag
5. Perf @ 2903' sqz 80x cmt 2903'-2703' (9 5/8" shoe, base of salt) woc & tag
6. Perf @ 1350' sqz 80x cmt 1350'-1100' (top of salt & rustler) woc & tag
7. Perf @ 348' circ cmt to surf via 5 1/2" z 9 5/8" and 9 5/8" x 13 3/8" csg ann
8. Cut off well heads, Install dry hole marker, clean location

HOBBS OCD

JUN 21 2013

RECEIVED

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

TITLE

Agent

DATE 6/19/13

Type or print name

Jimmy Bagley

E-mail address: sunsetwellservice@yahoo.com

PHONE: 432-561-8600

For State Use Only

APPROVED BY:

TITLE

Dist Mgr

DATE

6-27-2013

Conditions of Approval (if any):

JUN 27 2013

312 424

Well Name: Hugh Corrigan #2 Unit: 1 Lease Type: State
 Location: 1980' FSL & 660' FEL Sec: 33 Township: 21S Range: 37E
 County: Lea State: NM API: 30-025-06995 Formation: _____
 Prop. Code: _____ State No.: _____


Surface Csg
 Size: 13-3/8"
 Wt.&Thrd: 36 - 64#
 Grade: _____
 Set @: 298'
 Sxs cmt: 280
 Circ: _____
 TOC: _____
 Hole Size: 17-1/2"

KB: _____
 DF: _____
 GL: _____
 Spud Date: 3/1/1947
 Log Date: _____

History - Highlights
 Range owns rights from surface to 6603'
 ***See next tab

Intermediate Csg
 Size: 9-5/8"
 Wt.&Thrd: 32-36#
 Grade: _____
 Set @: 2853'
 Sxs cmt: 1500
 Circ: _____
 TOC: 1350' by TS
 Hole Size: 12"

Production Csg
 Size: 7"
 Wt.&Thrd: 20-23#
 Grade: _____
 Set @: 7454'
 Sxs Cmt: 550
 Circ: _____
 TOC: 3,785' by TS
 Hole Size: 8-3/4"



HOBBS OCD

JUN 21 2013

RECEIVED

32.4335371829623

-103.161538138224

API# 30-025-06995

UL-I SEC 33 T-21S R-37E
1980' FSL + 660' FEL
LEA COUNTY


HOBBS OCD

JUN 21 2013

RECEIVED

Co. Rep	VANGUARD
Well Name	HUGH CORRIGAN Well No. 2
Field	
County	LEA
State	NEW MEXICO
Date	
Date Comp	
KB	

Description	O.D.	Grade	Weight	Depth	Cmt Sx	TOC
Surface Csg	13 3/8			298	280	SURF
Inter Csg	9 5/8			2853	1500	1350'
Prod Csg	7"			7454	550	3785'
Liner O.D.						



13 3/8 @ 298'
280 SX'S TDC SURF

9 5/8 @ 2853'
1500 SX'S TDC @ 1350' T.S

SQZ HOLES 4700'-4702'
350 SX'S CMT TDC @ 3785' T.C.

PADDOCK PERFS
5113'-5201'

CIBP 6600'
7018'-7280' ABO
7410'-7438' ELLENBURGAR


7" @ 7454'
550 SX'S TDC @ 3785' T.S

✓ PERF @ 348'
CIRC CMT TO
SURF
SQZ 80 SX'S
✓ 1350'-1100'
PERF @ 1350'

✓ SQZ 80 SX'S CMT
2903'-2703'
PERF @ 2903'

✓ 25 SX'S CMT
5050'-4850'
CIBP @ 5050'

AFTER
PIA



PBTD,
6600'