

Submit 1 Copy To Appropriate District Office
 District I - (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II - (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III - (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV - (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised August 1, 2011

HOBBS OGD
OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

JUN 13 2013

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-27378
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
2. Name of Operator OXY USA WTP Limited Partnership		6. State Oil & Gas Lease No.
3. Address of Operator P.O. Box 50250 Midland, TX 79710		7. Lease Name or Unit Agreement Name Myers Langlie Mattix Unit
4. Well Location Unit Letter H : 1980 feet from the North line and 660 feet from the east line Section 25 Township 23S Range 36E NMPM County Lea		8. Well Number 12
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3344'		9. OGRID Number 192463
10. Pool name or Wildcat Langlie Mattix TR OGD		

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK <input type="checkbox"/> PLUG AND ABANDON <input checked="" type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/> PULL OR ALTER CASING <input type="checkbox"/> MULTIPLE COMPL <input type="checkbox"/> DOWNHOLE COMMINGLE <input type="checkbox"/>		SUBSEQUENT REPORT OF: REMEDIAL WORK <input type="checkbox"/> ALTERING CASING <input type="checkbox"/> COMMENCE DRILLING OPNS. <input type="checkbox"/> P AND A <input type="checkbox"/> CASING/CEMENT JOB <input type="checkbox"/>	
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

TD-3755' PBD-3327' Perfs-3438-3717' CIBP-3363'
 8-5/8" 24# csg @ 501' w/ 350sx, 12-1/4" hole, TOC-Surf-Circ
 5-1/2" 15.5# csg @ 3754' w/ 1300sx, 7-7/8" hole, TOC-Surf-Circ
 1. RIH & tag cmt/CIBP @ 3327'
 2. M&P 40sx cmt @ 3290-3000', WOC-Tag
 3. M&P 25sx cmt @ 2800-2700' WOC-Tag
 4. M&P 25sx cmt @ 1245-1145' WOC-Tag
 5. M&P 25sx @ 551-451' WOC-Tag
 6. M&P 30sx @ 200' to surface
 10# MLF between plugs

Spud Date: Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE *David Stewart* TITLE Regulatory Advisor DATE 6/11/13


Type or print name David Stewart E-mail address: david.stewart@oxy.com PHONE: 432-685-5717
For State Use Only

APPROVED BY *David Stewart* TITLE Dist. Mgr DATE 6-27-2013
 Conditions of Approval (if any):

Oil Conservation Division - Hobbs office: **Must be Notified 24 hours prior to the beginning of Plugging Operations begin.**

JUN 27 2013 *ms*

OXY USA WTP LP - Current
Myers Langlie Mattix Unit #12
API No. 30-025-27378



12-1/4" hole @ 501'
8-5/8" csg @ 501'
w/ 350sx-TOC-Surf-Circ

4/97-CIBP @ 3363' w/ 36' cmt 3327'

7-7/8" hole @ 3755'
5-1/2" csg @ 3754'
w/ 1300sx-TOC-Surf-Circ

Perfs @ 3438-3717'

TD-3755'

**OXY USA WTP LP - Proposed
Myers Langlie Mattix Unit #12
API No. 30-025-27378**

30sx @ 200'-Surface

25sx @ 551-451' WOC-Tag


25sx @ 1245-1145' WOC-Tag

25sx @ 2800-2700' WOC-Tag

40sx @ 3290-3000' WOC-Tag

4/97-CIBP @ 3363' w/ 36' cmt 3327'

12-1/4" hole @ 501'
8-5/8" csg @ 501'
w/ 350sx-TOC-Surf-Circ



7-7/8" hole @ 3755'
5-1/2" csg @ 3754'
w/ 1300sx-TOC-Surf-Circ

Perfs @ 3438-3717'

TD-3755'