

Submit 1 Copy To Appropriate District Office
 District I - (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II - (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III - (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV - (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised August 1, 2011

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-33324 ✓
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
2. Name of Operator OXY USA Inc.		6. State Oil & Gas Lease No.
3. Address of Operator P.O. Box 50250 Midland, TX 79710		7. Lease Name or Unit Agreement Name E.C Hill A ✓
4. Well Location Unit Letter <u>0</u> : <u>330</u> feet from the <u>South</u> line and <u>2310</u> feet from the <u>east</u> line Section <u>27</u> Township <u>23S</u> Range <u>37E</u> NMPM County <u>Lea</u>		8. Well Number <u>6</u> ✓
11. Elevation (Show whether DR, RKB, RT, GR, etc.) <u>3268'</u>		9. OGRID Number 16696
10. Pool name or Wildcat <u>Tongue Paddock Blueberry</u>		

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK <input type="checkbox"/> PLUG AND ABANDON <input checked="" type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/> PULL OR ALTER CASING <input type="checkbox"/> MULTIPLE COMPL <input type="checkbox"/> DOWNHOLE COMMINGLE <input type="checkbox"/>		SUBSEQUENT REPORT OF: REMEDIAL WORK <input type="checkbox"/> ALTERING CASING <input type="checkbox"/> COMMENCE DRILLING OPNS. <input type="checkbox"/> P AND A <input type="checkbox"/> CASING/CEMENT JOB <input type="checkbox"/>	
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

The Oil Conservation Division
 MUST BE NOTIFIED 24 Hours
 Prior to the beginning of operations

TD-6010' PBD-5250' Perfs-5127-5150' CIBP-5250'
 8-5/8" 24# csg @ 1098' w/ 600sx, 12-1/4" hole, TOC-Surf-Circ
 5-1/2" 15.5# csg @ 6010' w/ 1410sx, 7-7/8" hole, TOC-Surf-Circ
 1. RIH & set CIBP @ 5077', M&P 35sx cmt to 4850' WOC-Tag
 2. M&P 40sx cmt @ 3780-3500' WOC-Tag
 3. M&P 45sx cmt @ 2775-2475' WOC-Tag
 4. M&P 25sx cmt @ 1150-1000' WOC-Tag
 5. M&P 35sx @ 250' to surface
 10# MLF between plugs

HOBBS OCD
 JUN 28 2013
 RECEIVED

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.


SIGNATURE David Stewart TITLE Regulatory Advisor DATE 6/25/13

Type or print name David Stewart E-mail address: david.stewart@oxy.com PHONE: 432-685-5717

APPROVED BY: [Signature] TITLE Dist. Mgr. DATE 7-8-2013
 Conditions of Approval (if any):

JUL 08 2013 P.M.

OXY USA Inc. - Current
E.C. Hill A #6
API No. 30-025-33324



12-1/4" hole @ 1098'
8-5/8" csg @ 1098'
w/ 600sx-TOC-Surf-Circ

HOBBS OCD

JUN 28 2013

RECEIVED

2/00-CIBP @ 5250'

Perfs @ 5127-5150'

Perfs @ 5321-5815'

7-7/8" hole @ 6010'
5-1/2" csg @ 6010'
w/ 1410sx-TOC-Surf-Circ

TD-6010'

OXY USA Inc. - Proposed
E.C. Hill A #6
API No. 30-025-33324

35sx @ 250'-Surface


25sx @ 1150-1000' WOC-Tag

45sx @ 2775-2475' WOC-Tag

40sx @ 3780-3500' WOC-Tag

CIBP @ 5077' w/ 35sx cmt to 4850' WOC-Tag

2/00-CIBP @ 5250'



12-1/4" hole @ 1098'
8-5/8" csg @ 1098'
w/ 600sx-TOC-Surf-Circ

HOBBS OCD
JUN 28 2013
RECEIVED

Perfs @ 5127-5150'

Perfs @ 5321-5815'

7-7/8" hole @ 6010'
5-1/2" csg @ 6010'
w/ 1410sx-TOC-Surf-Circ

TD-6010'