

District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

HOBBS OCD

JUL 12 2013

REC'D

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-34140
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name EUNICE MONUMENT SOUTH UNIT
8. Well Number 652
9. OGRID Number 005380
10. Pool name or Wildcat EUNICE MONUMENT; GB-S.A.

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐	
2. Name of Operator XTO ENERGY, INC. ATTN: STEPHANIE RABADUE	
3. Address of Operator 200 N. LORAIN, SUITE 800, MIDLAND, TEXAS 79701	
4. Well Location Unit Letter: 0 ; 84 feet from the SOUTH line and 1445 feet from the EAST line Section 05 Township 21S Range 36E NMMP LEA County	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3,577' - GR	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒ TEMPORARILY ABANDON ☐ CHANGE PLANS ☐ PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐ DOWNHOLE COMMINGLE ☐	SUBSEQUENT REPORT OF: REMEDIAL WORK ☐ ALTERING CASING ☐ COMMENCE DRILLING OPNS. ☐ P AND A ☐ CASING/CEMENT JOB ☐
OTHER: ☐	OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- 1) TAG EXISITING 7" CIBP @ +/-3,752'; CIRC. WELL W/ PXA MUD; PRES. TEST 7" CSG. TO 500#.
- 2) PUMP 35 SXS. CMT. @ 3,752'-3,622'.
- 3) PUMP 85 SXS. CMT. @ 2,860'-2,543' (T/YATES X B/SALT); WOC X TAG CMT. PLUG.
- 4) PUMP 55 SXS. CMT. @ 1,332'-1,138' (T/SALT X T/ANHY.); WOC X TAG CMT. PLUG.
- 5) PERF. X ATTEMPT TO SQZ. 45 SXS. CMT. @ 639'-530' (9-5/8" CSG.SHOE); WOC X TAG CMT. PLUG.
- 6) PERF. X CIRC. TO SURF. 45 SXS. CMT. @ 100'-3'.
- 7) DIG OUT X CUT OFF WELLHEAD 3' B.G.L.; WELD ON STEEL PLATE TO CSGS. X INSTALL DRY HOLE MARKER.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

David A. Eyer

TITLE: AGENT

DATE: 07/10/13

Type or print name: DAVID A. EYLER

E-mail address: DEYLER@MILAGRO-RES.COM

PHONE: 432.687.3033

For State Use Only

APPROVED BY

[Signature]

TITLE

DIST. MGR

DATE

7-17-2013

Conditions of Approval (if any):

OIL CONSERVATION DIVISION - Hobbs office Must Be Notified
24 hours prior to the beginning of Plugging Operations.

PM

JUL 17 2013

EMSU 652
LEA CO, NM
SEC 5, T21S R36E
84' FSL, 1445' FEL
API # 30-025-34140



TA'D


ELEV
GL: 3577'
KB: 3583'

12 1/4" HOLE

9-5/8" 36# CSG @ 589'
CMT W/300 SX
CIRC TO SURF

8 3/4" HOLE

7", 23# CSG @ 3799'
CMT W/735 SX
NOT SURE IF CIRC TO SURF



CIBP @ 3752'

CIBP @ 3790'

OH COMPLETION
F/3797'-3979'

PBTD: 3752'
TD: 3980'


EMSU 652
LEA CO, NM
SEC 5, T21S R36E
84' FSL, 1445' FEL
API # 30-025-34140



TA'D

ELEV
GL: 3577'
KB: 3583'

12 1/4" HOLE
9-5/8" 36# CSG @ 589'
CMT W/300 SX
CIRC TO SURF



50 SX
PERF. X CIRC. 45 SXs. CMT. @ 200' - 2'

PERF. X SQZ. 45 SXs. CMT. @ 639' - 530' - TAG

Pump 55 SXs. CMT. @ 1332' - 1138' - TAG.

Pump 85 SXs. CMT. @ 2860' - 2543' - TAG

Pump 35 SXs. CMT. @ 3752' - 3622'

CIBP @ 3752'

CIBP @ 3790'

7", 23# CSG @ 3799'
CMT W/735 SX
NOT SURE IF CIRC TO SURF

OH COMPLETION
F/3797'-3979'

PBTD: 3752'
TD: 3980'

DNE 07/11/13