istrict   625 N. French Dr., Hobbs,			lew Mexico		Form C-144 CLEZ 21-Jul-08	
istrict II		Energy Minerals ar		ources	22,50,00	
301 W. Grand Avenue, Ar	tesia, NM 88210 AUG 0 7 20	13 Depa	rtment	For closer	d-loop systems that only use above ground	
istrict III DOO Rio Brazos Road, Azte	C, NM 87410 HOBBSOC	Cil Conserv	ation Division		ks or haul off bins and purpose to implement	
istrict IV	• • •	1220 South	St. Francis Dr.		noval for closure, submit to the appropriate District Office.	
220 S. St. Francis Dr., Sant	The second se	and the second	NM 87505			
Closed-Loop System Permit or Closure Plan Application						
ť	hat only use above ground steel				removation stand for Record Only	
	Type of act	ion: 🗹	Permit	🗌 Çlosure	EGB-7-2013	
closed-loop system that of lease be advised that app	It one application (Form C-144 CLE only use above ground steel tanks of roval of this request does not relieve proval relieve the operator of its resp	r haul-off bins and prop the operator of liability	oose to implement should operation	waste removal for closes security in pollution of	osure, please submit a Form C-144.	
Iperator	Apache Corpo	oration		OGRID#	873	
ddress:		eterans Airpark	Lane, Ste 300	0, Midland, TX 7	79705	
acility or Well Name:		· · · · · · · · · · · · · · · · · · ·	Hansen St			
Pl Number:	30-025-34203		OCD Permit Nu	imber:		
I/L or Qtr/Qtr	G Section	16 Township	205	Range 37E	County: Lea	
enter of Proposed Des			Longitude		NAD: 1927 1983	
urface Owner:	Federal 🗹 State	Private		t or Indian Allotmer		
					ιι 	
Above Ground Steel Tanks or       Haul-off Bins         igns:       Subsection C of 19.15.17.11 NMAC         ✓       12" x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers         ✓       Signed In compliance with 19.15.3:103 NMAC						
Signed in compliance	WIT 19.15.3.105 NIVIAC					
Instructions; Each of the for ttached. Uesign Plan - I Operating and Closure Plan (I Previously approved	it Application Attachment Checklist of lowing items must be attached to based upon the appropriate requiren Maintenance Plan - based upon the Please complete Box 5) - based upon Design (attach copy of design) Operating and Maintenance Plan	the application. Please nents of 19.15.17.11 Ni appropriate requirement	e <b>Indicate, by a ch</b> MAC ents of <u>19</u> .15.17.12	NMAC		
۱.	· · · · · · · · · · · · · · · · · · ·					
	r Closed-loop Systems That Utilize					
acilities are required.	fy the facility or facilities for the dis	posai of inquias, arining	jiulas ana arili cu	nings. Use attachmen	nt lý more tnan two	
Visposal Facility Name:	Sundance Sei	rvices	Dispos	al Facility Permit Num	ber: NM-01-0003	
Visposal Facility Name:	Controlled Reco	very Inc.	Dispo	al Facility Permit Num	ber: NM-01-0006	
	osed-loop system operations and ass provide the information below)	sociated activities occur	on or in areas tha	t <i>will not</i> be used for f	uture service and operations?	
Soil Backfill and Co         Re-vegetation Plan	s which will not be used for future se ver Design Specifications based up - based upon the appropriate requi an - based upon the appropriate rec	ion the appropriate req rements of Subsection I	of 19.15.17.13. N	MAC	3 NMAC	
1,		· · · · · · · · · · · · · · · · · · ·		<u>, ,,, ,,, ,, ,, ,, ,, , , , , , ,</u>		
<b>Iperator Application Co</b>	ertification:					
hereby certify that the inf	prmation submitted with this applica	tion is true, accurate a	nd complete to the	e best of my knowledge	e and bellef.	
Name (Print)	, Guinn Bui	rks	Title:	Re	clamation Foreman	
Signature:	Quine Rus	ks	- Date:		6/11/2013	
e-mail address:	guinn.burks@apacl	necorp.com	- Telephone		432-556-9143	
······						
	Form C-144 CLEZ	Oil Conserv	ation Division		Page 1 of 2 ALLC 07 2013	

AUG	07	201
-----	----	-----

ICD Approval:	ermit Application (including closure plan)	Closure Plan (only)			
ICD Representative Signa			Accepted for Record Only		
itle:		OCD Per	ELG 8-7-ZoJ3		
structions: Operators are re he closure report is required	vithin 60 days of closure completion): Subsecti equired to obtain an approved closure plan prior to in to be submitted to the division within 60 days of the proved closure plan has been obtained and the closu 11	nplementing any closure act completion of the closure ac	ivities and submitting the closure report. tivities. Please do not complete this pleted.		
	Waste Removal Closure For Closed-loop Systen he facility or facilities for where the liquids, drilling fi				
isposal Facility Name:		Disposal facili	ty Permit Number:		
isposal Facility Name:		Disposal facility Permit Number:			
Vere the closed-loop system of	operations and associated activitles performed on or i	n areas that will not be used	for future service and operations?		
Yes (If yes), plea	se demonstrate compliance to the items below)	l No			
equired for impacted areas w	hich will not be used for future service and operations	:			
Site Reclamation (Photo Documentation)					
Soli Backfilling and Cover Installation					
Re-vegetation Application Rates and Seeding Technique					
0. Derator Closure Certificat hereby certify that the inform			, , , , , , , , , , , , , , , , , , , ,		
Name (Print)	Guinn Burks	Title:	Reclamation Foreman		
Signature:		Date:			
e-mail address:	guinn.burks@apachecorp.com	Telephone:	432-556-9143		

.

**Oil Conservation Division** 

-



## CLOSED LOOP SYSTEM DESIGN, OPERATION, MAINTENANCE, AND CLOSURE PLAN FOR PLUGGING AND ABANDONDMENT OPERATIONS

This document is intended to provide design requirements as well as operating, maintenance and closure instructions for closed-loop (plugging fluids) systems, ensuring compliance with the New Mexico Title 19, Chapter 15, Part 17 rules and regulations. Plugging units operating for Apache Corporation in New Mexico shall be rigged up with a closed-loop system consistent with this design and should be operated, maintained, and closed in a manner consistent with this document.

## **DESIGN**

The closed-loop system shall be designed and constructed to ensure the confinement of oil, gas, or water and to prevent uncontrolled releases.

The steel tank(s) shall be a minimum of 90 barrels and constructed and in a condition such that no leaks or uncontrolled release would be expected. The tank(s) shall be placed to receive all of the fluid as it returns from the well bore and entry from the flow line shall be such that splash is minimized. The tank(s) shall be connected with steel lines where applicable from the wellhead to the tank. It shall have a separate off load valve to which a vacuum truck can be attached for unloading.

The steel tanks(s) shall comply with any applicable requirements specified in 19.15.17 NMAC. Additionally, the appropriate well signs shall be in place to comply with 19.15.17 NMAC.

## **OPERATION and MAINTENANCE**

The closed-loop system shall be operated and maintained at all times in such a manner as to prevent contamination of fresh water and protect the public health and the environment. While Apache Corporation relies on various third party vendors to provide, operate and maintain the closed-loop system, in the end it is the Apache Corp on-site representative who must take responsibility for the effective operation of the system. At the end of the plugging activities, all return fluids should be disposed of in a licensed disposal facility in New Mexico.

Know which and approved disposal facility is closest to your location and verify that they are capable and prepared to receive the fluids from your well. Track all loads sent during the plugging of the well and up to the time the rig is moved off of the location.

Current approved facilities are;

Controlled Recovery Inc.	(877) 505-4274
Sundance Incorporated	(575) 394-2511

Ensure that the closed-loop system meets the design criteria listed above and is properly installed and fully functional prior to commencing any operations which require circulation.

Inspect the active system tanks at least every tour to ensure no fluid is leaking onto the location. Check any valves and interconnecting pipes for leaks. Correct any leaks as soon as possible upon detection. Monitor and know the fluid level in the containment tank and call for a vacuum truck with enough lead time to allow for delays. Ensure that the truck driver knows which approved disposal he will be transporting the fluid to for off loading.

Make every effort to operate and maintain the closed-loop system in a manner that puts no fluid or well bore discharges in contact with the location or surrounding area.

In the event of a spill over five (5) barrels, take immediate action to contain the spill and make the following notifications;

EHS Apache Hotline (800) 874-3262 NMOCD District Office In the event of oil reaching water, include the following notification; Environmental Protection Agency (EPA) National Response Center

## **CLOSURE**

Upon completion of plugging the well, all connecting lines will be drained into the tank and all remaining fluid in the tank will be removed by a vacuum truck and taken to an approved facility for disposal. All equipment will then be removed so location remediation can begin.

Prepared by

<u>Guinn Burks</u>

Guinn Burks Reclamation Foreman Apache Corporation





