

Submit 3 Copies To Appropriate District Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
May 27, 2004

HOBBS OCD

OIL CONSERVATION DIVISION

AUG 13 2013

1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO.
30-041-20581

5. Indicate Type of Lease
STATE ☒ FEE ☐

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name
El Paso State

8. Well Number 2

9. OGRID Number
195670

10. Pool name or Wildcat
Wildcat

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

Robertson Resources, Inc

3. Address of Operator

PO Box 9415, Midland, TX 79708

4. Well Location

Unit Letter J : 1980 feet from the South line and 1980 feet from the East line
Section 8 Township 6S Range 34E NMPM County Roosevelt

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
4364.3' GI

Pit or Below-grade Tank Application ☐ or Closure ☐

Pit type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water N/A

Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1. Pkr @ 4600' sqz ²⁰⁰ 150 sxs cmt pressure test Tag. **DISPLACE TO 4700' WOL & TAG**
2. Perf @ 3500' sqz 45 sxs cmt WOC & Tag.
3. Perf @ ~~1800~~ 1800' sqz 35 sxs cmt WOC & Tag. **→ 700' (T. SALT)**
4. Perf @ 425' circulate ~~100~~ sxs cmt. **to surface (inside & outside csy)**
5. ~~15 sxs cmt from 60' to 3'~~

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE [Signature] TITLE Area Superintendant (Basic Energy Services) DATE 8/12/13

Type or print name: Gary Eggleston E-mail address: gary.eggleston@basicenergyservices.com Telephone No. 432-563-3355

For State Use Only

APPROVED BY: [Signature] TITLE Compliance Officer DATE 08-14-2013

Conditions of Approval (if any):

OIL CONSERVATION DIVISION - Hobbs office **Must Be Notified**
24 hours prior to the beginning of Plugging Operations.

El Paso St # 2

(API# 30-041-20581)

1980 FSL & FEL
SEC 8, T-6-S, R-34-E (J)
ROOSEVELT, N.M.

Spud Date: 03-17-81 Completion 8-30-81

Jun-81

P8TD @ 7751'

Perf 7605-09, 7618-23, 7636-39, & 7653-58 (21 holes)
natural completion

Nov-89


72 hour SHIBP at 978 psi

Jul-98

Attempt to pull tbg. Stuck @ 5400' - 6000' Csg collapse

Jul-98

Mill out csg collapse



surface csg: TOC @ SURF BY CIRC
13 3/8\" 48# K-55 @ 365.79'
Cmtd. w/ 350 sx Class "C" cmf.
w/ 2% CaCl2.

Intermediate Casing:
8 5/8\" 24# & 32# J-55 @ 3300'
Cmtd. w/ 1450 sx Pacesetter Lite
w/ 5#/sk Gilsomite, 10#/sk salt.
1/4#/sk calloseal & 0.2% AF_HD.
Followed w/ 200 sx "C" w/ 2% CaCl2
& 1/4#/sk calloseal
Circ. 155 sx to surface.

TAC @ 5100'

Csg collapse 4767-4771', 5136-5159'

TOC @ 5000' BY ?

Cisco Perfs:
7605-09'

7618-23'

7636-39'

7653-58'

PBTD 7751'

TD 7854'

Formation tops:

San And: 3120	Abo: 6525
Glor: 4469	Wnic: 7230
Tubb: 6525	Cisco: 7604

4 1/2\" 10.5\" & 11.6\"
@ 7854'

6-0000

TUBING DETAIL

164 jls. 2 3/8\", 4.7# J-55; EVE 8 Rd tbg, TAC @ 5100'
81 jls 2 3/8\", SN, PS, MA

PUMPER: Lonnie Redell
HOME # (505) 675-2499
MOBIL # (505) 760-9102

From Lovington, go down Hwy 18. Along the way, you will pass Talum Road, and some crossroads.
After you pass Mile Marker 854, turn left and go 8 miles, and then turn right. Go down that road
to the El Paso #2

El Paso St # 2

(API# 30-041-20581)

1980 FSL & FEL
SEC 8, T-6-S, R-34-E (J)
ROOSEVELT, N.M.

Spud Date: 03-17-81 Completion: 6-30-81

Jun-81

PBTD @ 7751'

Perf 7605-09, 7618-23, 7636-39, & 7653-58 (21 holes)
natural completion

Nov-89

72 hour SHBP at 978 psi

Jul-99

Attempt to pull tbg. Stuck @ 5400' - 6000' Csg collapse

Jul-98

Mill out csg collapse

CL 4364' RKB: 4,375'

17 1/2" hole

153X50CMT 60 TO 3

Perf 425 Circulate ROSS CMT

Perf 1920' 353X50CMT U&T Tag

Perf 3500' 592X50CMT U&T Tag

Perf 4400' 592X50CMT U&T Tag

Csg collapse 4767-4771', 5136-5159'

TOC @ 5800' BY ?

Cisco Perfs:
7605-09'

7618-23'

7636-39'

7653-58'

4 1/2" 10.5" + 11.6"
@ 7854'

TUBING DETAIL

164 lbs, 2 3/8", 4.74 J-55; EUE 8 Rd tbg, TAC @ 5160'
81 lbs 2 3/8", SN, PS, MA

PBTD 7751'

TD 7854'

Formation logs:

San And: 3120

Abo: 6525

Glor: 4489

Willc: 7230

Tubb: 6525

Cisco: 7694

PUMPER: Lannie Redell
HOME # (505) 675-2499
MOBIL # (505) 760-9102

From Lovington, go down Hwy 18. Along the way, you will pass Tahim Road, and some crossroads.
After you pass Mile Marker #54, turn left and go 8 miles, and then turn right. Go down that road
to the El Paso #2