Submit I Copy To Appropriate District	State of New Mexico	Form C-103
District 1 – (575) 393-6161	nergy, Minerals and Natural Resources	October 13, 2009
1625 N. French Dr., Hobbs, NM 88240 District II – (575) 748-1283		WELL API NO. 30-025-20264
811 S. First St., Artesia, NM 88210	OIL CONSERVATION DIVISION 1220 South St. Francis Dr.	5. Indicate Type of Lease
District III – (505) 334-6178 AUL 1000 Rio Brazos Rd., Aztec, NM 87410		STATE FEE FED
District IV – (505) 476-3460	Santa Fe, NM 87505	6. State Oil & Gas Lease No.
1220 S. St. Francis Dr., Santa Fe, NM RECEIVED 87505		
0,303	ND REPORTS ON WELLS	7. Lease Name or Unit Agreement Name
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A		
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		MALJAMAR GRAYBURG UNIT
1. Type of Well: Oil Well Gas W	ell Other INJECTION	8. Well Number: 006
2. Name of Operator		9. OGRID Number 269324
LINN OPERATING, INC. 3. Address of Operator		10. Pool name or Wildcat
600 TRAVIS, SUITE 5100, HOUSTON, TEXAS 77002		MALJAMAR;GRAYBURG-SAN
	1211115 77002	ANDRES
4. Well Location		
Unit Letter I; 1980	feet from the S line and 660	feet from the <u>E</u> line
Section 03	Township 17S Range 32E	NMPM LEA County &
11. F	Elevation (Show whether DR, RKB, RT, GR, etc.	
10		
12. Check Approp	oriate Box to Indicate Nature of Notice,	Report or Other Data
NOTICE OF INTENT	TION TO: SUB	SEQUENT REPORT OF:
PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐ REMEDIAL WORK ☐ ALTERING CASING ☐		
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐ COMMENCE DRILLING OPNS.☐ P AND A ☐		
PULL OR ALTER CASING MUL	TIPLE COMPL CASING/CEMEN	T JOB 🔲
DOWNHOLE COMMINGLE	·	
OTHER		
OTHER:	OTHER:	RETURN TO INJECTION d give pertinent dates, including estimated date
	EE RULE 19.15.7.14 NMAC. For Multiple Co	
proposed completion or recomplet	-	impletions. Attach wendore diagram of
•		
	PLEASE SEE ATTACHED	
	TEEASE SEE ATTACHED	
Spud Date:	Rig Release Date:	
I hereby certify that the information above i	s true and complete to the best of my knowledg	ge and belief.
1.)	
SICNATION /	/	DECLARICE III DATE AUGUST (2012
SIGNATORE LACILITUDE	TITLE: REGULATORY COMPLIANCE SI	PECIALIST III DATE AUGUST 6, 2013
Type or print name TERRY B. CALLAHA	N E-mail address: tcallahan@linnene	rgy.com PHONE: 281-840-4272
For State Use Only		
ADDROVED BY THE	1 / noting	DIE 2015
APPROVED BY: Conditions of Approval (if any):	TITLE UST MEZ	DATE 0 13 - CO13
Conditions of Approval (II arry):		
		DATE 8-15-2013 AUG 15 2018

MALJAMAR GRAYBURG UNIT 006 API #30-025-20264 ATTACHMENT TO C-103

7/5/2013 - MIRUPU

7/8/2013 - NU BOP & CATCH PAN POH W/ 2 3/8" IPC TUBING & 4" ARROW SET PKR RIH W/ BAILER TAG UP @ 4373' PBTD WORK BAILER POH W/ 2 3/8" TUBING & BAILER RECOVER 6" OF SCALE

7/9/2013 - RIH W/ PERFERATION PURGING TOOL 2 3/8" TUBING WASH PERF, 4352' - 4241'

7/10/2013 - CLEAN PERF. 4241' - 4064' POH RIH W/ 4" ARROW SET PKR SET PKR @ 3961' SWAB 2 HRS FL SURFACE 8 RUNS 37.5 BBLS FFL 2200'

7/11/2013 - CLEAN PERF. 4241' - 4064' POH RIH W/ 4" ARROW SET PKR © 3961' SWAB 2 HRS FL SURFACE 8 RUNS 37.5 BBLS FFL 2200'

7/12/2013 - RU SWAB CHECK FL 700', MAKE 47 RUNS, RECOVERED 86 BBL THE FL 3300 RD SWAB SDFN

7/15/2013 - RU SWAB, FL 400', MAKE 52 RUNS RECOVERED 92 BBLS THEFL 3300', RD SWAB, SECURE WELL

7/16/2013 - RU SWAB, FL 700' 25 RUNS, ACIDIZE WELL, RU SWAB 5 RUNS, SECURE WELL

7/17/2013 - RU SWAB, FL 400', MADE 7 RUNS, FL 2800', RD SWAB, SAND LINE PARTING, LD BAD SAND LINE, RU NEW ROPE SOCKET, RU SWAB, FL 400', MADE 42 RUNS, FL 3200', RECOVER 84 BBLS, RD SWAB, SION

7/18/2013 - RU SWAB, FL 700', MADE 50 RUNS RECOVERED 91 BBLS, FL STAYED @ 3100', RD SWAB, SION

7/19/2013 - RU SWAB, FL 1000', MADE 50 RUNS RECOVERED 91 BBLS, FL STAYED @ 3200', RD SWAB, SION

7/22/2013 - RD SWAB, UNSET PKR, POH w/ 128 JTS TBG & PKR, RU HYDROTESTERS, RIH w/ PKR & 128 JTS 2 3/8" IPC TBG, REPLACED 1 BAD JT, RD HYDROTESTERS, SET PKR @ 4006', RU PUMP TRUCK, MIT CSG 520# f/ 30 MINS, RELEASE PKR, CIR PKR FLUID, LATCH ONTO PKR, RD FLOOR, NDBOP & CATCH PAN, NUWH, MIT CSG TO 600# f/ 30 MINS, LOSS 20#, RD PUMP TRUCK, SION

7/23/2013 - RDPUMO, INSTALL NEW 2 3/8" GATE VALVE

7/30/2013 - MIT WITNESSED BY MAXEY BROWN (OCD) 560 PSI; RTI

