

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised August 1, 2011

RECEIVED

OIL CONSERVATION DIVISION
AUG 15 2013
220 South St. Francis Dr.
HOBBS NM 87505

WELL API NO. 30-025-31529
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name WEST LOVINGTON UNIT
8. Well Number: 83
9. OGRID Number: 241333
10. Pool name or Wildcat Lovington, Upper San Andres, West

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other Water Injection

2. Name of Operator
Chevron Midcontinent, L.P.

3. Address of Operator
15 Smith Road Midland, TX 79705

4. Well Location

Unit Letter J : 2625' feet from the South line and 2625' feet from the East line
Section 5 Township 17-S Range 36-E NMPM County Lea

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3895' GL

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

TD-5230' PB-5191' CIBP @ 4726' Perfs - 4765' - 5112'
8-5/8" 24# csg @ 1820' w/750 sks, Hole size 12-1/4", TOC - SURFACE, Circulated
5-1/2" 15.5# csg @ 5230' w/1050 sks, Hole size 7-7/8", TOC - SURFACE, Circulated

1. MIRUWSU. NDWH. NUBOP.
2. Tag CIBP @ 4726' w/25 sks cement
3. TIH tubing. Circulate well with 9.5 PPG plugging mud. Pressure Test casing to 500 psi and record/report findings
4. Set Plug w/ 175 sks of Class C cement @ 3350' - 1720' CTOC, WOC & TAG, (Bottom of Salt & Top Salt & Shoe)
5. Perf & Circulate w/ 25 sks of Class C cement @ 100' - Surface,
6. Cut off wellhead and anchors 3' below grade. Weld on dry hole marker. Clean location.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE [Signature] TITLE Representative DATE 08/14/2013

Type or print name Robert Holden E-mail address: rholden@keyenergy.com PHONE: 432-523-5155

For State Use Only

APPROVED BY: [Signature] TITLE Dist. MGR DATE 8-15-2013

Conditions of Approval (if any):

AUG 15 2013

WLU 83 WELLBORE DIAGRAM

Created: 02/14/14 By: TPQJ
 Updated: By:
 Lease: West Lovington Unit
 Field: West Lovington
 Surf. Loc.: 2625' FSL 2625' FEL
 GPS: 32.86370 -103.37620
 County: Lea St.: NM
 Status: TA'd producer Well

Well #: 83 St. Lse:
 API: 30-025-31529
 Unit Ltr.: J Section: 5
 TSHP/Rng: 17S / 36E
 Unit Ltr.: Section:
 TSHP/Rng:
 Directions: Lovington, NM
 Chevno: OS6097

Surface Casing

Size: 8-5/8"
 Wt., Grd.: 24#
 Depth: 1820'
 Sxs Cmt: 750
 Circulate: Y - 158 sxs
 TOC: Surface
 Hole Size: 12-1/4"

Intermediate Casing


Size: n/a
 Wt., Grd.: n/a
 Depth: n/a
 Sxs Cmt: n/a
 Circulate: n/a
 TOC: n/a
 Hole Size: n/a

Production Casing

Size: 5-1/2"
 Wt., Grd.: 15.5#
 Depth: 5230'
 Sxs Cmt: 1050
 Circulate: Y - 166 sxs
 TOC: Surface
 Hole Size: 7-7/8"

Perforations

4765' - 5112'



KB:
 DF:
 GL: 3895'
 Ini. Spud: 03/17/92
 Ini. Comp.: 05/12/92
 Last Prod: 5/31/2003

History
 6-26-08 TA well

Top SALT 3250'
 Bottom SALT 1900'

CIBP @ 4726'

PBTD: 5,191
 TD: 5,230

WLU 83 WELLBORE DIAGRAM

Created: 02/14/14 By: TPQJ
 Updated: By:
 Lease: West Lovington Unit
 Field: West Lovington
 Surf. Loc.: 2625' FSL 2625' FEL
 GPS: 32.86370 -103.37620
 County: Lea St.: NM
 Status: TA'd producer Well

Well #: 83 St. Lse:
 API: 30-025-31529
 Unit Ltr.: J Section: 5
 TSHP/Rng: 17S / 36E
 Unit Ltr.: Section:
 TSHP/Rng:
 Directions: Lovington, NM
 Chevno: OS6097

Surface Casing

Size: 8-5/8"
 Wt., Grd.: 24#
 Depth: 1820'
 Sxs Cmt: 750
 Circulate: Y - 158 sxs
 TOC: Surface
 Hole Size: 12-1/4"

Intermediate Casing

Size: n/a
 Wt., Grd.: n/a
 Depth: n/a
 Sxs Cmt: n/a
 Circulate: n/a
 TOC: n/a
 Hole Size: n/a

Production Casing

Size: 5-1/2"
 Wt., Grd.: 15.5#
 Depth: 5230'
 Sxs Cmt: 1050
 Circulate: Y - 166 sxs
 TOC: Surface
 Hole Size: 7-7/8"

Perforations

4765' - 5112'

