•

APP	LICAI	TION F	OR PERMI Operator Name a		L, RE	-ENTI	ER, DEEP	<u>EN, PLU</u>		DGRID Numb	ADD A ZONE	
		C	GMT Exploration Co 1560 Broadway, S Denver, CO	ompany, LLC Suite 2000 80202			260511 *API Number 30-025- 41350					
* Propert	y Code 765	5	******	⁹ F Merchant L	Property Na _ivestock S	ame tate COM	Q5			>~~ ∘ w	ell No. 2H	
				7 5	Surface	e Loca	tion		•			
UL - Lot	Section	Township	Range	Lot Idn	Feet fro	om	N/S Line	Feet From		E/W Line	County	
с	25	22S	34E		40		North	1700	1700		Lea	
				⁸ I	Pool In	forma	tion					
450	6	hise	o, Bor	ne Spr	ing	2	South	2			9728	
⁹ Work			¹⁹ Well Type	Additio	Onal W		ormation	¹² Lease Type		¹³ Gro	und Level Elevation	
N			0			colary		S		3474		
¹⁴ Mult N(13 Proposed Depth 15800		¹⁶ Format Wolfcan		·	¹⁷ Contractor Unknown		¹⁸ Spud Date WHEN APPROVED		
	to Ground water		Distar	Distance from nearest fresh water		•	<u>I</u>			o nearest surface water		
				Proposed C	Casing	and C	ement Pro	gram				
Туре	Hole	Size	Casing Size	Casing Weig			etting Depth		ks of Cement		Estimated TOC	
Surf	17	1/2	13 3/8	54.5			280174	0	456		0	
Int	12 1⁄4		9 5/8	43.5			4950		1156		· 0	
Prod	81	1/2	5 1/2	20.0		15,574		2510			4000	
			1				·					
			Casir	ng/Cement I	Progra	m: Ad	ditional C	omments				
H ₂ S is not antic	ipated for t	this well.									1	
				Proposed Bl	lowout	Preve	ntion Prog	ram				
Туре			v	Working Pressure			Test Pressure		Manufacturer		anufacturer	
Double Ram				5000			5000					
			given above is true	and complete to t	the best							
of my knowled I further certi	fy that the	e drilling p	it will be construc	ted according to	·		OILO	CONSERV	/ATIC	ON DIVIS	SION	
NMOCD guid OCD-approve			permit 🔲, or an (attached) alterna	ative	Approve	d By:		~ 7	1		

OCD-approved plan .		Approved By:	
Printed name: Marissa Wa	alters MAM	Title: Petroleum Engineer	
Title: Geotech/ Executive	Assistant	Approved Date 5/16/13 Expiration Date: 08/16/19	5
E-mail Address: mwalters	@gmtexploration.com		
Date: 8/7/13	Phone: 303.586.9275	Conditions of Approval Attached	
		AUG 2 1 2013	dim

AUG 8,1 2013

Conditions of Approval

· ·

In order to seal off protectable water, surface casing must be set 25' below top of Rustler Anhydrite.

١

Mull, Donna, EMNRD

From:Marissa Walters <mwalters@gmtexploration.com>Sent:Thursday, August 15, 2013 9:23 AMTo:Mull, Donna, EMNRDSubject:Attachment to C101 for GMT Exploration NM Wells

Good Morning Ms. Mull,

Again, thank you so much for your guidance. I have further reviewed the new pit rules and am now aware of the requirement for future submissions.

Please be advised. As an attachment to our APD's for the following wells this statement applies to all. During these procedures we plan to use the Closed-Loop System and haul contents to the required disposal.

Merchant Livestock State COM 24 #2H Merchant Livestock State COM 24 #3H Merchant Livestock State COM 24 #4H Merchant Livestock State COM 25 #2H Merchant Livestock State COM 25 #4H Merchant GAP State COM 36 #1H Merchant GAP State COM 36 #2H

Thank you again and have a great afternoon!

Best,

Marissa Walters Executive Assistant/ Office Manager GMT Exploration Company 1560 Broadway Suite 2000 Denver, CO 80202 Direct: 303.586.9275 mwalters@gmtexploration.com

Mull, Donna, EMNRD

From: Sent: To: Subject: Marissa Walters <mwalters@gmtexploration.com> Thursday, August 15, 2013 10:06 AM Mull, Donna, EMNRD Pool Name for GMT Exploration NM Wells

Ms. Mull,

Please be advised, that for the following wells we plan to produce from the Bone Springs.

Merchant Livestock State COM 24 #2H Merchant Livestock State COM 24 #3H Merchant Livestock State COM 24 #4H Merchant Livestock State COM 25 #2H Merchant Livestock State COM 25 #4H Merchant GAP State COM 36 #1H Merchant GAP State COM 36 #2H

÷.

Thank you!

Marissa Walters *Executive Assistant/ Office Manager* **GMT Exploration Company 1560 Broadway Suite 2000 Denver, CO 80202 Direct: 303.586.9275** mwalters@gmtexploration.com