

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103

October 13, 2009

RECEIVED

OIL CONSERVATION DIVISION

AUG 28 2013

1220 South St. Francis Dr.

Santa Fe, NM 87505

HOBBSOCD

WELL API NO.

30-025-25724

5. Indicate Type of Lease

STATE ☒ FEE ☐

6. State Oil &amp; Gas Lease No.

7. Lease Name or Unit Agreement Name

CENTRAL VACUUM UNIT

8. Well Number 58

9. OGRID Number 4323

10. Pool name or Wildcat  
VACUUM GRAYBURG S/A

## SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☐ Other INJECTION

2. Name of Operator

CHEVRON U.S.A. INC.

3. Address of Operator

15 SMITH ROAD, MIDLAND, TX 79705

4. Well Location

Unit Letter A : 1310 feet from the NORTH line and 132 feet from the EAST line

Section

36

Township

17-S

Range

34-E

NMPM

County LEA

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

3,999' GL

## 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

## NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐PLUG AND ABANDON ☐TEMPORARILY ABANDON ☐CHANGE PLANS ☐PULL OR ALTER CASING ☐MULTIPLE COMPL ☐DOWNHOLE COMMINGLE ☐

OTHER: NOI for Future Annual MITs

☒

## SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ALTERING CASING ☐COMMENCE DRILLING OPNS. ☐P AND A ☐CASING/CEMENT JOB ☐

OTHER:

☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

The subject well has cemented in injection tubing and is subject to Special Annual Mechanical Integrity Testing as per Injection Order R-5530-E. The maximum operating pressure of the CO<sub>2</sub> project is 1,900 psi. As per a conversation between Chevron and E. L. Gonzales on 8/27/13, the tubing in the subject well will be pressure tested to 2,200 psi for 30 minutes in order to confirm mechanical integrity.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

TITLE

Vacuum Petroleum Engineer

DATE 08/27/2013

Type or print name

Sean Heaster

E-mail address:

SHeaster@chevron.com

PHONE: 432-640-9031

For State Use Only

APPROVED BY:

TITLE

DATE

Conditions of Approval (if any):

AUG 29 2013