

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103

Revised August 1, 2011

HOBBS OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

AUG 22 2013

RECEIVED

WELL API NO. 30-025-36529
5. Indicate Type of Lease STATE ☐ FEE ☒
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name COOPER 8
8. Well Number 002
9. OGRID Number 162683
10. Pool name or Wildcat MONUMENT; BLINEBRY
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3,550' - GR

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☒ Other

2. Name of Operator
CIMAREX ENERGY CO. OF COLORADO

3. Address of Operator
600 N. MARIENFELD, SUITE 600, MIDLAND, TEXAS 79701

4. Well Location
Unit Letter: H : 1850 feet from the NORTH line and 630 feet from the EAST line
Section 08 Township 20S Range 37E NMPM LEA County

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- 1) SET 5-1/2" CIBP @ 5,100'; PUMP 25 SXS. CMT. @ 5,100'-4,940'; CIRC. WELL W/ PXA FLUID.
- 2) PUMP 25 SXS. CMT. @ 3,826'-3,696' (T/S.A.).
- 3) PUMP 30 SXS. CMT. @ 2,556'-2,334' (T/YATES X B/SALT); WOC X TAG CMT. PLUG.
- 4) PUMP 25 SXS. CMT. @ 1,185'-1,045' (8-5/8" CSG. SHOE X T/SALT); WOC X TAG CMT. PLUG.
- 5) CIRC. TO SURF. 25 SXS. CMT. @ 100'-3'. 200'
- 6) DIG OUT X CUT OFF WELLHEAD 3' B.G.L.; WELD ON STEEL PLATE TO CSGS. X INSTALL DRY HOLE MARKER.

DURING THIS PROCEDURE WE PLAN TO USE THE CLOSED-LOOP SYSTEM WITH A STEEL TANK AND HAUL CONTENTS TO THE REQUIRED DISPOSAL, PER OCD RULE 19.15.17.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE David A. Eyler TITLE: AGENT

DATE: 08/21/13

Type or print name: DAVID A. EYLER

E-mail address: DEYLER@MILGRO-RES.COM PHONE: 432.687.3033

For State Use Only

APPROVED BY [Signature]
Conditions of Approval (if any):

TITLE DIST. MGR

DATE 8-29-2013

OIL CONSERVATION DIVISION - Hobbs office **Must Be Notified**
24 hours prior to the beginning of Plugging Operations.



KB: 18' above GL

Cimarex Energy Co. of Colorado

Cooper 8-2

API 30-025-36529

1850' FNL & 630' FEL, Sec 8, T20S R37E

Lea County, NM

GL: 3550' KB: 3567.5'

Cimarex Property #309615-042

J. PIWETZ

11/19/2012

12-1/4" Hole

8-5/8", 24# J-55 csg @ 1135'
cmtd w/ 520 sx, 140 sx cmt circ

170 jts 2-3/8" 4.7# 8rd J-55 tbg

Paddock Perfs: 5139' - 5156' (3 SPF/53 holes) (Sqzd 9/12)
5161' - 5169' (3 SPF/24 holes) (Sqzd 9/12)

Packer set @ 5507'

Blaine Perfs: 5607' - 5720' (2 SPF/226 holes) (9/12)

NEW PBD = 5860' - Cement Bridge

CIBP @ 6474' w/ 35' cmt on top

RBP @ 6633'

Tubb perfs: 6518' - 6528' (6 SPF/60 holes)

Drinkard Perfs: 6694' - 6714' (2 SPF/40 holes)

CIBP @ 6952' w/ 30' cmt on top

Abo Perfs: 6992' - 7002' (3 SPF/30 holes)
7088' - 7092' (3 SPF/12 holes)

7-7/8" Hole

5-1/2", 17# N-80 csg @ 7500'
cmt w/ 2080 sx, circ 275 sx

PBTD @ 6439'

TD @ 7500'



KB: 18' above GL

Cimarex Energy Co. of Colorado

Cooper 8-2

API 30-025-36529

1850' FNL & 630' FEL, Sec 8, T20S R37E

Lea County, NM

GL: 3550' KB: 3567.5'

Cimarex Property #309615-042

J. PIWETZ

11/19/2012

*Cut cmt from
200' to surface*

12-1/4" Hole

8-5/8", 24# J-55 csg @ 1135'
cmt'd w/ 520 sx, 140 sx cmt circ

PXA
MUD

PXA
MUD

PXA
MUD

PXA
MUD

PXA
MUD

Paddock Perfs: 5139' - 5156' (3 SPF/53 holes) (Sqzd 9/12)
5161' - 5169' (3 SPF/24 holes) (Sqzd 9/12)

Blainebry Perfs: 5607' - 5720' (2 SPF/226 holes) (9/12)

NEW PBD = 5860' - Cement Bridge

CIBP @ 6474' w/ 35' cmt on top

RBP @ 6633'

Tubb perfs: 6518' - 6528' (6 SPF/60 holes)

Drinkard Perfs: 6694' - 6714' (2 SPF/40 holes)

CIBP @ 6952' w/ 30' cmt on top

Abo Perfs: 6992' - 7002' (3 SPF/30 holes)
7088' - 7092' (3 SPF/12 holes)

7-7/8" Hole

5-1/2", 17# N-80 csg @ 7500'
cmt w/ 2080 sx, circ 275 sx

PBTD @ 6439'

TD @ 7500'