

Submit 1 Copy To Appropriate District Office

District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
Revised August 1, 2011

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-33514
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐ HOBBS OCD		5. Indicate Type of Lease STATE ☒ FEE ☐
2. Name of Operator DAVID H. ARRINGTON OIL AND GAS, SEP 27 2013		6. State Oil & Gas Lease No.
3. Address of Operator P.O. BOX 2071 MIDLAND, TX 79702		7. Lease Name or Unit Agreement Name Royal Wulff
4. Well Location Unit Letter P : 330 feet from the S line and 330 feet from the E line Section 27 Township 19S Range 36E NMPM County Lea		8. Well Number 1
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3664 GR		9. OGRID Number 5898
		10. Pool name or Wildcat Monument; Abo

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1) 5 1/2 CIBP @ 7000' w/ 25sx

2) 25sx cmt 4250'-4050', TAG

3) Cut & pull 2900' 5 1/2 csg

4) 55sx cmt 3100'-2870', TAG

5) 35sx cmt 362-262, TAG

6) 20sx cmt Surface, install D.H.M.

RDMO Rig release

NOTE: Closed loop system will be used, gel brine between all plugs.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

TITLE ENGINEERING TECH

DATE 09/24/2013

Type or print name DEBBIE WHITING

E-mail address: DEBBIE.WHITING@ARRINGTON.COM PHONE: (505) 682-6685

For State Use Only

APPROVED BY:

TITLE Dist. MGR

DATE 10-2-2013

Conditions of Approval (if any):

OIL CONSERVATION DIVISION - Hobbs office Must Be Notified
24 hours prior to the beginning of Plugging Operations.

OCT 03 2013


**Royal Wulff 1
Monument Field
Lea County, New Mexico
Existing Wellbore**

**KB: 3681'
GL: 3664'**

**330' FSL
330' FEL
S-27
T19S
R36E**

API: 30-025-33514

**Spud: 08/13/96
Rig Rel: 08/29/06**




**Royal Wulff 1
Monument Field
Lea County, New Mexico
After Plug and Abandonment
Wellbore**

330' FSL
330' FEL
S-27
T19S
R36E

KB: 3681'
GL: 3664'

API: 30-025-33514

Spud: 08/13/96
Rig Rel: 08/29/06



TD: 8020', PBTD: 7220'

MEE: 18-Oct-06